COIL FORMERS

General data CP-P30/19 coil former

PARAMETER	SPECIFICATION
Coil former material	polyoxymethylene (POM), flame retardant in accordance with *"UL94HB"*; UL file number E 66288
Maximum operating temperature	105 C

Winding data for P30/19 coil former

NUMBER OF SECTIONS	MINIMUM WINDING AREA (mm^2)	NOMINAL WINDING WIDTH (mm)	AVERAGE LENGTH OF TURN (mm)	TYPE NUMBER
1	57.6	11.6	62.2	CP-P30/19-1S-A
2	55.1	11.1	62.0	CP-P30/19-2S-A
3	52.1	10.5	62.0	CP-P30/19-3S-A