Shoulder 好达

SHOULDER ELECTRONICS LIMITED

CERAMIC RESONATOR Data Sheet

PRODUCT 产品: CERAMIC RESONATOR

MODEL NO 型 号: ZTACV···MT

PREPARED编制: Fengyu

CHECKED 审 核: York

APPROVED 批 准: Lijiating

DATE 日期: 2008-01-25

1 SCOPE

This specification shall cover the characteristics of the ceramic resonator 8.00–13.00MHZ.


2 PART NO.

PART NUMBER	CUSTOMER PART NO	SPECIFICATION NO
ZTACV···MT		

3. OUTLINE DIMENSIONS AND MARK

- 3.1 Appearance: No visible damage and dirt.
- 3.2 Construction: SMD ceramic packaging.
- 3.3 The products conform to the RoHS directive and national environment protection law.

3.4 Dimensions and mark



4. ELECTRICAL SPECIFICATIONS

4.1 RATING

Items	Requirement	
Withstanding Voltage (V)	50 (DC, 1min)	
Insulation Resistance Ri, $(M \Omega)$ min.	100 (10V, 1min)	
Operating temperature	-25°C∼85°C	
Storage temperature	-55℃~85℃	
Rating Voltage $U_R(V)$	6V DC	
Kating voltage OR (V)	15V p-p	

4.2 ELECTRICAL SPECIFICATIONS

Items	Requirement	
Oscillation Frequency Fosc (MHz)	8.00-13.00	
Frequency Accuracy (%)	±0.5	
Resonant Impedance Ro (Ω) max.	30	
Temperature Coefficient of Oscillation	± 0.3 (Oscillation Frequency	
Frequency (%) max.	drift, -25°C∼+85°C)	
Oscillation Frequency	±0.2 (From initial value)	
Aging Rate (%) max *	± 0.3 (From initial value)	


^{*} Components shall be left in a chamber of $+85\pm2^{\circ}$ C for 1000 hours, then measured after leaving in natural condition for 1 hours.

5. TEST

5.1 Test Conditions

Parts shall be tested under the condition (Temp.: $20\pm15\,^{\circ}$ C, Humidity : $65\pm20\%$ R.H.) unless the standard condition(Temp.: $25\pm2\,^{\circ}$ C, Humidity : $65\pm5\%$ R.H.) is regulated to measure.

5.2 Test Circuit



6 PHYSICAL AND ENVIRONMENTAL CHARACTERISTICS

No	Item	Condition of Test		Performance Requirements
6.1	Humidity	Keep the resonator at 40°C±2°C and 90%-95% RH for 96h. Then Release the resonator into the room Condition for 1h prior to the Measurement.		It shall fulfill the specifications in Table 1.
6.2	High Temperature Exposure	Subject the resonator to $85^{\circ}\text{C} \pm 2^{\circ}\text{C}$ for 96h, then release the resonator into the room conditions for 1h prior to the measurement.		It shall fulfill the specifications in Table 1.
6.3	Low Temperature Exposure	Subject the resonator to -55°C±2°C for 96h, then release the resonator into the room conditions for 1h prior to the measurement.		It shall fulfill the specifications in Table 1.
6.4	Temperature Cycling	After temperature cycling of blow table was performed 5 times, resonator shall be measured after being placed in natural conditions for 1h. Temperature Time		It shall fulfill the specifications in Table 1.

x, y and z axis With the amplitude of 1.5mm, the			i		
Subject the resonator to vibration for 2h each in x, y and z axis With the amplitude of 1.5mm, the			-25±3℃	30 ± 3 min	
x, y and z axis With the amplitude of 1.5mm, the			85±3℃	30 ± 3 min	
1 h 3 1 Vinration 1			Subject the resonator to	It shall fulfill	
0.5 VIDIATION the frequency shall be varied uniformly specification	6.5	Vibration	x, y and z axis With the amplitude of 1.5mm,		the
the frequency shall be varied uniformly specification	0.3	Vibration	the frequency shall	be varied uniformly	specifications
between the limits of 10 Hz—55Hz. in Table 1.			between the limits of 10	Hz—55Hz.	in Table 1.
It shall fu					It shall fulfill
Mechanical Drop the resonator randomly onto a wooden the	6.6	Mechanical	Drop the resonator rar	ndomly onto a wooden	the
Shock floor from the height of 100cm 3 times. specification	0.0	Shock	floor from the height of 100cm 3 times.		specifications
in Table 1.					in Table 1.
Passed through the re-flow oven under the			Passed through the re	e-flow oven under the	
following condition and left at room			<u> </u>		
temperature for 1h before measurement.			temperature for 1h befo	re measurement.	
10s max				-1 10s max	
Peak:260°Cmax 250°C It shall fu			<u>Peak:260°Cma</u>	250°C	It shall fulfill
6.7 Soldering 230°C the	6.7	Soldering	230°C		
	0.7				specifications
in Table 1.		Test	150°C		-
			Dro hooting		in radic 1.
100°C Pre-heating			100°C Pre-neating		
within within 80-120s					

(To be continued)

6 PHYSICAL AND ENVIRONMENAL CHARACTERISICS


No	Item	Condition of Test	Performance Requirements
6.8	Solder Ability	Dipped in 245 °C ±5 °C solder bath for $3s\pm0.5$ s with rosin flux (25wt% ethanol solution.)	The terminals shall be at least 95% covered by solder.
6.9	Board Bending	Mount a glass-epoxy board (Width=40mm,thickness=1.6mm),then bend it to 1mm displacement and keep it for 5s. (See the following figure) PRESS PRESS HEAD D.U.T. J.	Mechanical damage such as breaks shall not occur.

Table 1


Item	Specification after test	
Oscillation Frequency Change Δ fosc/fosc (%) max.	±0.3	
Resonant Impedance Ro (Ω) max. 35		
The limits in the above table are referenced to the initial measurements.		

7 RECOMMENDED LAND PATTERN AND REFLOW SOLDERING STANDARD CONDITIONS

7.1Recommended land pattern



7.2Recommended reflow soldering standard conditions




8. PACKAGE

To protect the products in storage and transportation, it is necessary to pack them (outer and inner package).

8.1 On paper pack, the following requirements are requested.

8.1.1 Dimensions and Mark



NO.	Name	Quantity
1	Package	1
2	Inner Box	12
3	Belt	2.9 m
4	Adhesive tape	1.2 m
(5)	Label	1
6	Certificate of approval	1
7	Company name ,Address etc.	

8.1.2 Section of package

Package is made of corrugated paper with thickness of 0.8cm.Package has 12 inner boxes, each box has 5reels(each reel for plastic bag)

8.1.3 Quantity of package


Per plastic reel 1000 pieces of piezoelectric ceramic part

Per inner box 5 reels

Per package 12 inner boxes

(60000 pieces of piezoelectric ceramic part)


8.1.4 Inner Box Dimensions



NO.	Name	Quantity
1	Inner Box	1
2	QC Label	1
3	Label	1


8.2 On reel pack, the following requirements are requested.

8.2.1 Reel Dimensions




8.2.3 Packing Method Sketch Map

12



8.2.4Test Condition Of Peeling Strength



9. EIAJ Monthly Code

_			
2005 / 2007 / 2009		2006 / 2008 / 2010	
MONTH	CODE	MONTH	CODE
JAN	A	JAN	N
FEB	В	FEB	P
MAR	С	MAR	Q
APR	D	APR	R
MAY	Е	MAY	S
JUN	F	JUN	T
JUL	G	JUL	U
AUG	Н	AUG	V
SEP	J	SEP	W
OCT	K	OCT	X
NOV	L	NOV	Y
DEC	M	DEC	Z

10. OTHER

- 10.1 Caution
- 10.1.1 Don't apply excess mechanical stress to the component and terminals at soldering. Do not use this product with bend.
- 10.1.2 Do not clean or wash the component for it is not hermetically sealed.
- 10.1.3 Do not use strong acidity flux, more than 0.2wt% chlorine content, in flow soldering.
- 10.1.4 Don't be close to fire.

- 10.1.5 This specification mentions the quality of the component as a single unit. Please insure the component is thoroughly evaluated in your application circuit
- 10.1.6 Expire date (Shelf life) of the products is six months after delivery under the conditions of a sealed and an unopened package. Please use the products within six months after delivery. If you store the products for a long time (more than six months), use carefully because the products may be degraded in the solderability or rusty. Please confirm solderability and characteristics for the products regularly.
- 10.1.7 Please contact us before using the product as automobile electronic component.
- 10.2 Notice
- 10.2.1 Please return one of this specification after your signature of acceptance.
- 10.2.2 When something gets doubtful with this specifications, we shall jointly work to get an agreement.