

Cree® 5mm Round LED C535A-WJS/WJN



PRODUCT DESCRIPTION

Round LEDs offer superior light output for excellent readability in sunlight and dependable performance. They provide extremely stable light output over long periods of time.

These lamps are made with an advanced optical grade epoxy offering superior high temperature and high moisture resistance performance in lighting and illumination applications.

FEATURES

- Size (mm): 5
- Color Temperatures(K):Cool White:Min. (4600) / Typical (9000)
- Luminous Intensity (mcd) C535A-WJS/WJN (1100-4180)
- Viewing angle: 110 degree
- Lead-Free
- RoHS Compliant

APPLICATIONS

- Garden Light
- Channel Letter
- Retail Display Lighting



ABSOLUTE MAXIMUM RATINGS $(T_A = 25^{\circ}C)$

Items	Symbol	Absolute Maximum Rating	Unit
Forward Current	$I_{_{\rm F}}$	25	mA
Peak Forward Current Note	$I_{_{\mathrm{FP}}}$	100	mA
Reverse Voltage	$V_{_{\mathrm{R}}}$	5	V
Power Dissipation	$P_{_{D}}$	100	mW
Operation Temperature	T_{opr}	-40 ~ +95	°C
Storage Temperature	T_{stg}	-40 ~ +100	°C
Lead Soldering Temperature	T_{sol}	Max. 260°C for 3 sec. max. (3 mm from the base of the epoxy bulb)	

Note: Pulse width ≤ 0.1 msec, duty $\leq 1/10$.

TYPICAL ELECTRICAL & OPTICAL CHARACTERISTICS $(T_A = 25^{\circ}C)$

Characteristics	Symbol	Condition	Unit	Minimum	Typical	Maximum
Forward Voltage	$V_{\scriptscriptstyle F}$	$I_F = 20 \text{ mA}$	V		3.2	4.0
Reverse Current	I_R	$V_R = 5 V$	μΑ			100
Luminous Intensity	I_{V}	$I_F = 20 \text{ mA}$	mcd	1100	2750	
Chromaticity	X	$I_F = 20 \text{ mA}$			0.2895	
Coordinates	У	$I_F = 20 \text{ mA}$			0.2905	
50% Power Angle	2θ1⁄2	$I_F = 20 \text{ mA}$	deg		110	

Note: Continuous reverse voltage can cause LED damage.



INTENSITY BIN LIMIT ($I_F = 20 \text{ mA}$)

Cool White(C535A-WJS/WJN)

Bin Code	Min. (mcd)	Max. (mcd)
T0	1100	1520
U0	1520	2130
V0	2130	3000
W0	3000	4180

ullet Tolerance of measurement of luminous intensity is $\pm 15\%$

VF BIN LIMIT $(I_F = 20 \text{ mA})$

Cool White(C535A-WJS/WJN)

Bin Code	Min. (V)	Max. (V)
27	2.8	3.0
28	3.0	3.2
29	3.2	3.4
2a	3.4	3.6
2b	3.6	3.8
2c	3.8	4.0

• Tolerance of measurement of VF is ±0.05V.



Bin Code	Sub- bin	x	у
		0.2449	0.2288
	Wa1	0.2497	0.2384
	waı	0.2543	0.2356
		0.2497	0.2267
		0.2497	0.2267
	Wa2	0.2543	0.2356
	VVaZ	0.2589	0.2328
		0.2545	0.2245
		0.2497	0.2384
	W-2	0.2545	0.2480
	Wa3	0.2589	0.2445
		0.2543	0.2356
		0.2543	0.2356
	VA/= 4	0.2589	0.2445
	Wa4	0.2633	0.2410
14/4		0.2589	0.2328
W1		0.2545	0.2245
	Wb1	0.2589	0.2328
	WDI	0.2635	0.2299
		0.2593	0.2223
		0.2593	0.2223
	Wb2	0.2635	0.2299
	WDZ	0.2680	0.2270
		0.2640	0.2200
		0.2589	0.2328
	Wb3	0.2633	0.2410
	WDS	0.2677	0.2375
		0.2635	0.2299
		0.2635	0.2299
	Wb4	0.2677	0.2375
	WD4	0.2720	0.2340
		0.2680	0.2270

Bin Code	Sub- bin	x	у
		0.2545	0.2480
		0.2593	0.2575
	Wc1	0.2635	0.2534
		0.2589	0.2445
		0.2589	0.2445
	W-2	0.2635	0.2534
	Wc2	0.2677	0.2493
		0.2633	0.2410
		0.2593	0.2575
	W-2	0.2640	0.2670
	Wc3	0.2680	0.2623
		0.2635	0.2534
		0.2635	0.2534
	NA - 4	0.2680	0.2623
	Wc4	0.2720	0.2575
14/4		0.2677	0.2493
W1		0.2633	0.2410
	VA7-1-4	0.2677	0.2493
	Wd1	0.2718	0.2451
		0.2677	0.2375
		0.2677	0.2375
	77/42	0.2718	0.2451
	Wd2	0.2760	0.2410
		0.2720	0.2340
		0.2677	0.2493
	MAS	0.2720	0.2575
	Wd3	0.2760	0.2528
		0.2718	0.2451
		0.2718	0.2451
	Wd4	0.2760	0.2528
	wu4	0.2800	0.2480
		0.2760	0.2410

Bin Code	Sub- bin	x	У
		0.2640	0.2670
	VA/1	0.2688	0.2765
	We1	0.2726	0.2711
		0.2680	0.2623
		0.2680	0.2623
	We2	0.2726	0.2711
	wez	0.2764	0.2658
		0.2720	0.2575
		0.2688	0.2765
	W-2	0.2735	0.2860
	We3	0.2772	0.2800
		0.2726	0.2711
		0.2726	0.2711
	We4	0.2772	0.2800
	we4	0.2808	0.2740
W2		0.2764	0.2658
VVZ		0.2720	0.2575
	Wf1	0.2764	0.2658
	AAIT	0.2802	0.2604
		0.2760	0.2528
		0.2760	0.2528
	Wf2	0.2802	0.2604
	VVIZ	0.2840	0.2550
		0.2800	0.2480
		0.2764	0.2658
	Wf3	0.2808	0.2740
	VVIS	0.2844	0.2680
		0.2802	0.2604
		0.2802	0.2604
	\MFA	0.2844	0.2680
	Wf4	0.2880	0.2620
		0.2840	0.2550

ullet Tolerance of measurement of the color coordinates is ± 0.01 .



Bin Code	Sub- bin	x	у
Code	5111	0,2735	0,2860
		0.2783	0.2955
	Wg1	0.2817	0.2889
		0.2772	0.2800
		0.2772	0.2800
		0.2817	0.2889
	Wg2	0.2852	0.2823
		0.2808	0.2740
		0.2783	0.2955
		0.2830	0.3050
	Wg3	0.2863	0.2978
		0.2817	0.2889
		0.2817	0.2889
		0.2863	0.2978
	Wg4	0.2895	0.2905
14/0		0.2852	0.2823
W2		0.2808	0.2740
	14/1 4	0.2852	0.2823
	Wh1	0.2886	0.2756
		0.2844	0.2680
		0.2844	0.2680
	Wh2	0.2886	0.2756
	VVIIZ	0.2920	0.2690
		0.2880	0.2620
		0.2852	0.2823
	Wh3	0.2895	0.2905
	VVIIS	0.2928	0.2833
		0.2886	0.2756
		0.2886	0.2756
	Wh4	0.2928	0.2833
	wn4	0.2960	0.2760
		0.2920	0.2690

Bin	Sub-		
Code	bin	x	У
		0.2830	0.3050
	\A/÷1	0.2890	0.3130
	Wj1	0.2918	0.3048
		0.2863	0.2978
		0.2863	0.2978
	Win	0.2918	0.3048
	Wj2	0.2947	0.2967
		0.2895	0.2905
		0.2890	0.3130
	W/: D	0.2950	0.3210
	Wj3	0.2974	0.3119
		0.2918	0.3048
		0.2918	0.3048
	VA/: 4	0.2974	0.3119
	Wj4	0.2998	0.3028
W3		0.2947	0.2967
VV 3		0.2895	0.2905
	VA/L-4	0.2947	0.2967
	Wk1	0.2975	0.2890
		0.2928	0.2833
		0.2928	0.2833
	Wk2	0.2975	0.2890
	VVKZ	0.3003	0.2813
		0.2960	0.2760
		0.2947	0.2967
	Wk3	0.2998	0.3028
	WK3	0.3022	0.2946
		0.2975	0.2890
		0.2975	0.2890
	\AU - 4	0.3022	0.2946
	Wk4	0.3045	0.2865
		0.3003	0.2813

Bin	Sub-		
Code	bin	x	У
		0.2950	0.3210
	Wm1	0.3010	0.3290
	AALLIT	0.3030	0.3190
		0.2974	0.3119
		0.2974	0.3119
	Wm2	0.3030	0.3190
	VVIIIZ	0.3050	0.3090
		0.2998	0.3028
		0.3010	0.3290
	Wm3	0.3070	0.3370
	VVIII3	0.3085	0.3260
		0.3030	0.3190
		0.3030	0.3190
	Wm4	0.3085	0.3260
	VVIII4	0.3100	0.3150
W3		0.3050	0.3090
WS		0.2998	0.3028
	Wn1	0.3050	0.3090
	AAIIT	0.3070	0.3005
		0.3022	0.2946
		0.3022	0.2946
	Wn2	0.3070	0.3005
	VVIIZ	0.3090	0.2920
		0.3045	0.2865
		0.3050	0.3090
	Wn3	0.3100	0.3150
	VVIIS	0.3115	0.3060
		0.3070	0.3005
		0.3070	0.3005
	Wn4	0.3115	0.3060
	VV114	0.3130	0.2970
		0.3090	0.2920

 \bullet Tolerance of measurement of the color coordinates is ± 0.01 .



Bin Code	Sub- bin	x	у
		0.3070	0.3370
	\A/1	0.3130	0.3430
	Wp1	0.3140	0.3320
		0.3085	0.3260
		0.3085	0.3260
	Wn2	0.3140	0.3320
	Wp2	0.3150	0.3210
		0.3100	0.3150
		0.3130	0.3430
	Wn2	0.3190	0.3490
	Wp3	0.3195	0.3380
		0.3140	0.3320
		0.3140	0.3320
	\\/ m 4	0.3195	0.3380
	Wp4	0.3200	0.3270
W4		0.3150	0.3210
VV 4		0.3100	0.3150
	Wq1	0.3150	0.3210
	wqı	0.3163	0.3118
		0.3115	0.3060
		0.3115	0.3060
	Wq2	0.3163	0.3118
	wyz	0.3175	0.3025
		0.3130	0.2970
		0.3150	0.3210
	Wq3	0.3200	0.3270
	VVQS	0.3208	0.3173
		0.3163	0.3118
		0.3163	0.3118
	Wq4	0.3208	0.3173
	vv q -1	0.3215	0.3075
		0.3175	0.3025

Bin	Sub-		
Code	bin	x	У
		0.3190	0.3490
	Wr1	0.3245	0.3545
	AALT	0.3248	0.3438
		0.3195	0.3380
		0.3195	0.3380
	Wr2	0.3248	0.3438
	VVTZ	0.3250	0.3330
		0.3200	0.3270
		0.3245	0.3545
	W/2	0.3300	0.3600
	Wr3	0.3300	0.3495
		0.3248	0.3438
		0.3248	0.3438
	Wr4	0.3300	0.3495
	VVI 4	0.3300	0.3390
W4		0.3250	0.3330
VV 4		0.3200	0.3270
	Ws1	0.3250	0.3330
	VVSI	0.3255	0.3230
		0.3208	0.3173
		0.3208	0.3173
	Ws2	0.3255	0.3230
	VVSZ	0.3260	0.3130
		0.3215	0.3075
		0.3250	0.3330
	Ws3	0.3300	0.3390
	VVSJ	0.3300	0.3285
		0.3255	0.3230
		0.3255	0.3230
	Wa.4	0.3300	0.3285
	Ws4	0.3300	0.3180
		0.3260	0.3130

Bin Code	Sub- bin	x	у
Code	Wt1	0.3300	0.3600
		0.3378	0.3663
		0.3375	0.3563
		0.3300	0.3495
	Wt2	0.3300	0.3495
		0.3375	0.3563
		0.3372	0.3463
		0.3300	0.3390
	Wt3	0.3378	0.3663
		0.3455	0.3725
		0.3449	0.3630
		0.3375	0.3563
		0.3375	0.3563
	Wt4	0.3449	0.3630
		0.3443	0.3535
W5		0.3372	0.3463
W5	Wu1	0.3300	0.3390
		0.3372	0.3463
		0.3368	0.3363
		0.3300	0.3285
	Wu2	0.3300	0.3285
		0.3368	0.3363
		0.3365	0.3263
		0.3300	0.3180
	Wu3	0.3372	0.3463
		0.3443	0.3535
		0.3437	0.3440
		0.3368	0.3363
	Wu4	0.3368	0.3363
		0.3437	0.3440
		0.3430	0.3345
		0.3365	0.3263

 \bullet Tolerance of measurement of the color coordinates is ± 0.01 .




Bin Code	Sub- bin	x	У
	Wv1	0.3455	0.3725
		0.3533	0.3788
		0.3523	0.3698
		0.3449	0.3630
	Wv2	0.3449	0.3630
		0.3523	0.3698
		0.3514	0.3608
		0.3443	0.3535
	Wv3	0.3533	0.3788
		0.3610	0.3850
		0.3598	0.3765
		0.3523	0.3698
		0.3523	0.3698
	Wv4	0.3598	0.3765
	WV4	0.3585	0.3680
W5		0.3514	0.3608
VVJ		0.3443	0.3535
	Ww1	0.3514	0.3608
	VV VV I	0.3505	0.3518
		0.3437	0.3440
	Ww2	0.3437	0.3440
		0.3505	0.3518
		0.3495	0.3428
		0.3430	0.3345
	Ww3	0.3514	0.3608
		0.3585	0.3680
		0.3573	0.3595
		0.3505	0.3518
	Ww4	0.3505	0.3518
		0.3573	0.3595
		0.3560	0.3510
		0.3495	0.3428

 \bullet Tolerance of measurement of the color coordinates is ± 0.01 .



CIE CHROMATICITY DIAGRAM





ORDER CODE TABLE*

Color	Kit Number	Viewing Angle	Luminous Intensity (mcd)		
Color			Min.	Max.	Color Bin Code
Cool White	C535A-WJS-CT0W0151	110	1100	4180	W1,W2,W3,W4,W5
Cool White	C535A-WJS-CT0W0231	110	1100	4180	W2,W3
Cool White	C535A-WJS-CU0W0231	110	1520	4180	W2,W3
Cool White	C535A-WJS-CV0W0231	110	2130	4180	W2,W3

Color	Kit Number	Viewing Angle	Luminous Intensity (mcd)		
Color			Min.	Max.	Color Bin Code
Cool White	C535A-WJN-CT0W0151	110	1100	4180	W1,W2,W3,W4,W5
Cool White	C535A-WJN-CT0W0231	110	1100	4180	W2,W3
Cool White	C535A-WJN-CU0W0231	110	1520	4180	W2,W3
Cool White	C535A-WJN-CV0W0231	110	2130	4180	W2,W3

Notes:

- 1. The above kit numbers represent order codes that include multiple intensity-bin and color-bin codes. Only one intensity-bin code and one color-bin code will be shipped on each bulk. Single intensity-bin code and single color-bin codes will not be orderable.
- 2. Please refer to the "Cree LED Lamp Reliability Test Standards" document #1 for reliability test conditions.
- 3. Please refer to the "Cree LED Lamp Soldering & Handling" document *2 for information about how to use this LED product safely.

- #1: Refer to http://www.cree.com/led-components/media/documents/LED Lamp Reliability Test Standard.pdf
- #2: Refer to http://www.cree.com/led-components/media/documents/sh-HB.pdf

GRAPHS




FIG.1 FORWARD CURRENT VS. FORWARD VOLTAGE.





FIG.3 REVERSE CURRENT VS. REVERSE VOLTAGE.






FIG.2 RELATIVE LUMINOUS INTENSITY VS. FORWARD CURRENT





FIG.4 RELATIVE LUMINOUS INTENSITY VS.



The above data are collected from statistical figures that do not necessarily correspond to the actual parameters of each single LED. Hence, these data will be changed without further notice.




MECHANICAL DIMENSIONS

All dimensions are in mm. Tolerance is ± 0.25 mm unless otherwise noted.


An epoxy meniscus may extend about 1.5 mm down the leads.

Burr around bottom of epoxy may be 0.5 mm max.

C535A-WJS:



C535A-WJN:



NOTES

RoHS Compliance

The levels of environmentally sensitive, persistent biologically toxic (PBT), persistent organic pollutants (POP), or otherwise restricted materials in this product are below the maximum concentration values (also referred to as the threshold limits) permitted for such substances, or are used in an exempted application, in accordance with EU Directive 2002/95/EC on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS), as amended through April 21, 2006.

Vision Advisory Claim


Users should be cautioned not to stare at the light of this LED product. The bright light can damage the eye.



KIT NUMBER SYSTEM

All dimensions in mm.Cree LED lamps are tested and sorted into performance bins. A bin is specified by ranges of color, forward voltage, and brightness. Sorted LEDs are packaged for shipping in various convenient options. Please refer to the "Cree LED Lamp Packaging Standard" document for more information about shipping and packaging options.

Cree LEDs are sold by order codes in combinations of bins called kits. Order codes are configured in the following manner:






REFLOW SOLDERING

The LED soldering specification is shown below(suitable for both leaded solder & lead-free solder):

Manual Soldering		Solder Dipping		
Soldering iron	35 W max	Preheat	110 °C max	
Temperature	300 °C max	Preheat time	60 seconds max	
		Solder-bath temperature	260 °C Max	
Soldering time	3 seconds max	Dipping time	5 seconds max	
Position	Not less than 3 mm from the base of the package.	Position	Not less than 3 mm from the base of the package.	

- Manual soldering onto the PCB is not recommended because soldering time is uncontrollable.
- The recommended wave soldering is as below:



- Do not apply any stress to the LED package, particularly when heated.
- Only bottom preheat is suggested & should not preheat on top in order to reduce thermal stress experienced by the LEDs.
- The LEDs must not be re used once they have been extracted from PCB.
- After soldering the LEDs, the package should be protected from mechanical shock or vibration until the LEDs have reached 40 °C or below.
- Precautions must be taken as mechanical stress on the LEDs may be caused by PCB warpage or from the clinching and cutting of the LED leads.
- When it is necessary to clam the LEDs during soldering, it is important to ensure no mechanical stress is exerted on the LEDs.
- Cut the LED lead at normal room temperature. Lead cutting at high temperature may cause failure of the LEDs.

Refer to "http://www.cree.com/led-components/media/documents/sh-HB.pdf" for soldering & handling details.



PACKAGING

Features:

- The LEDs are packed in cardboard boxes after packaging in normal or anti-electrostatic bags.
- Cardboard boxes will be used to protect the LEDs from mechanical shock during transportation.
- The boxes are not water resistant, and they must be kept away from water and moisture.
- The Bulk Pack types of packaging.
- Max 500 pcs per bag.

