







Applications	Automotive Grade	
Feature	AEC-Q200 AEC-Q200 Wire Wound No Directivity No Directivity Ferrite Core	
Series	NLCV-PFD	
Status	Production	
Brand	TDK	



Size		
Length(L)	3.20mm ±0.20mm	
Width(W)	2.50mm ±0.20mm	
Thickness(T)	2.20mm ±0.20mm	
Recommended Land Pattern (A)	1.20mm Nom.	
Recommended Land Pattern (B)	2.00mm Nom.	
Recommended Land Pattern (C)	2.00mm Nom.	

Electrical Characteristics		
Inductance	4.7μH ±20% at 7.96MHz	
Rated Current	620mA	
DC Resistance [Typ.]	200mΩ	
DC Resistance [Max.]	260mΩ	
Self Resonant Frequency [Min.]	46MHz	
Self Resonant Frequency [Typ.]		
Q [Min.]		
Q [Typ.]	15	

Other		
-40 to 105°C		
Flow		
Reflow		
Iron Soldering		
Yes		
Blister (Plastic)Taping [180mm Reel]		
2000pcs		
0.05g		


<sup>!</sup> Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website. ! All specifications are subject to change without notice.











### Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)














<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.










## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.










# **Associated Images**



<sup>!</sup> Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.