

5mm Round With Flange Type Ultra Amber LED Technical Data Sheet

Part No.: LL-503UAC2E-2AC



Features:

- \diamond Choice of various color.
- \diamond Available on tape and reel.
- \diamond Reliable and robust.
- $\diamond~$ The product itself will remain within RoHS compliant Version.

Descriptions:


- $\diamond~$ The series is specially designed for applications requiring higher brightness.
- $\diamond~$ The LED lamps are available with different colors, intensities.

Applications:

- \diamond TV set.
- ◇ Monitor.
- \diamond Telephone.
- ♦ Computer.
- ♦ Circuit board.
- ♦ Status indicators.
- ♦ Commercial use.
- $\diamond~$ Advertising Signs.
- $\diamond~$ Back lighting.



Package Dimension:



Notes:

- 1. All dimensions are in millimeters (inches).
- 2. Tolerance is \pm 0.25 mm (.010") unless otherwise noted.
- 3. Protruded resin under flange is 1.00 mm (.039") max.
- 4. Specifications are subject to change without notice.



Absolute Maximum Ratings at Ta=25℃

Parameters	Symbol	Max.	Unit
Power Dissipation	PD	62	mW
Peak Forward Current (1/10 Duty Cycle, 0.1ms Pulse Width)	IFP	100	mA
Forward Current	IF	25	mA
Reverse Voltage	VR	5	V
Operating Temperature Range	Topr	-40℃ to +80℃	
Storage Temperature Range	Tstg	-40℃ to +85℃	
Lead Soldering Temperature [4mm (.157") From Body]	Tsld	260°C for 5 Seconds	

Electrical Optical Characteristics at Ta=25°C

Parameters	Symbol	Min.	Тур.	Max.	Unit	Test Condition
Luminous Intensity (Note 1)*	IV	1700	2900		mcd	IF=20mA
Viewing Angle*	20 _{1/2}		15		Deg	(Note 2)
Peak Emission Wavelength	λр		610		nm	IF=20mA
Dominant Wavelength	λd		605		nm	IF=20mA
Spectrum Radiation Bandwidth	Δλ		35		nm	IF=20mA
Forward Voltage	V _F	1.60	2.00	2.50	V	IF=20mA
Reverse Current	I _R			10	μA	V _R =5V

Notes:

1. Luminous Intensity Measurement allowance is \pm 10%.

2. $\theta_{1/2} \, \text{is the off-axis angle at which the luminous intensity is half the axial luminous intensity.$

3. The dominant wavelength (λd) is derived from the CIE chromaticity diagram and represents the single wavelength which defines the color of the device.



Typical Electrical / Optical Characteristics Curves (25°C Ambient Temperature Unless Otherwise Noted) Forward Current & Forward Voltage Spectrum Distribution Ta=25℃ 100 50 Relative Luminous Intensity (%) Forward Current IF (mA) 40 75 30 50 20 25 10 0 0 300 400 500 600 700 800 1.8 2.0 2.2 1.6 Wavelength λp (nm) Forward Voltage VF (V) Luminous Intensity & Luminous Intensity & Forward Current Ambient Temperature Relative Luminous Intensity (%) Relative Luminous Intensity (%) 1000 1000 100 100 10 10 1 1 10° 10^{1} 10^{2} -60 -40 -20 0 20 40 60 80 100 Ambient Temperature Ta (°C) Forward Current IF (mA) Forward Current Derating Curve **Radiation Diagram** 50 10° 0° Forward Current IF (mA) 40 30 25 1.0 20 0.9 0.8 10 0.7 0 0 20 40 60 80 100 0.5 0.3 0.10 0.2 0.4 0.6 Ambient Temperature Ta (℃)

Spec No: B508 X335 Rev No: V.2 Approved: JoJo Checked: WU Lucky Light Electronics Co., Ltd.

Date: Jun/27/2009 Page: 5 OF 7 Drawn: Shu Http://www.luckylightled.com

Ta=25℃

2.4

2.6

Ta=25℃

f=1KHz Duty=1/10

 10^{3}

 20°

Ta=25℃

 30°

 40°

 50°

60[°]

70[°] 80[°]

90[°]



Reliability Test Items And Conditions:

The reliability of products shall be satisfied with items listed below:

Confidence level: 90%.

LTPD: 10%.

1) Test Items and Results:

Test Item	Standard Test Method	Test Conditions	Note	Number of Damage d		
Resistance to Soldering Heat	JEITA ED-4701 300 302	Tsld=260±5℃,10sec 3mm from the base of the epoxy bulb	1 time	0/100		
Solder ability	JEITA ED-4701 300 303	Tsld=235±5℃,5sec(using flux)	1time over 95%	0/100		
Thermal Shock	JEITA ED-4701 300 307	0℃~100℃ 15sec,15sec	100 cycles	0/100		
Temperature Cycle	JEITA ED-4701 100 105	-40℃~25℃~100℃~25℃ 30min,5min,30min,5min	100 cycles	0/100		
Moisture Resistance Cycle	JEITA ED-4701 200 203	25℃~65℃~-10℃ 90%RH 24hrs/1cycle	10 cycles	0/100		
High Temperature Storage	JEITA ED-4701 200 201	Ta=100℃	1000hrs	0/100		
Terminal Strength (Pull test)	JEITA ED-4701 400 401	Load 10N (1kgf) 10±1sec	No noticeable damage	0/100		
Terminal Strength (bending test)	JEITA ED-4701 400 401	Load 5N (0.5kgf) 0°~90°~0° bend 2 times	No noticeable damage	0/100		
Temperature Humidity Storage	JEITA ED-4701 100 103	Ta=60℃,RH=90%	1000hrs	0/100		
Low Temperature Storage	JEITA ED-4701 200 202	Ta=-40℃	1000hrs	0/100		
Steady State Operating Life		Ta=25℃, IF=30mA	1000hrs	0/100		
Steady State Operating Life of High Humidity Heat		Ta=60℃,RH=90%, IF=30mA	500hrs	0/100		
Steady State Operating Life of Low Temperature		Ta=-30℃, IF=20mA	1000hrs	0/100		

2) Criteria For Judging The Damage:

Cymbol	Tast Conditions	Criteria for Judgment		
		Min	Max	
VF	IF=20mA		F.V.*)×1.1	
IR	VR=5V		F.V.*)×2.0	
IV	IF=20mA	F.V.*)×0.7		
	IR	VF IF=20mA IR VR=5V	SymbolTest ConditionsVFIF=20mAIRVR=5V	

*) F.V.: First Value.

Date: Jun/27/2009 Drawn: Shu

Http://www.luckylightled.com



Please read the following notes before using the product:

1. Over-current-proof

Customer must apply resistors for protection, otherwise slight voltage shift will cause big current change (Burn out will happen).

2. Storage

- 2.1 Do not open moisture proof bag before the products are ready to use.
- 2.2 Before opening the package, the LEDs should be kept at $30\,^\circ\!\!{\rm C}$ or less and 90%RH or less.
- 2.3 The LEDs should be used within a year.
- 2.4 After opening the package, the LEDs should be kept at 30° C or less and 70%RH or less.
- 2.5 The LEDs should be used within 168 hours (7 days) after opening the package.

3. Soldering Iron

Each terminal is to go to the tip of soldering iron temperature less than 260° for 5 seconds within once in less than the soldering iron capacity 25W. Leave two seconds and more intervals, and do soldering of each terminal. Be careful because the damage of the product is often started at the time of the hand solder.

4. Repairing

Repair should not be done after the LEDs have been soldered. When repairing is unavoidable, a double-head soldering iron should be used (as below figure). It should be confirmed beforehand whether the characteristics of the LEDs will or will not be damaged by repairing.