

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0015911282](#)
Status: **Active**
Description: 2.54mm (.100") Pitch C-Grid® Header, Surface Mount, Dual Row, Vertical, 28 Circuits, 0.38µm (15µ") Gold (Au) Selective Plating, with 3.30mm (.130") PCB Locator Pegs

Documents:

3D Model	Product Specification PS-71308 (PDF)
Drawing (PDF)	RoHS Certificate of Compliance (PDF)

Agency Certification

CSA	LR19980
UL	E29179

General

Product Family	PCB Headers
Series	71308
Application	Board-to-Board, Wire-to-Board
Product Name	C-Grid®

Physical


Breakaway	Yes
Circuits (Loaded)	28
Circuits (maximum)	28
Color - Resin	Black
Durability (mating cycles max)	50
Flammability	94V-0
Glow-Wire Compliant	No
Lock to Mating Part	None
Material - Metal	Phosphor Bronze
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Material - Resin	High Temperature Thermoplastic
Number of Rows	2
Orientation	Vertical
PCB Locator	Yes
PCB Retention	Yes
Packaging Type	Tube
Pitch - Mating Interface (in)	0.100 In
Pitch - Mating Interface (mm)	2.54 mm
Plating min: Mating (µin)	15.2
Plating min: Mating (µm)	0.38
Plating min: Termination (µin)	80
Plating min: Termination (µm)	2
Polarized to Mating Part	No
Polarized to PCB	No
Shrouded	No
Stackable	Yes
Temperature Range - Operating	-40°C to +105°C
Termination Interface: Style	Surface Mount

Electrical

Current - Maximum per Contact	3A
Voltage - Maximum	250V

Solder Process Data

Duration at Max. Process Temperature (seconds)	30
Lead-free Process Capability	Reflow Capable (SMT only)



*Series
image - Reference only*

EU RoHS

**ELV and RoHS
Compliant**
REACH SVHC
Not Reviewed
**Halogen-Free
Status**

Not Reviewed

**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of
Compliance, [click here](#)

Please visit the [Contact Us](#) section for any
non-product compliance questions.

China RoHS



Search Parts in this Series
[71308Series](#)

Max. Cycles at Max. Process Temperature	3
Process Temperature max. C	260

Material Info

Old Part Number	71308-4128N
-----------------	-------------


Reference - Drawing Numbers

Product Specification	PS-71308, RPS-71308-001
Sales Drawing	SD-71308-001


This document was generated on 03/31/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

OPTIONAL PICK AND PLACE CAP SEE NOTES 4 & 9.




PEG OPTIONS



NOTES:

- MATERIALS: INSULATOR: GLASS FILLED LIQUID CRYSTAL POLYMER (LCP), UL94 V-0, COLOR: BLACK
TERMINAL: COPPER ALLOY
- FINISH:
59 TIN - 0.00150/.000059 MINIMUM BRIGHT TIN OVER NICKEL OVERALL.
150 TIN - 0.00381/.000150 MINIMUM BRIGHT TIN OVER NICKEL OVERALL.
15 GOLD - 0.00038/.000015 MINIMUM GOLD IN SELECT AREA OVER 0.00191/.000075 MINIMUM TIN IN SELECT AREA OVER NICKEL OVERALL.
30 GOLD - 0.00076/.000030 MINIMUM GOLD IN SELECT AREA OVER 0.00191/.000075 MINIMUM TIN IN SELECT AREA OVER NICKEL OVERALL.
50 GOLD - 0.00127/.000050 MINIMUM GOLD IN SELECT AREA OVER 0.00254/.000100 MINIMUM TIN IN SELECT AREA OVER NICKEL OVERALL.
* THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC". CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH LEAD.
- PART TO CONFORM TO PS-71308.
- PACKAGING (SEE CHARTS):
BULK: PER PK-70873-0353
TUBES: PER PK-70873-0041.
71308-82** IN TUBES: PER PK-70873-042.
TUBES W/ VAC CAPS: PER PK-70873-0691
TAPE AND REEL W/ VAC CAPS: PER PK-70873-0805.
SEE SHEET 3 FOR TAPE & REEL PRODUCT WITH SHALLOW POCKET REQUIREMENTS.
- TYP. DIMENSIONS FOR LANDS SURROUNDING HOLES FOR RETENTION PEGS.
- PIN SOLERABILITY PER MOLEX SPEC. ES-152.
- SEE SHEETS 2-5 FOR CHARTED DIMS., PART/EDP NO'S, AND VOIDED CIRCUITS.
- PIN PUSHOUT FORCE: 3 LBS. MINIMUM.
- PICK-N-PLACE CAPS WILL BE PLACED SO THAT VACUUM PICK UP AREA WILL BE IN CENTER OF PART.
- COPLANARITY FOR CIRCUIT SIZES UP TO 40 IS 0.15 MM/.006 INCH. FOR CIRCUIT SIZES 42 AND LARGER, CONTACT MOLEX SALES DEPARTMENT.
- THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

DIM. "M"	DIM. "G"
6.10 .240	10.67 .420
8.13 .320	12.70 .500




P.C. BOARD PAD LAYOUT
AT ENDS FOR NO PEG VERSION.

ROW "A"
ROW "B"




SEE NOTE 5


⌀ 0.50/.020 U|X FOR PARTS WITH PEGS
⌀ 0.50/.020 U|Y FOR PARTS WITHOUT PEGS



USED TO LOCATE VOIDED CIRCUITS



NO PEG
SEE PEG OPTIONS



12CKT TAPE & REEL
EC NO: UCP2009-2465
DRWN:KIPPER 2009/08/04
CHKD:SSOUSEK 2009/08/07
APPR:FSMITH 2009/08/10

QUALITY
SYMBOLS
▽=0
▽=0

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± .---	± .---
3 PLACES	± .---	± .005
2 PLACES	± 0.13	± .010
1 PLACE	± 0.25	± .---
ANGULAR ± 1/2°		

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM/IN

DRAWN BY	DATE
KMS	1999/10/15
CHECKED BY	DATE
KMS	1999/10/15
APPROVED BY	DATE
KMS	1999/10/15

MATERIAL NO.
SEE TABLES

SCALE
DESIGN UNITS
INCH

THIRD ANGLE
PROJECTION

TITLE
SALES ASSY INSULATOR
DUAL ROW SMT W/BREAK-OFF
.025SQ PIN GULLWING .100

MOLEX INCORPORATED

DOCUMENT NO.
SD-71308-001

SHEET NO.
1 OF 6

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

13		12		11		10		9		8		7		6		5		4		3		2		1	
PACKAGING SEE NOTE 4 SHT 1		4-6 CKT		BULK		TAPE-N-REEL W/ VAC CAPS		N/A		BULK		TAPE-N-REEL W/ VAC CAPS		N/A		BULK		TAPE-N-REEL W/ VAC CAPS		N/A		BULK		BULK	
		8-100 CKT		TUBES		TAPE-N-REEL W/ VAC CAPS		TUBES W/ VAC CAPS		TUBES		TAPE-N-REEL W/ VAC CAPS		TUBES W/ VAC CAPS		TUBES		TAPE-N-REEL W/ VAC CAPS		TUBES W/ VAC CAPS		TUBES		TUBES	
		DIM. M±0.25 MM				6.10 (.240)				6.10 (.240)				6.10 (.240)				8.13 (.320)				8.13 (.320)			
		PLATING				150 TIN				15 GOLD				30 GOLD				15 GOLD				30 GOLD			
		DIM. H				2.54 (.100)				2.54 (.100)				2.54 (.100)				4.57 (.180)				4.57 (.180)			
		DIM. J				5.08 (.200)				5.08 (.200)				5.08 (.200)				7.11 (.280)				7.11 (.280)			
CKTS	DIM. A		DIM. B		EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	CKTS		
	MM	IN	MM	IN																					
04	5.08	.200	2.54	.100	015-91-2040	015-91-6040	N/A	015-91-0040	015-91-6042	N/A	015-91-3040	015-91-6043	N/A	015-91-0048	015-91-5049	04									
06	7.62	.300	5.08	.200	015-91-2060	015-91-6060	N/A	015-91-0060	015-91-6062	N/A	015-91-3060	015-91-6063	N/A	015-91-0068	015-91-5069	06									
08	10.16	.400	7.62	.300	015-91-2080	015-91-6080	015-91-3087	015-91-0080	015-91-6082	015-91-3086	015-91-3080	015-91-6083	015-91-3088	015-91-0088	015-91-5089	08									
10	12.70	.500	10.16	.400	015-91-2100	015-91-6100	015-91-3107	015-91-0100	015-91-6102	015-91-3106	015-91-3100	015-91-6103	015-91-3108	015-91-0108	015-91-5109	10									
12	15.24	.600	12.70	.500	015-91-2120	015-91-6120	015-91-3127	015-91-0120	015-91-6122	015-91-3126	015-91-3120	015-91-6123	015-91-3128	015-91-0128	015-91-5129	12									
14	17.78	.700	15.24	.600	015-91-2140	015-91-6140	015-91-3147	015-91-0140	015-91-6142	015-91-3146	015-91-3140	015-91-6143	015-91-3148	015-91-0148	015-91-5149	14									
16	20.32	.800	17.78	.700	015-91-2160	015-91-6160	015-91-3167	015-91-0160	015-91-6162	015-91-3166	015-91-3160	015-91-6163	015-91-3168	015-91-0168	015-91-5169	16									
18	22.86	.900	20.32	.800	015-91-2180		015-91-3187	015-91-0180		015-91-3186	015-91-3180		015-91-3188	015-91-0188	015-91-5189	18									
20	25.40	1.000	22.86	.900	015-91-2200	015-91-6200	015-91-3207	015-91-0200	015-91-6202	015-91-3206	015-91-3200	015-91-6203	015-91-3208	015-91-0208	015-91-5209	20									
22	27.94	1.100	25.40	1.000	015-91-2220		015-91-3227	015-91-0220		015-91-3226	015-91-3220		015-91-3228	015-91-0228	015-91-5229	22									
24	30.48	1.200	27.94	1.100	015-91-2240		015-91-3247	015-91-0240		015-91-3246	015-91-3240		015-91-3248	015-91-0248	015-91-5249	24									
26	33.02	1.300	30.48	1.200	015-91-2260	015-91-6260	015-91-3267	015-91-0260	015-91-6262	015-91-3266	015-91-3260		015-91-3268	015-91-0268	015-91-5269	26									
28	35.56	1.400	33.02	1.300	015-91-2280		015-91-3287	015-91-0280		015-91-3286	015-91-3280		015-91-3288	015-91-0288	015-91-5289	28									
30	38.10	1.500	35.56	1.400	015-91-2300		015-91-3307	015-91-0300		015-91-3306	015-91-3300		015-91-3308	015-91-0308	015-91-5309	30									
32	40.64	1.600	38.10	1.500	015-91-2320		015-91-3327	015-91-0320		015-91-3326	015-91-3320		015-91-3328	015-91-0328	015-91-5329	32									
34	43.18	1.700	40.64	1.600	015-91-2340		015-91-3347	015-91-0340		015-91-3346	015-91-3340		015-91-3348	015-91-0348	015-91-5349	34									
36	45.72	1.800	43.18	1.700	015-91-2360		015-91-3367	015-91-0360		015-91-3366	015-91-3360		015-91-3368	015-91-0368	015-91-5369	36									
38	48.26	1.900	45.72	1.800	015-91-2380		015-91-3387	015-91-0380		015-91-3386	015-91-3380		015-91-3388	015-91-0388	015-91-5389	38									
40	50.80	2.000	48.26	1.900	015-91-2400	015-91-6400	015-91-3407	015-91-0400	015-91-6402	015-91-3406	015-91-3400	015-91-6403	015-91-3408	015-91-0408	015-91-5409	40									
42	53.34	2.100	50.80	2.000	015-91-2420		015-91-3427	015-91-0420		015-91-3426	015-91-3420		015-91-3428	015-91-0428	015-91-5429	42									
44	55.88	2.200	53.34	2.100	015-91-2440		015-91-3447	015-91-0440		015-91-3446	015-91-3440		015-91-3448	015-91-0448	015-91-5449	44									
46	58.42	2.300	55.88	2.200	015-91-2460		015-91-3467	015-91-0460		015-91-3466	015-91-3460		015-91-3468	015-91-0468	015-91-5469	46									
48	60.96	2.400	58.42	2.300	015-91-2480		015-91-3487	015-91-0480		015-91-3486	015-91-3480		015-91-3488	015-91-0488	015-91-5489	48									
50	63.50	2.500	60.96	2.400	015-91-2500	015-91-6500	015-91-3507	015-91-0500	015-91-6502	015-91-3506	015-91-3500	015-91-6503	015-91-3508	015-91-0508	015-91-5509	50									
52	66.04	2.600	63.50	2.500	015-91-2520		015-91-3527	015-91-0520		015-91-3526	015-91-3520		015-91-3528	015-91-0528	015-91-5529	52									
54	68.58	2.700	66.04	2.600	015-91-2540		015-91-3547	015-91-0540		015-91-3546	015-91-3540		015-91-3548	015-91-0548	015-91-5549	54									
56	71.12	2.800	68.58	2.700	015-91-2560		015-91-3567	015-91-0560		015-91-3566	015-91-3560		015-91-3568	015-91-0568	015-91-5569	56									
58	73.66	2.900	71.12	2.800	015-91-2580		015-91-3587	015-91-0580		015-91-3586	015-91-3580		015-91-3588	015-91-0588	015-91-5589	58									
60	76.20	3.000	73.66	2.900	015-91-2600		015-91-3607	015-91-0600		015-91-3606	015-91-3600		015-91-3608	015-91-0608	015-91-5609	60									
62	78.74	3.100	76.20	3.000	015-91-2620		015-91-3627	015-91-0620		015-91-3626	015-91-3620		015-91-3628	015-91-0628	015-91-5629	62									
64	81.28	3.200	78.74	3.100	015-91-2640		015-91-3647	015-91-0640		015-91-3646	015-91-3640		015-91-3648	015-91-0648	015-91-5649	64									
66	83.82	3.300	81.28	3.200	015-91-2660		015-91-3667	015-91-0660		015-91-3666	015-91-3660		015-91-3668	015-91-0668	015-91-5669	66									
68	86.36	3.400	83.82	3.300	015-91-2680		015-91-3687	015-91-0680		015-91-3686	015-91-3680		015-91-3688	015-91-0688	015-91-5689	68									
70	88.90	3.500	86.36	3.400	015-91-2700		015-91-3707	015-91-0700		015-91-3706	015-91-3700		015-91-3708	015-91-0708	015-91-5709	70									
72	91.44	3.600	88.90	3.500	015-91-2720		015-91-3727	015-91-0720		015-91-3726	015-91-3720		015-91-3728	015-91-0728	015-91-5729	72									
74	93.98	3.700	91.44	3.600	015-91-2740		015-91-3747	015-91-0740		015-91-3746	015-91-3740		015-91-3748	015-91-0748	015-91-5749	74									
76	96.52	3.800	93.98	3.700	015-91-2760		015-91-3767	015-91-0760		015-91-3766	015-91-3760		015-91-3768	015-91-0768	015-91-5769	76									
78	99.06	3.900	96.52	3.800	015-91-2780		015-91-3787	015-91-0780		015-91-3786	015-91-3780		015-91-3788	015-91-0788	015-91-5789	78									
80	101.60	4.000	99.06	3.900	015-91-2800		015-91-3807	015-91-0800		015-91-3806	015-91-3800		015-91-3808	015-91-0808	015-91-5809	80									
82	104.14	4.100	101.60	4.000	71308-0082		71308-0482	71308-0182		71308-0582	71308-0282		71308-0682	71308-1182	71308-1282	82									
84	106.68	4.200	104.14	4.100	71308-0084		71308-0484	71308-0184		71308-0584	71308-0284		71308-0684	71308-1184	71308-1284	84									
86	109.22	4.300	106.68	4.200	71308-0086		71308-0486	71308-0186		71308-0586	71308-0286		71308-0686	71308-1186	71308-1286	86									
88	111.76	4.400	109.22	4.300	71308-0088		71308-0488	71308-0188		71308-0588	71308-0288		71308-0688	71308-1188	71308-1288	88									
90	114.30	4.500	111.76	4.400	71308-0090		71308-0490	71308-0190		71308-0590	71308-0290		71308-0690	71308-1190	71308-1290	90									
92	116.84	4.600	114.30	4.500	71308-0092		71308-0492	71308-0192		71308-0592	71308-0292		71308-0692	71308-1192	71308-1292	92									
94	119.38	4.700	116.84	4.600	71308-0094		71308-0494	71308-0194		71308-0594	71308-0294		71308-0694	71308-1194	71308-1294	94									
96	121.92	4.800	119.38	4.700	71308-0096		71308-0496	71308-0196		71308-0596	71308-0296		71308-0696	71308-1196	71308-1296	96									
98	124.46	4.900	121.92	4.800	71308-0098		71308-0498	71308-0198		71308-0598	71308-0298		71308-0698	71308-1198	71308-1298	98									
100	127.00	5.000	124.46	4.900	71308-0101		71308-0500	71308-0200		71308-0600	71308-0300		71308-0700		71308-1300	100									

13		12		11				10		9		8		7		6		5		4		3		2		1	
J		PACKAGING SEE NOTE 4, SHT 1				IN TAPE AND REEL WITH SHALLOW POCKET TAPE								BULK / IN TUBES													
						4-8 CKT		TAPE-N-REEL W/ VAC CAPS		TAPE-N-REEL W/ VAC CAPS						BULK				BULK							
						10-100 CKT		TAPE-N-REEL W/ VAC CAPS		TAPE-N-REEL W/ VAC CAPS						TUBES				TUBES							
						DIM. M±0.25 MM		6.10 (.240)		6.10 (.240)						8.13 (.320)				13.59 (.535)							
						PLATING		30 GOLD		15 GOLD						150 TIN				150 TIN							
I		DIM. H				2.54 (.100)		2.54 (.100)						4.57 (.180)		4.57 (.180)											
		DIM. J				5.08 (.200)		5.08 (.200)						7.11 (.280)		7.11 (.280)											
CKTS		DIM. A		DIM. B		EDP NUMBER		EDP NUMBER						EDP NUMBER		EDP NUMBER		CKTS									
		MM	IN	MM	IN																						
04		5.08	.200	2.54	.100													04									
06		7.62	.300	5.08	.200			015-91-6068										06									
08		10.16	.400	7.62	.300			015-91-6088										08									
10		12.70	.500	10.16	.400			015-91-6108						713088010		71308-8210		10									
12		15.24	.600	12.70	.500													12									
14		17.78	.700	15.24	.600	015-91-6148												14									
16		20.32	.800	17.78	.700									713088016				16									
18		22.86	.900	20.32	.800													18									
20		25.40	1.000	22.86	.900													20									
22		27.94	1.100	25.40	1.000													22									
24		30.48	1.200	27.94	1.100													24									
26		33.02	1.300	30.48	1.200													26									
28		35.56	1.400	33.02	1.300													28									
30		38.10	1.500	35.56	1.400													30									
32		40.64	1.600	38.10	1.500													32									
34		43.18	1.700	40.64	1.600													34									
36		45.72	1.800	43.18	1.700													36									
38		48.26	1.900	45.72	1.800													38									
40		50.80	2.000	48.26	1.900													40									
42		53.34	2.100	50.80	2.000													42									
44		55.88	2.200	53.34	2.100													44									
46		58.42	2.300	55.88	2.200													46									
48		60.96	2.400	58.42	2.300													48									
50		63.50	2.500	60.96	2.400													50									
52		66.04	2.600	63.50	2.500													52									
54		68.58	2.700	66.04	2.600													54									
56		71.12	2.800	68.58	2.700													56									
58		73.66	2.900	71.12	2.800													58									
60		76.20	3.000	73.66	2.900													60									
62		78.74	3.100	76.20	3.000													62									
64		81.28	3.200	78.74	3.100													64									
66		83.82	3.300	81.28	3.200													66									
68		86.36	3.400	83.82	3.300													68									
70		88.90	3.500	86.36	3.400													70									
72		91.44	3.600	88.90	3.500													72									
74		93.98	3.700	91.44	3.600													74									
76		96.52	3.800	93.98	3.700													76									
78		99.06	3.900	96.52	3.800													78									
80		101.60	4.000	99.06	3.900													80									
82		104.14	4.100	101.60	4.000													82									
84		106.68	4.200	104.14	4.100													84									
86		109.22	4.300	106.68	4.200													86									
88		111.76	4.400	109.22	4.300													88									
90		114.30	4.500	111.76	4.400													90									
92		116.84	4.600	114.30	4.500													92									
94		119.38	4.700	116.84	4.600													94									
96		121.92	4.800	119.38	4.700													96									
98		124.46	4.900	121.92	4.800													98									
100		127.00	5.000	124.46	4.900													100									
B		NO PEG VERSION										QUALITY SYMBOLS ▽=0 ▽=0		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE INCH		DESIGN UNITS INCH		THIRD ANGLE PROJECTION					
A		(ALSO SEE SHEET 2)										DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		SEE TABLE		SD-71308-001		3 OF 6							
1b_frame_C_P_AM_T Rev. E 2006/04/15		12		11		10		9		8		7		6		5		4		3		2		1			

LONG PEG VERSION (.130")

		13		12		11		10		9		8		7		6		5		4		3		2		1			
J					PACKAGING SEE NOTE 4 SHT 1		4-8 CKT		BULK		TAPE-N-REEL W/ VAC CAPS		BULK		TAPE-N-REEL W/ VAC CAPS														
							10-100 CKT		TUBES		TAPE-N-REEL W/ VAC CAPS		TUBES		TAPE-N-REEL W/ VAC CAPS														
					DIM. M±0.25 MM		6.10 (.240)		6.10 (.240)																				
					PLATING		30 GOLD		150 TIN																				
					DIM. H		2.54 (.100)		2.54 (.100)																				
				DIM. J		5.08 (.200)		5.08 (.200)																					
I	CKTS	DIM. A		DIM. B		DIM. C		EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	CKTS												
		MM	IN	MM	IN	MM	IN																						
H	04	5.08	.200	2.54	.100	----	----	015-91-1048	015-91-6047								04												
	06	7.62	.300	5.08	.200	2.54	.100	015-91-1068	015-91-6067	71308-6106	71308-6206						06												
	08	10.16	.400	7.62	.300	5.08	.200	015-91-1088	015-91-6087	71308-6108	71308-6208						08												
	10	12.70	.500	10.16	.400	7.62	.300	015-91-1108	015-91-6107	71308-6110	71308-6210						10												
	12	15.24	.600	12.70	.500	10.16	.400	015-91-1128									12												
	14	17.78	.700	15.24	.600	12.70	.500	015-91-1148	015-91-6147								14												
	16	20.32	.800	17.78	.700	15.24	.600	015-91-1168	015-91-6167								16												
	18	22.86	.900	20.32	.800	17.78	.700	015-91-1188									18												
	20	25.40	1.000	22.86	.900	20.32	.800	015-91-1208	015-91-6207								20												
	22	27.94	1.100	25.40	1.000	22.86	.900	015-91-1228									22												
G	24	30.48	1.200	27.94	1.100	25.40	1.000	015-91-1248									24												
	26	33.02	1.300	30.48	1.200	27.94	1.100	015-91-1268		71308-6126						26													
	28	35.56	1.400	33.02	1.300	30.48	1.200	015-91-1288								28													
	30	38.10	1.500	35.56	1.400	33.02	1.300	015-91-1308								30													
	32	40.64	1.600	38.10	1.500	35.56	1.400	015-91-1328								32													
	34	43.18	1.700	40.64	1.600	38.10	1.500	015-91-1348								34													
	36	45.72	1.800	43.18	1.700	40.64	1.600	015-91-1368								36													
	38	48.26	1.900	45.72	1.800	43.18	1.700	015-91-1388								38													
	40	50.80	2.000	48.26	1.900	45.72	1.800	015-91-1408	015-91-6407							40													
	F	42	53.34	2.100	50.80	2.000	48.26	1.900	015-91-1428								42												
44		55.88	2.200	53.34	2.100	50.80	2.000	015-91-1448								44													
46		58.42	2.300	55.88	2.200	53.34	2.100	015-91-1468								46													
48		60.96	2.400	58.42	2.300	55.88	2.200	015-91-1488								48													
50		63.50	2.500	60.96	2.400	58.42	2.300	015-91-1508	015-91-6507							50													
52		66.04	2.600	63.50	2.500	60.96	2.400	015-91-1528								52													
54		68.58	2.700	66.04	2.600	63.50	2.500	015-91-1548								54													
56		71.12	2.800	68.58	2.700	66.04	2.600	015-91-1568								56													
58		73.66	2.900	71.12	2.800	68.58	2.700	015-91-1588								58													
60		76.20	3.000	73.66	2.900	71.12	2.800	015-91-1608								60													
E	62	78.74	3.100	76.20	3.000	73.66	2.900	015-91-1628								62													
	64	81.28	3.200	78.74	3.100	76.20	3.000	015-91-1648								64													
	66	83.82	3.300	81.28	3.200	78.74	3.100	015-91-1668								66													
	68	86.36	3.400	83.82	3.300	81.28	3.200	015-91-1688								68													
	70	88.90	3.500	86.36	3.400	83.82	3.300	015-91-1708								70													
	72	91.44	3.600	88.90	3.500	86.36	3.400	015-91-1728								72													
	74	93.98	3.700	91.44	3.600	88.90	3.500	015-91-1748								74													
	76	96.52	3.800	93.98	3.700	91.44	3.600	015-91-1768								76													
	78	99.06	3.900	96.52	3.800	93.98	3.700	015-91-1788								78													
	80	101.60	4.000	99.06	3.900	96.52	3.800	015-91-1808								80													
D	82	104.14	4.100	101.60	4.000	99.06	3.900	71308-6082								82													
	84	106.68	4.200	104.14	4.100	101.60	4.000	71308-6084								84													
	86	109.22	4.300	106.68	4.200	104.14	4.100	71308-6086								86													
	88	111.76	4.400	109.22	4.300	106.68	4.200	71308-6088								88													
	90	114.30	4.500	111.76	4.400	109.22	4.300	71308-6090								90													
	92	116.84	4.600	114.30	4.500	111.76	4.400	71308-6092								92													
	94	119.38	4.700	116.84	4.600	114.30	4.500	71308-6094								94													
	96	121.92	4.800	119.38	4.700	116.84	4.600	71308-6096								96													
	98	124.46	4.900	121.92	4.800	119.38	4.700	71308-6098								98													
	100	127.00	5.000	124.46	4.900	121.92	4.800	71308-6100								100													
B	SHORT PEG VERSION (.055")																SEE SHEET 1 EC NO: UCP2009-2465 2009/08/04 DRWN:MK/PPER CHKD:SSOUSEK 2009/08/07 APPR:FSMITH 2009/08/10	REV K3	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .005 2 PLACES ± 0.13 ± .010 1 PLACE ± 0.25 ± --- ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE MM/IN DRAWN BY DATE KMS 1999/10/15 CHECKED BY DATE KMS 1999/10/15 APPROVED BY DATE KMS 1999/10/15 MATERIAL NO. SEE TABLE SIZE C THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	SCALE INCH	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	TITLE SALES ASSY INSULATOR DUAL ROW SMT W/BREAK-OFF .025SQ PIN GULLWING .100 MOLEX MOLEX INCORPORATED DOCUMENT NO. SD-71308-001 SHEET NO. 5 OF 6				
A	tb_frame_C_P_AM.T Rev. E 2006/04/15		12	11		10		9		8		7		6		5		4		3		2		1					

		13		12		11		10		9		8		7		6		5		4		3		2		1							
J		PACKAGING SEE NOTE 4, SHT 1		4-6 CKT		NO PEG VERSION						NO PEG VERSION		LONG PEG VERSION (.130")		SHORT PEG VERSION (.055")																	
						BULK		TAPE-N-REEL W/VAC CAPS		N/A				4-8 CKT		TAPE-N-REEL W/VAC CAPS		BULK		BULK		BULK		TAPE-N-REEL W/VAC CAPS		BULK		TAPE-N-REEL W/ VAC CAPS					
				8-100 CKT		TUBES		TAPE-N-REEL W/VAC CAPS		TUBES W/ VAC CAPS				10-100 CKT		TAPE-N-REEL W/VAC CAPS		TUBES		TUBES		TUBES		TAPE-N-REEL W/VAC CAPS		TUBES		BULK		TAPE-N-REEL W/ VAC CAPS			
				DIM. M±0.25 MM				6.10 (.240)								8.13(.320)		13.59(.535)		6.10(.240)		8.13(.320)		6.10 (.240)									
PLATING				59 TIN								59 TIN		59 TIN		59 TIN		59 TIN		59 TIN													
DIM. H				2.54(.100)								4.57(.180)		4.57(.180)		2.54(.100)		4.57(.180)		2.54(.100)													
DIM. J				5.08(.200)								7.11(.280)		7.11(.280)		5.08(.200)		7.11(.280)		5.08(.200)													
I	CKTS	DIM. A		DIM. B		DIM. C		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		CKTS			
		MM	IN	MM	IN	MM	IN																										
H	04	5.08	.200	2.54	.100	---	---	71308-5404	71308-5504	N/A							71308-6404	71308-6504	71308-6604										04				
	06	7.62	.300	5.08	.200	2.54	.100	71308-5406	71308-5506	N/A							71308-6406	71308-6506	71308-6606	71308-6706	71308-6806							06					
	08	10.16	.400	7.62	.300	5.08	.200	71308-5408	71308-5508	71308-5608							71308-6408	71308-6508	71308-6608	71308-6708	71308-6808							08					
	10	12.70	.500	10.16	.400	7.62	.300	71308-5410	71308-5510	71308-5610			71308-5810	71308-5910			71308-6410	71308-6510	71308-6610	71308-6710	71308-6810							10					
	12	15.24	.600	12.70	.500	10.16	.400	71308-5412	71308-5512	71308-5612							71308-6412		71308-6612									12					
	14	17.78	.700	15.24	.600	12.70	.500	71308-5414	71308-5514	71308-5614							71308-6414	71308-6514	71308-6614									14					
	16	20.32	.800	17.78	.700	15.24	.600	71308-5416	71308-5516	71308-5616			71308-5816				71308-6416	71308-6516	71308-6616								16						
	18	22.86	.900	20.32	.800	17.78	.700	71308-5418		71308-5618							71308-6418		71308-6618									18					
	20	25.40	1.000	22.86	.900	20.32	.800	71308-5420	71308-5520								71308-6420		71308-6620									20					
	22	27.94	1.100	25.40	1.000	22.86	.900	71308-5422		71308-5622							71308-6422		71308-6622									22					
G	24	30.48	1.200	27.94	1.100	25.40	1.000	71308-5424		71308-5624			71308-5724	71308-5824			71308-6424		71308-6624									24					
	26	33.02	1.300	30.48	1.200	27.94	1.100	71308-5426		71308-5626							71308-6426		71308-6626	71308-6726							26						
	28	35.56	1.400	33.02	1.300	30.48	1.200	71308-5428		71308-5628							71308-6428		71308-6628								28						
	30	38.10	1.500	35.56	1.400	33.02	1.300	71308-5430		71308-5630							71308-6430		71308-6630								30						
	32	40.64	1.600	38.10	1.500	35.56	1.400	71308-5432		71308-5632							71308-6432		71308-6632								32						
	34	43.18	1.700	40.64	1.600	38.10	1.500	71308-5434		71308-5634							71308-6434		71308-6634								34						
	36	45.72	1.800	43.18	1.700	40.64	1.600	71308-5436		71308-5636							71308-6436		71308-6636								36						
	38	48.26	1.900	45.72	1.800	43.18	1.700	71308-5438		71308-5638							71308-6438		71308-6638								38						
	40	50.80	2.000	48.26	1.900	45.72	1.800	71308-5440	71308-5540	71308-5640							71308-6440		71308-6640								40						
	42	53.34	2.100	50.80	2.000	48.26	1.900	71308-5442		71308-5642							71308-6442		71308-6642								42						
F	44	55.88	2.200	53.34	2.100	50.80	2.000	71308-5444		71308-5644							71308-6444		71308-6644								44						
	46	58.42	2.300	55.88	2.200	53.34	2.100	71308-5446		71308-5646							71308-6446		71308-6646							46							
	48	60.96	2.400	58.42	2.300	55.88	2.200	71308-5448		71308-5648							71308-6448		71308-6648							48							
	50	63.50	2.500	60.96	2.400	58.42	2.300	71308-5450	71308-5550	71308-5650							71308-6450	71308-6550	71308-6650							50							
	52	66.04	2.600	63.50	2.500	60.96	2.400	71308-5452		71308-5652							71308-6452		71308-6652							52							
	54	68.58	2.700	66.04	2.600	63.50	2.500	71308-5454		71308-5654							71308-6454		71308-6654							54							
	56	71.12	2.800	68.58	2.700	66.04	2.600	71308-5456		71308-5656							71308-6456		71308-6656							56							
	58	73.66	2.900	71.12	2.800	68.58	2.700	71308-5458		71308-5658							71308-6458		71308-6658							58							
	60	76.20	3.000	73.66	2.900	71.12	2.800	71308-5460		71308-5660							71308-6460		71308-6660							60							
	62	78.74	3.100	76.20	3.000	73.66	2.900	71308-5462		71308-5662							71308-6462		71308-6662							62							
E	64	81.28	3.200	78.74	3.100	76.20	3.000	71308-5464		71308-5664							71308-6464		71308-6664							64							
	66	83.82	3.300	81.28	3.200	78.74	3.100	71308-5466		71308-5666							71308-6466		71308-6666							66							
	68	86.36	3.400	83.82	3.300	81.28	3.200	71308-5468		71308-5668							71308-6468		71308-6668							68							
	70	88.90	3.500	86.36	3.400	83.82	3.300	71308-5470		71308-5670							71308-6470		71308-6670							70							
	72	91.44	3.600	88.90	3.500	86.36	3.400	71308-5472		71308-5672							71308-6472		71308-6672							72							
	74	93.98	3.700	91.44	3.600	88.90	3.500	71308-5474		71308-5674							71308-6474		71308-6674							74							
	76	96.52	3.800	93.98	3.700	91.44	3.600	71308-5476		71308-5676							71308-6476		71308-6676							76							
	78	99.06	3.900	96.52	3.800	93.98	3.700	71308-5478		71308-5678							71308-6478		71308-6678							78							
	80	101.60	4.000	99.06	3.900	96.52	3.800	71308-5480		71308-5680							71308-6480		71308-6680							80							
	82	104.14	4.100	101.60	4.000	99.06	3.900	71308-5482		71308-5682							71308-6482		71308-6682							82							
D	84	106.68	4.200	104.14	4.100	101.60	4.000	71308-5484		71308-5684							71308-6484		71308-6684							84							
	86	109.22	4.300	106.68	4.200	104.14	4.100	71308-5486		71308-5686							71308-6486		71308-6686							86							
	88	111.76	4.400	109.22	4.300	106.68	4.200	71308-5488		71308-5688							71308-6488		71308-6688							88							
	90	114.30	4.500	111.76	4.400	109.22	4.300	71308-5490		71308-5690							71308-6490		71308-6690							90							
	92	116.84	4.600	114.30	4.500	111.76	4.400	71308-5492		71308-5692							71308-6492		71308-6692							92							
	94	119.38	4.700	116.84	4.600	114.30	4.500	71308-5494		71308-5694							71308-6494		71308-6694							94							
	96	121.92	4.800	119.38	4.700	116.84	4.600	71308-5496		71308-5696							71308-6496		71308-6696							96							
	98	124.46	4.900	121.92	4.800	119.38	4.700	71308-5498		71308-5698							71308-6498		71308-6698							98							
	100	127.00	5.000	124.46	4.900	121.92	4.800	71308-5500		71308-5700							71308-6500		71308-6700							100							
	B	59 TIN PLATE ASSEMBLIES										SEE SHEET 1 EC NO: UCP2009-2465 DRAWN:MKJ CHKD:SSJ APPR:FSM REV		QUALITY SYMBOLS ▽=0 ▽=0		GENERAL TOLERANCES (UNLESS SPECIFIED) 4 PLACES ± --- ± --- 3 PLACES ± --- ± .005 2 PLACES ± 0.13 ± .010 1 PLACE ± 0.25 ± --- ANGULAR ± 1/2°		DIMENSION STYLE MM/IN DRAWN BY DATE KMS 1999/10/15 CHECKED BY DATE KMS 1999/10/15 APPROVED BY DATE KMS 1999/10/15		SCALE 1:1 DESIGN UNITS INCH		THIRD ANGLE PROJECTION		SALES ASSY INSULATOR DUAL ROW SMT W/BREAK-OFF .025SQ PIN GULLWING .100 MOLEX MOLEX INCORPORATED		SHEET NO. 6 OF 6							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS												SEE TABLE		DOCUMENT NO. SD-71308-001																			
A															THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		
		13		12		11		10		9		8		7		6		5		4		3		2		1							
		12		11		10		9		8		7		6		5		4															