

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0015910380](#)
Status: **Active**
Description: 2.54mm (.100") Pitch C-Grid® Header, Surface Mount, Dual Row, Vertical, 38 Circuits, 0.38µm (15µ") Gold (Au) Selective Plating

Documents:

3D Model	Product Specification PS-71308 (PDF)
Drawing (PDF)	RoHS Certificate of Compliance (PDF)

Agency Certification

CSA	LR19980
UL	E29179

General

Product Family	PCB Headers
Series	71308
Application	Board-to-Board, Wire-to-Board
Product Name	C-Grid®

Physical


Breakaway	Yes
Circuits (Loaded)	38
Circuits (maximum)	38
Color - Resin	Black
Durability (mating cycles max)	50
Flammability	94V-0
Glow-Wire Compliant	No
Lock to Mating Part	None
Material - Metal	Phosphor Bronze
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Material - Resin	High Temperature Thermoplastic
Number of Rows	2
Orientation	Vertical
PCB Locator	No
PCB Retention	None
Packaging Type	Tube
Pitch - Mating Interface (in)	0.100 In
Pitch - Mating Interface (mm)	2.54 mm
Plating min: Mating (µin)	15
Plating min: Mating (µm)	0.375
Plating min: Termination (µin)	75
Plating min: Termination (µm)	1.875
Polarized to Mating Part	No
Polarized to PCB	No
Shrouded	No
Stackable	Yes
Temperature Range - Operating	-40°C to +105°C
Termination Interface: Style	Surface Mount

Electrical

Current - Maximum per Contact	3A
Voltage - Maximum	250V

Solder Process Data

Lead-free Process Capability	Reflow Capable (SMT only)
Process Temperature max. C	260



*Series
image - Reference only*

EU RoHS

**ELV and RoHS
Compliant**
REACH SVHC
Not Reviewed
**Halogen-Free
Status**

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of
Compliance, [click here](#)

Please visit the [Contact Us](#) section for any
non-product compliance questions.

Search Parts in this Series
[71308Series](#)

Material Info


Reference - Drawing Numbers

Product Specification	PS-71308, RPS-71308-001
Sales Drawing	SD-71308-001


This document was generated on 03/31/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

OPTIONAL PICK AND PLACE CAP SEE NOTES 4 & 9.




PEG OPTIONS



NOTES:


- MATERIALS: INSULATOR: GLASS FILLED LIQUID CRYSTAL POLYMER (LCP), UL94 V-0, COLOR: BLACK
TERMINAL: COPPER ALLOY
- FINISH:
59 TIN - 0.00150/.000059 MINIMUM BRIGHT TIN OVER NICKEL OVERALL.
150 TIN - 0.00381/.000150 MINIMUM BRIGHT TIN OVER NICKEL OVERALL.
15 GOLD - 0.00038/.000015 MINIMUM GOLD IN SELECT AREA OVER 0.00191/.000075 MINIMUM TIN IN SELECT AREA OVER NICKEL OVERALL.
30 GOLD - 0.00076/.000030 MINIMUM GOLD IN SELECT AREA OVER 0.00191/.000075 MINIMUM TIN IN SELECT AREA OVER NICKEL OVERALL.
50 GOLD - 0.00127/.000050 MINIMUM GOLD IN SELECT AREA OVER 0.00254/.000100 MINIMUM TIN IN SELECT AREA OVER NICKEL OVERALL.
* THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC". CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH LEAD.
- PART TO CONFORM TO PS-71308.
- PACKAGING (SEE CHARTS):
BULK: PER PK-70873-0353
TUBES: PER PK-70873-0041.
71308-82** IN TUBES: PER PK-70873-042.
TUBES W/ VAC CAPS: PER PK-70873-0691
TAPE AND REEL W/ VAC CAPS: PER PK-70873-0805.
SEE SHEET 3 FOR TAPE & REEL PRODUCT WITH SHALLOW POCKET REQUIREMENTS.
- TYP. DIMENSIONS FOR LANDS SURROUNDING HOLES FOR RETENTION PEGS.
- PIN SOLERABILITY PER MOLEX SPEC. ES-152.
- SEE SHEETS 2-5 FOR CHARTED DIMS., PART/EDP NO'S, AND VOIDED CIRCUITS.
- PIN PUSHOUT FORCE: 3 LBS. MINIMUM.
- PICK-N-PLACE CAPS WILL BE PLACED SO THAT VACUUM PICK UP AREA WILL BE IN CENTER OF PART.
- COPLANARITY FOR CIRCUIT SIZES UP TO 40 IS 0.15 MM/.006 INCH. FOR CIRCUIT SIZES 42 AND LARGER, CONTACT MOLEX SALES DEPARTMENT.
- THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

DIM. "M"	DIM. "G"
6.10 .240	10.67 .420
8.13 .320	12.70 .500




P.C. BOARD PAD LAYOUT
AT ENDS FOR NO PEG VERSION.

ROW "A"
ROW "B"



NO PEG
SEE PEG OPTIONS



12CKT TAPE & REEL
EC NO: UCP2009-2465
DRWN:KIPPER 2009/08/04
CHKD:SSOUSEK 2009/08/07
APPR:FSMITH 2009/08/10

QUALITY
SYMBOLS
▽=0
▽=0

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± .005	± .0005
3 PLACES	± .005	± .0005
2 PLACES	± .010	± .0010
1 PLACE	± .025	± .0025
ANGULAR	± 1/2°	

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM/IN

DRAWN BY	DATE
KMS	1999/10/15
CHECKED BY	DATE
KMS	1999/10/15
APPROVED BY	DATE
KMS	1999/10/15

MATERIAL NO.
SEE TABLES

SCALE
DESIGN UNITS
INCH

THIRD ANGLE
PROJECTION

TITLE
SALES ASSY INSULATOR
DUAL ROW SMT W/BREAK-OFF
.025SQ PIN GULLWING .100

MOLEX INCORPORATED

DOCUMENT NO.
SD-71308-001

SHEET NO.
1 OF 6

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

13		12		11		10		9		8		7		6		5		4		3		2		1		
J	PACKAGING SEE NOTE 4 SHT 1	4-6 CKT		BULK		TAPE-N-REEL W/ VAC CAPS		N/A		BULK		TAPE-N-REEL W/ VAC CAPS		N/A		BULK		TAPE-N-REEL W/ VAC CAPS		N/A		BULK		BULK		
		8-100 CKT		TUBES		TAPE-N-REEL W/ VAC CAPS		TUBES W/ VAC CAPS		TUBES		TAPE-N-REEL W/ VAC CAPS		TUBES W/ VAC CAPS		TUBES		TAPE-N-REEL W/ VAC CAPS		TUBES W/ VAC CAPS		TUBES		TUBES		
		DIM. M ±0.25 MM				6.10 (.240)				6.10 (.240)				6.10 (.240)				8.13 (.320)				8.13 (.320)				
		PLATING				150 TIN				15 GOLD				30 GOLD				15 GOLD				30 GOLD				
		DIM. H				2.54 (.100)				2.54 (.100)				2.54 (.100)				4.57 (.180)				4.57 (.180)				
I	CKTS	DIM. A		DIM. B		EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	CKTS
		MM	IN	MM	IN																					
		04	5.08	.200	2.54	.100	015-91-2040	015-91-6040	N/A	015-91-0040	015-91-6042	N/A	015-91-3040	015-91-6043	N/A	015-91-0048	015-91-5049	04								
		06	7.62	.300	5.08	.200	015-91-2060	015-91-6060	N/A	015-91-0060	015-91-6062	N/A	015-91-3060	015-91-6063	N/A	015-91-0068	015-91-5069	06								
		08	10.16	.400	7.62	.300	015-91-2080	015-91-6080	015-91-3087	015-91-0080	015-91-6082	015-91-3086	015-91-3080	015-91-6083	015-91-3088	015-91-0088	015-91-5089	08								
10	12.70	.500	10.16	.400	015-91-2100	015-91-6100	015-91-3107	015-91-0100	015-91-6102	015-91-3106	015-91-3100	015-91-6103	015-91-3108	015-91-0108	015-91-5109	10										
12	15.24	.600	12.70	.500	015-91-2120	015-91-6120	015-91-3127	015-91-0120	015-91-6122	015-91-3126	015-91-3120	015-91-6123	015-91-3128	015-91-0128	015-91-5129	12										
14	17.78	.700	15.24	.600	015-91-2140	015-91-6140	015-91-3147	015-91-0140	015-91-6142	015-91-3146	015-91-3140	015-91-6143	015-91-3148	015-91-0148	015-91-5149	14										
16	20.32	.800	17.78	.700	015-91-2160	015-91-6160	015-91-3167	015-91-0160	015-91-6162	015-91-3166	015-91-3160	015-91-6163	015-91-3168	015-91-0168	015-91-5169	16										
18	22.86	.900	20.32	.800	015-91-2180		015-91-3187	015-91-0180		015-91-3186	015-91-3180		015-91-3188	015-91-0188	015-91-5189	18										
20	25.40	1.000	22.86	.900	015-91-2200	015-91-6200	015-91-3207	015-91-0200	015-91-6202	015-91-3206	015-91-3200	015-91-6203	015-91-3208	015-91-0208	015-91-5209	20										
22	27.94	1.100	25.40	1.000	015-91-2220		015-91-3227	015-91-0220		015-91-3226	015-91-3220		015-91-3228	015-91-0228	015-91-5229	22										
24	30.48	1.200	27.94	1.100	015-91-2240		015-91-3247	015-91-0240		015-91-3246	015-91-3240		015-91-3248	015-91-0248	015-91-5249	24										
26	33.02	1.300	30.48	1.200	015-91-2260	015-91-6260	015-91-3267	015-91-0260	015-91-6262	015-91-3266	015-91-3260		015-91-3268	015-91-0268	015-91-5269	26										
28	35.56	1.400	33.02	1.300	015-91-2280		015-91-3287	015-91-0280		015-91-3286	015-91-3280		015-91-3288	015-91-0288	015-91-5289	28										
30	38.10	1.500	35.56	1.400	015-91-2300		015-91-3307	015-91-0300		015-91-3306	015-91-3300		015-91-3308	015-91-0308	015-91-5309	30										
32	40.64	1.600	38.10	1.500	015-91-2320		015-91-3327	015-91-0320		015-91-3326	015-91-3320		015-91-3328	015-91-0328	015-91-5329	32										
34	43.18	1.700	40.64	1.600	015-91-2340		015-91-3347	015-91-0340		015-91-3346	015-91-3340		015-91-3348	015-91-0348	015-91-5349	34										
36	45.72	1.800	43.18	1.700	015-91-2360		015-91-3367	015-91-0360		015-91-3366	015-91-3360		015-91-3368	015-91-0368	015-91-5369	36										
38	48.26	1.900	45.72	1.800	015-91-2380		015-91-3387	015-91-0380		015-91-3386	015-91-3380		015-91-3388	015-91-0388	015-91-5389	38										
40	50.80	2.000	48.26	1.900	015-91-2400	015-91-6400	015-91-3407	015-91-0400	015-91-6402	015-91-3406	015-91-3400	015-91-6403	015-91-3408	015-91-0408	015-91-5409	40										
42	53.34	2.100	50.80	2.000	015-91-2420		015-91-3427	015-91-0420		015-91-3426	015-91-3420		015-91-3428	015-91-0428	015-91-5429	42										
44	55.88	2.200	53.34	2.100	015-91-2440		015-91-3447	015-91-0440		015-91-3446	015-91-3440		015-91-3448	015-91-0448	015-91-5449	44										
46	58.42	2.300	55.88	2.200	015-91-2460		015-91-3467	015-91-0460		015-91-3466	015-91-3460		015-91-3468	015-91-0468	015-91-5469	46										
48	60.96	2.400	58.42	2.300	015-91-2480		015-91-3487	015-91-0480		015-91-3486	015-91-3480		015-91-3488	015-91-0488	015-91-5489	48										
50	63.50	2.500	60.96	2.400	015-91-2500	015-91-6500	015-91-3507	015-91-0500	015-91-6502	015-91-3506	015-91-3500	015-91-6503	015-91-3508	015-91-0508	015-91-5509	50										
52	66.04	2.600	63.50	2.500	015-91-2520		015-91-3527	015-91-0520		015-91-3526	015-91-3520		015-91-3528	015-91-0528	015-91-5529	52										
54	68.58	2.700	66.04	2.600	015-91-2540		015-91-3547	015-91-0540		015-91-3546	015-91-3540		015-91-3548	015-91-0548	015-91-5549	54										
56	71.12	2.800	68.58	2.700	015-91-2560		015-91-3567	015-91-0560		015-91-3566	015-91-3560		015-91-3568	015-91-0568	015-91-5569	56										
58	73.66	2.900	71.12	2.800	015-91-2580		015-91-3587	015-91-0580		015-91-3586	015-91-3580		015-91-3588	015-91-0588	015-91-5589	58										
60	76.20	3.000	73.66	2.900	015-91-2600		015-91-3607	015-91-0600		015-91-3606	015-91-3600		015-91-3608	015-91-0608	015-91-5609	60										
62	78.74	3.100	76.20	3.000	015-91-2620		015-91-3627	015-91-0620		015-91-3626	015-91-3620		015-91-3628	015-91-0628	015-91-5629	62										
64	81.28	3.200	78.74	3.100	015-91-2640		015-91-3647	015-91-0640		015-91-3646	015-91-3640		015-91-3648	015-91-0648	015-91-5649	64										
66	83.82	3.300	81.28	3.200	015-91-2660		015-91-3667	015-91-0660		015-91-3666	015-91-3660		015-91-3668	015-91-0668	015-91-5669	66										
68	86.36	3.400	83.82	3.300	015-91-2680		015-91-3687	015-91-0680		015-91-3686	015-91-3680		015-91-3688	015-91-0688	015-91-5689	68										
70	88.90	3.500	86.36	3.400	015-91-2700		015-91-3707	015-91-0700		015-91-3706	015-91-3700		015-91-3708	015-91-0708	015-91-5709	70										
72	91.44	3.600	88.90	3.500	015-91-2720		015-91-3727	015-91-0720		015-91-3726	015-91-3720		015-91-3728	015-91-0728	015-91-5729	72										
74	93.98	3.700	91.44	3.600	015-91-2740		015-91-3747	015-91-0740		015-91-3746	015-91-3740		015-91-3748	015-91-0748	015-91-5749	74										
76	96.52	3.800	93.98	3.700	015-91-2760		015-91-3767	015-91-0760		015-91-3766	015-91-3760		015-91-3768	015-91-0768	015-91-5769	76										
78	99.06	3.900	96.52	3.800	015-91-2780		015-91-3787	015-91-0780		015-91-3786	015-91-3780		015-91-3788	015-91-0788	015-91-5789	78										
80	101.60	4.000	99.06	3.900	015-91-2800		015-91-3807	015-91-0800		015-91-3806	015-91-3800		015-91-3808	015-91-0808	015-91-5809	80										
82	104.14	4.100	101.60	4.000	71308-0082		71308-0482	71308-0182		71308-0582	71308-0282		71308-0682	71308-1182	71308-1282	82										
84	106.68	4.200	104.14	4.100	71308-0084		71308-0484	71308-0184		71308-0584	71308-0284		71308-0684	71308-1184	71308-1284	84										
86	109.22	4.300	106.68	4.200	71308-0086		71308-0486	71308-0186		71308-0586	71308-0286		71308-0686	71308-1186	71308-1286	86										
88	111.76	4.400	109.22	4.300	71308-0088		71308-0488	71308-0188		71308-0588	71308-0															

13		12		11				10		9		8		7		6		5		4		3		2		1	
J		PACKAGING SEE NOTE 4, SHT 1		4-8 CKT		TAPE-N-REEL W/ VAC CAPS		TAPE-N-REEL W/ VAC CAPS														BULK		BULK			
				10-100 CKT		TAPE-N-REEL W/ VAC CAPS		TAPE-N-REEL W/ VAC CAPS												TUBES		TUBES					
				DIM. M±0.25 MM		6.10 (.240)		6.10 (.240)										8.13 (.320)		13.59 (.535)							
				PLATING		30 GOLD		15 GOLD										150 TIN		150 TIN							
				DIM. H		2.54 (.100)		2.54 (.100)										4.57 (.180)		4.57 (.180)							
				DIM. J		5.08 (.200)		5.08 (.200)										7.11 (.280)		7.11 (.280)							
I		CKTS		DIM. A		DIM. B		EDP		EDP										EDP		EDP		CKTS			
				MM IN		MM IN		NUMBER		NUMBER						NUMBER		NUMBER									
		04		5.08 .200 2.54 .100																				04			
		06		7.62 .300 5.08 .200				015-91-6068																06			
		08		10.16 .400 7.62 .300				015-91-6088																08			
		10		12.70 .500 10.16 .400				015-91-6108												713088010		71308-8210		10			
		12		15.24 .600 12.70 .500																				12			
H		14		17.78 .700 15.24 .600		015-91-6148																		14			
		16		20.32 .800 17.78 .700														713088016						16			
		18		22.86 .900 20.32 .800																				18			
		20		25.40 1.000 22.86 .900																				20			
		22		27.94 1.100 25.40 1.000																				22			
		24		30.48 1.200 27.94 1.100																				24			
		26		33.02 1.300 30.48 1.200																				26			
G		28		35.56 1.400 33.02 1.300																				28			
		30		38.10 1.500 35.56 1.400																				30			
		32		40.64 1.600 38.10 1.500																				32			
		34		43.18 1.700 40.64 1.600																				34			
		36		45.72 1.800 43.18 1.700																				36			
		38		48.26 1.900 45.72 1.800																				38			
		40		50.80 2.000 48.26 1.900																				40			
F		42		53.34 2.100 50.80 2.000																				42			
		44		55.88 2.200 53.34 2.100																				44			
		46		58.42 2.300 55.88 2.200																				46			
		48		60.96 2.400 58.42 2.300																				48			
		50		63.50 2.500 60.96 2.400																				50			
		52		66.04 2.600 63.50 2.500																				52			
		54		68.58 2.700 66.04 2.600																				54			
		56		71.12 2.800 68.58 2.700																				56			
E		58		73.66 2.900 71.12 2.800																				58			
		60		76.20 3.000 73.66 2.900																				60			
		62		78.74 3.100 76.20 3.000																				62			
		64		81.28 3.200 78.74 3.100																				64			
		66		83.82 3.300 81.28 3.200																				66			
		68		86.36 3.400 83.82 3.300																				68			
		70		88.90 3.500 86.36 3.400																				70			
		72		91.44 3.600 88.90 3.500																				72			
D		74		93.98 3.700 91.44 3.600																				74			
		76		96.52 3.800 93.98 3.700																				76			
		78		99.06 3.900 96.52 3.800																				78			
		80		101.60 4.000 99.06 3.900																				80			
		82		104.14 4.100 101.60 4.000																				82			
		84		106.68 4.200 104.14 4.100																				84			
		86		109.22 4.300 106.68 4.200																				86			
		88		111.76 4.400 109.22 4.300																				88			
C		90		114.30 4.500 111.76 4.400																				90			
		92		116.84 4.600 114.30 4.500																				92			
		94		119.38 4.700 116.84 4.600																				94			
		96		121.92 4.800 119.38 4.700																				96			
		98		124.46 4.900 121.92 4.800																				98			
		100		127.00 5.000 124.46 4.900																				100			
B		NO PEG VERSION		(ALSO SEE SHEET 2)		SEE SHEET 1 EC NO: UCP2009-2465 DRWN:MKIPPER 2009/08/04 CHKD:SSOUSEK 2009/08/07 APPR:FSMITH 2009/08/10		QUALITY SYMBOLS ▽=0 ▽=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ±.005 2 PLACES ±0.13 ±.010 1 PLACE ± 0.25 ± --- ANGULAR ±1/2°		DIMENSION STYLE MM/IN DRAWN BY DATE KMS 1999/10/15 CHECKED BY DATE KMS 1999/10/15 APPROVED BY DATE KMS 1999/10/15		SCALE INCH DESIGN UNITS INCH THIRD ANGLE PROJECTION		TITLE SALES ASSY INSULATOR DUAL ROW SMT W/BREAK-OFF .025SQ PIN GULLWING .100 MOLEX MOLEX INCORPORATED		DOCUMENT NO. SD-71308-001 SHEET NO. 3 OF 6									
																				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
A																											
1b_frame_C_P_AM_T Rev. E 2006/04/15		12		11		10		9		8		7		6		5		4		3		2		1			

13			12			11			10			9			8			7			6			5			4			3			2			1				
PACKAGING SEE NOTE 4 SHT 1						4-8 CKT		BULK		TAPE-N-REEL W/ VAC CAPS		BULK		TAPE-N-REEL W/ VAC CAPS		BULK		TAPE-N-REEL W/ VAC CAPS		BULK		BULK		BULK		BULK		BULK												
						10-100 CKT		TUBES		TAPE-N-REEL W/ VAC CAPS		TUBES		TAPE-N-REEL W/ VAC CAPS		TUBES		TAPE-N-REEL W/ VAC CAPS		TUBES		TUBES		TUBES		TUBES		TUBES		TUBES		TUBES								
						DIM. M ±0.25 MM						6.10 (.240)						6.10 (.240)						6.10 (.240)						8.13 (.320)			8.13 (.320)			8.13 (.320)				
						PLATING						150 TIN						15 GOLD						30 GOLD						150 TIN			15 GOLD			30 GOLD				
						DIM. H						2.54 (.100)						2.54 (.100)						2.54 (.100)						4.57 (.180)			4.57 (.180)			4.57 (.180)				
DIM. J						5.08 (.200)						5.08 (.200)						5.08 (.200)						7.11 (.280)			7.11 (.280)			7.11 (.280)										
CKTS	DIM. A			DIM. B			DIM. C			EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		CKTS								
	MM	IN		MM	IN		MM	IN																																
04	5.08	.200		2.54	.100	----	----			015-91-1041	015-91-6044	015-91-1042	015-91-6045	015-91-1043	015-91-6046	015-91-1044	015-91-0047	015-91-1040			015-91-1040			015-91-1040			015-91-1040			04										
06	7.62	.300		5.08	.200	2.54	.100			015-91-1061	015-91-6064	015-91-1062	015-91-6065	015-91-1063	015-91-6066	015-91-1064	015-91-0067	015-91-1060			015-91-1060			015-91-1060			015-91-1060			06										
08	10.16	.400		7.62	.300	5.08	.200			015-91-1081	015-91-6084	015-91-1082	015-91-6085	015-91-1083	015-91-6086	015-91-1084	015-91-0087	015-91-1080			015-91-1080			015-91-1080			015-91-1080			08										
10	12.70	.500		10.16	.400	7.62	.300			015-91-1101	015-91-6104	015-91-1102	015-91-6105	015-91-1103	015-91-6106	015-91-1104	015-91-0107	015-91-1100			015-91-1100			015-91-1100			015-91-1100			10										
12	15.24	.600		12.70	.500	10.16	.400			015-91-1121		015-91-1122		015-91-1123		015-91-1124	015-91-0127	015-91-1120			015-91-1120			015-91-1120			015-91-1120			12										
14	17.78	.700		15.24	.600	12.70	.500			015-91-1141	015-91-6144	015-91-1142	015-91-6145	015-91-1143	015-91-6146	015-91-1144	015-91-0147	015-91-1140			015-91-1140			015-91-1140			015-91-1140			14										
16	20.32	.800		17.78	.700	15.24	.600			015-91-1161	015-91-6164	015-91-1162	015-91-6165	015-91-1163	015-91-6166	015-91-1164	015-91-0167	015-91-1160			015-91-1160			015-91-1160			015-91-1160			16										
18	22.86	.900		20.32	.800	17.78	.700			015-91-1181		015-91-1182		015-91-1183		015-91-1184	015-91-0187	015-91-1180			015-91-1180			015-91-1180			015-91-1180			18										
20	25.40	1.000		22.86	.900	20.32	.800			015-91-1201		015-91-1202		015-91-1203		015-91-1204	015-91-0207	015-91-1200			015-91-1200			015-91-1200			015-91-1200			20										
22	27.94	1.100		25.40	1.000	22.86	.900			015-91-1221		015-91-1222		015-91-1223		015-91-1224	015-91-0227	015-91-1220			015-91-1220			015-91-1220			015-91-1220			22										
24	30.48	1.200		27.94	1.100	25.40	1.000			015-91-1241		015-91-1242		015-91-1243		015-91-1244	015-91-0247	015-91-1240			015-91-1240			015-91-1240			015-91-1240			24										
26	33.02	1.300		30.48	1.200	27.94	1.100			015-91-1261		015-91-1262		015-91-1263		015-91-1264	015-91-0267	015-91-1260			015-91-1260			015-91-1260			015-91-1260			26										
28	35.56	1.400		33.02	1.300	30.48	1.200			015-91-1281		015-91-1282		015-91-1283		015-91-1284	015-91-0287	015-91-1280			015-91-1280			015-91-1280			015-91-1280			28										
30	38.10	1.500		35.56	1.400	33.02	1.300			015-91-1301		015-91-1302		015-91-1303		015-91-1304	015-91-0307	015-91-1300			015-91-1300			015-91-1300			015-91-1300			30										
32	40.64	1.600		38.10	1.500	35.56	1.400			015-91-1321		015-91-1322		015-91-1323		015-91-1324	015-91-0327	015-91-1320			015-91-1320			015-91-1320			015-91-1320			32										
34	43.18	1.700		40.64	1.600	38.10	1.500			015-91-1341		015-91-1342		015-91-1343		015-91-1344	015-91-0347	015-91-1340			015-91-1340			015-91-1340			015-91-1340			34										
36	45.72	1.800		43.18	1.700	40.64	1.600			015-91-1361		015-91-1362		015-91-1363		015-91-1364	015-91-0367	015-91-1360			015-91-1360			015-91-1360			015-91-1360			36										
38	48.26	1.900		45.72	1.800	43.18	1.700			015-91-1381		015-91-1382		015-91-1383		015-91-1384	015-91-0387	015-91-1380			015-91-1380			015-91-1380			015-91-1380			38										
40	50.80	2.000		48.26	1.900	45.72	1.800			015-91-1401		015-91-1402		015-91-1403		015-91-1404	015-91-0407	015-91-1400			015-91-1400			015-91-1400			015-91-1400			40										
42	53.34	2.100		50.80	2.000	48.26	1.900			015-91-1421		015-91-1422		015-91-1423		015-91-1424	015-91-0427	015-91-1420			015-91-1420			015-91-1420			015-91-1420			42										
44	55.88	2.200		53.34	2.100	50.80	2.000			015-91-1441		015-91-1442		015-91-1443		015-91-1444	015-91-0447	015-91-1440			015-91-1440			015-91-1440			015-91-1440			44										
46	58.42	2.300		55.88	2.200	53.34	2.100			015-91-1461		015-91-1462		015-91-1463		015-91-1464	015-91-0467	015-91-1460			015-91-1460			015-91-1460			015-91-1460			46										
48	60.96	2.400		58.42	2.300	55.88	2.200			015-91-1481		015-91-1482		015-91-1483		015-91-1484	015-91-0487	015-91-1480			015-91-1480			015-91-1480			015-91-1480			48										
50	63.50	2.500		60.96	2.400	58.42	2.300			015-91-1501	015-91-6504	015-91-1502	015-91-6505	015-91-1503	015-91-6506	015-91-1504	015-91-0507	015-91-1500			015-91-1500			015-91-1500			015-91-1500			50										
52	66.04	2.600		63.50	2.500	60.96	2.400			015-91-1521		015-91-1522		015-91-1523	71308-5203	015-91-1524	015-91-0527	015-91-1520			015-91-1520			015-91-1520			015-91-1520			52										
54	68.58	2.700		66.04	2.600	63.50	2.500			015-91-1541		015-91-1542		015-91-1543		015-91-1544	015-91-0547	015-91-1540			015-91-1540			015-91-1540			015-91-1540			54										
56	71.12	2.800		68.58	2.700	66.04	2.600			015-91-1561		015-91-1562		015-91-1563		015-91-1564	015-91-0567	015-91-1560			015-91-1560			015-91-1560			015-91-1560			56										
58	73.66	2.900		71.12	2.800	68.58	2.700			015-91-1581		015-91-1582		015-91-1583		015-91-1584	015-91-0587	015-91-1580			015-91-1580			015-91-1580			015-91-1580			58										
60	76.20	3.000		73.66	2.900	71.12	2.800			015-91-1601		015-91-1602		015-91-1603		015-91-1604	015-91-0607	015-91-1600			015-91-1600			015-91-1600			015-91-1600			60										
62	78.74	3.100		76.20	3.000	73.66	2.900			015-91-1621		015-91-1622		015-91-1623		015-91-1624	015-91-0627	015-91-1620			015-91-1620			015-91-1620			015-91-1620			62										
64	81.28	3.200		78.74	3.100	76.20	3.000			015-91-1641		015-91-1642		015-91-1643		015-91-1644	015-91-0647	015-91-1640			015-91-1640			015-91-1640			015-91-1640			64										
66	83.82	3.300		81.28	3.200	78.74	3.100			015-91-1661		015-91-1662		015-91-1663		015-91-1664	015-91-0667	015-91-1660			015-91-1660			015-91-1660			015-91-1660			66										
68	86.36	3.400		83.82	3.300	81.28	3.200			015-91-1681		015-91-1682		015-91-1683		015-91-1684	015-91-0687	015-91-1680			015-91-1680			015-91-1680			015-91-1680			68										
70	88.90	3.500		86.36	3.400	83.82	3.300			015-91-1701		015-91-1702		015-91-1703		015-91-1704	015-91-0707	015-91-1700			015-91-1700			015-91-1700			015-91-1700			70										
72	91.44	3.600		88.90	3.500	86.36	3.400			015-91-1721		015-91-1722		015-91-1723		015-91-1724	015-91-0727	015-91-1720			015-91-1720			015-91-1720			015-91-1720			72										
74	93.98	3.700		91.44	3.600	88.90	3.500			015-91-1741		015-91-1742		015-91-1743		015-91-1744	015-91-0747	015-91-1740			015-91-1740			015-91-1740			015-91-1740			74										
76	96.52	3.800		93.98	3.700	91.44	3.600			015-91-1761		015-91-1762		015-91-1763		015-91-1764	015-91-0767	015-91-1760			015-91-1760		</																	

[illegible]

13		12		11		10		9		8		7		6		5		4		3		2		1	
J		PACKAGING SEE NOTE 4, SHT 1		4-6 CKT		NO PEG VERSION						NO PEG VERSION		LONG PEG VERSION (.130")		SHORT PEG VERSION (.055")		I							
						BULK	TAPE-N-REEL W/VAC CAPS	N/A	4-8 CKT	TAPE-N-REEL W/VAC CAPS	BULK	BULK	BULK	TAPE-N-REEL W/VAC CAPS	BULK	BULK	TAPE-N-REEL W/ VAC CAPS								
				TUBES	TAPE-N-REEL W/VAC CAPS	TUBES W/ VAC CAPS	10-100 CKT	TAPE-N-REEL W/VAC CAPS	TUBES	TUBES	TUBES	TAPE-N-REEL W/VAC CAPS	TUBES	BULK	TAPE-N-REEL W/ VAC CAPS										
				8-100 CKT																					
DIM. M±0.25 MM				6.10 (.240)				8.13(.320)		13.59(.535)		6.10(.240)		8.13(.320)		6.10 (.240)									
PLATING				59 TIN				59 TIN		59 TIN		59 TIN		59 TIN		59 TIN									
DIM. H				2.54(.100)				4.57(.180)		4.57(.180)		2.54(.100)		4.57(.180)		2.54(.100)									
DIM. J				5.08(.200)				7.11(.280)		7.11(.280)		5.08(.200)		7.11(.280)		5.08(.200)									
CKTS	DIM. A		DIM. B		DIM. C		EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	CKTS								
	MM	IN	MM	IN	MM	IN																			
04	5.08	.200	2.54	.100	---	---	71308-5404	71308-5504	N/A					71308-6404	71308-6504	71308-6604	04								
06	7.62	.300	5.08	.200	2.54	.100	71308-5406	71308-5506	N/A					71308-6406	71308-6506	71308-6606	06								
08	10.16	.400	7.62	.300	5.08	.200	71308-5408	71308-5508	71308-5608					71308-6408	71308-6508	71308-6608	08								
10	12.70	.500	10.16	.400	7.62	.300	71308-5410	71308-5510	71308-5610		71308-5810	71308-5910		71308-6410	71308-6510	71308-6610	10								
12	15.24	.600	12.70	.500	10.16	.400	71308-5412	71308-5512	71308-5612					71308-6412		71308-6612	12								
14	17.78	.700	15.24	.600	12.70	.500	71308-5414	71308-5514	71308-5614					71308-6414	71308-6514	71308-6614	14								
16	20.32	.800	17.78	.700	15.24	.600	71308-5416	71308-5516	71308-5616		71308-5816			71308-6416	71308-6516	71308-6616	16								
18	22.86	.900	20.32	.800	17.78	.700	71308-5418		71308-5618					71308-6418		71308-6618	18								
20	25.40	1.000	22.86	.900	20.32	.800	71308-5420	71308-5520	71308-5620					71308-6420		71308-6620	20								
22	27.94	1.100	25.40	1.000	22.86	.900	71308-5422		71308-5622					71308-6422		71308-6622	22								
24	30.48	1.200	27.94	1.100	25.40	1.000	71308-5424		71308-5624		71308-5724	71308-5824		71308-6424		71308-6624	24								
26	33.02	1.300	30.48	1.200	27.94	1.100	71308-5426		71308-5626					71308-6426		71308-6626	26								
28	35.56	1.400	33.02	1.300	30.48	1.200	71308-5428		71308-5628					71308-6428		71308-6628	28								
30	38.10	1.500	35.56	1.400	33.02	1.300	71308-5430		71308-5630					71308-6430		71308-6630	30								
32	40.64	1.600	38.10	1.500	35.56	1.400	71308-5432		71308-5632					71308-6432		71308-6632	32								
34	43.18	1.700	40.64	1.600	38.10	1.500	71308-5434		71308-5634					71308-6434		71308-6634	34								
36	45.72	1.800	43.18	1.700	40.64	1.600	71308-5436		71308-5636					71308-6436		71308-6636	36								
38	48.26	1.900	45.72	1.800	43.18	1.700	71308-5438		71308-5638					71308-6438		71308-6638	38								
40	50.80	2.000	48.26	1.900	45.72	1.800	71308-5440	71308-5540	71308-5640					71308-6440		71308-6640	40								
42	53.34	2.100	50.80	2.000	48.26	1.900	71308-5442		71308-5642					71308-6442		71308-6642	42								
44	55.88	2.200	53.34	2.100	50.80	2.000	71308-5444		71308-5644					71308-6444		71308-6644	44								
46	58.42	2.300	55.88	2.200	53.34	2.100	71308-5446		71308-5646					71308-6446		71308-6646	46								
48	60.96	2.400	58.42	2.300	55.88	2.200	71308-5448		71308-5648					71308-6448		71308-6648	48								
50	63.50	2.500	60.96	2.400	58.42	2.300	71308-5450	71308-5550	71308-5650					71308-6450	71308-6550	71308-6650	50								
52	66.04	2.600	63.50	2.500	60.96	2.400	71308-5452		71308-5652					71308-6452		71308-6652	52								
54	68.58	2.700	66.04	2.600	63.50	2.500	71308-5454		71308-5654					71308-6454		71308-6654	54								
56	71.12	2.800	68.58	2.700	66.04	2.600	71308-5456		71308-5656					71308-6456		71308-6656	56								
58	73.66	2.900	71.12	2.800	68.58	2.700	71308-5458		71308-5658					71308-6458		71308-6658	58								
60	76.20	3.000	73.66	2.900	71.12	2.800	71308-5460		71308-5660					71308-6460		71308-6660	60								
62	78.74	3.100	76.20	3.000	73.66	2.900	71308-5462		71308-5662					71308-6462		71308-6662	62								
64	81.28	3.200	78.74	3.100	76.20	3.000	71308-5464		71308-5664					71308-6464		71308-6664	64								
66	83.82	3.300	81.28	3.200	78.74	3.100	71308-5466		71308-5666					71308-6466		71308-6666	66								
68	86.36	3.400	83.82	3.300	81.28	3.200	71308-5468		71308-5668					71308-6468		71308-6668	68								
70	88.90	3.500	86.36	3.400	83.82	3.300	71308-5470		71308-5670					71308-6470		71308-6670	70								
72	91.44	3.600	88.90	3.500	86.36	3.400	71308-5472		71308-5672					71308-6472		71308-6672	72								
74	93.98	3.700	91.44	3.600	88.90	3.500	71308-5474		71308-5674					71308-6474		71308-6674	74								
76	96.52	3.800	93.98	3.700	91.44	3.600	71308-5476		71308-5676					71308-6476		71308-6676	76								
78	99.06	3.900	96.52	3.800	93.98	3.700	71308-5478		71308-5678					71308-6478		71308-6678	78								
80	101.60	4.000	99.06	3.900	96.52	3.800	71308-5480		71308-5680					71308-6480		71308-6680	80								
82	104.14	4.100	101.60	4.000	99.06	3.900	71308-5482		71308-5682					71308-6482		71308-6682	82								
84	106.68	4.200	104.14	4.100	101.60	4.000	71308-5484		71308-5684					71308-6484		71308-6684	84								
86	109.22	4.300	106.68	4.200	104.14	4.100	71308-5486		71308-5686					71308-6486		71308-6686	86								
88	111.76	4.400	109.22	4.300	106.68	4.200	71308-5488		71308-5688					71308-6488		71308-6688	88								
90	114.30	4.500	111.76	4.400	109.22	4.300	71308-5490		71308-5690					71308-6490		71308-6690	90								
92	116.84	4.600	114.30	4.500	111.76	4.400	71308-5492		71308-5692					71308-6492		71308-6692	92								
94	119.38	4.700	116.84	4.600	114.30	4.500	71308-5494		71308-5694					71308-6494		71308-6694	94								
96	121.92	4.800	119.38	4.700	116.84	4.600	71308-5496		71308-5696					71308-6496		71308-6696	96								
98	124.46	4.900	121.92	4.800	119.38	4.700	71308-5498		71308-5698					71308-6498		71308-6698	98								
100	127.00	5.000	124.46	4.900	121.92	4.800	71308-5500		71308-5700					71308-6500		71308-6700	100								
59 TIN PLATE ASSEMBLIES										SEE SHEET 1 EC NO: UCP2009-2465 DRAWN:KIPPER 2009/08/04 CHKD:SSOUSEK 2009/08/07 APPR:FSM1TH 2009/08/10		QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 1:1		DESIGN UNITS INCH		THIRD ANGLE PROJECTION				
												4 PLACES ± --- ± ---		DRAWN BY KMS		DATE 1999/10/15		SALES ASSY INSULATOR DUAL ROW SMT W/BREAK-OFF .025SQ PIN GULLWING .100 MOLEX INCORPORATED		SHEET NO. 6 OF 6					
												3 PLACES ± --- ± .005		CHECKED BY KMS		DATE 1999/10/15									
												2 PLACES ± 0.13 ± .010		APPROVED BY KMS		DATE 1999/10/15									
												1 PLACE ± 0.25 ± ---													
												ANGULAR ± 1/2°													
												DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-71308-001							
										K3		REV				SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
13		12		11		10		9		8		7		6		5		4		3		2		1	
1b_frame_C_P_AM.T Rev. E 2006/04/15		12		11		10		9		8		7		6		5		4		3		2		1	