

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0192050009

Status:

Active

Description:

VersaKrimp™ Parallel Splice for 1/0 AWG Wire

Documents:

Drawing (PDF)

RoHS Certificate of Compliance (PDF)

Agency Certification

CSA

LR18689

UL

E32244

General

Product Family

Splices

Series

19205

Crimp Quality Equipment

Yes

Mil-Spec

N/A

Product Name

Parallel, VersaKrimp™

Physical

Barrel Type

Closed - Brazed

Insulation

None

Packaging Type

Bag

Wire Size AWG

1/0

Material Info


Old Part Number

H-384

Reference - Drawing Numbers

Sales Drawing

SD-19205-007



Series
image - Reference only

EU RoHS

ELV and RoHS

Compliant

REACH SVHC

Not Reviewed

Halogen-Free

Status

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
19205Series

Application Tooling | [FAQ](#)
Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.
Global

Description	Product #
Manual Putt Pump Hydraulic System, Die set required	0192860117
Die Set (large) for the HHLS Hydralic Crimper	0192900011
Manual tool for Crimping non-insulated 8AWG thru 4/0 Terminals	0192940008
Putt Pump Dieless Head System	0192860065

This document was generated on 03/16/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

6		5		4		3		2		19205	
MATERIAL NO.		ENG. NO.		WIRE SIZE		I.D. MIN.		O.D. MAX.		"L" (E)	
192070001		AS-302		22-18		.060/1.50		.130/3.30		.305/.325 (7.75/8.26)	
192050001		BS-304		16-14		.091/2.30		.160/4.10		.295/.315 (7.50/8.00)	
192050003		CS-303		12-10		.130/3.30		.225/5.70		.295/.315 (7.50/8.00)	
192050004		D-355		8		.165/4.20		.295/7.50		.360/.390 (9.14/9.91)	
192050006		E-361		6		.230/5.80		.374/9.50		.430/.460 (10.92/11.68)	
192050007		F-365		4		.277/7.00		.457/11.60		.500/.530 (12.70/13.46)	
192050008		G-373		2		.357/9.00		.538/13.70		.635/.665 (16.13/16.89)	
192050009		H-384		1/0		.439/11.20		.620/15.70		.735/.765 (18.67/19.43)	
192050010		J-389		2/0		.496/12.60		.697/17.70		.725/.755 (18.42/19.18)	
192150049		K-394		3/0		.545/13.80		.760/19.30		.735/.765 (18.67/19.43)	
192150050		L-379		4/0		.621/15.80		.860/21.80		.760/.790 (19.30/20.07)	
NOTE(S): 1. MATERIAL: COPPER 2. PLATING: ELECTRO-TIN						SALES DRAWING					
REV'D "L" DIM EC NO: ETC2008-0020 DRN:RSTONE 2007/08/17 CHKD:JMACNEIL 2007/08/20 APPR:JMACNEIL 2007/08/20		QUALITY SYMBOLS -0 c-0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± --- ± --- 1 PLACE ± --- ± --- ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SCALE 2:1 DESIGN UNITS INCH DIMENSION STYLE IN/MM DRAWN BY DLM DATE 03/07/08 CHECKED BY HEB DATE 03/07/08 APPROVED BY RWD DATE 03/07/08 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		THIRD ANGLE PROJECTION REVISE ON CAD ONLY VERSAKRIMP SEAMLESS PARALLEL CONNECTORS MOLEX INCORPORATED MATERIAL NO. (SEE CHART) SD-19205-007 DOCUMENT NO. 1 OF 1 SHEET NO. A			
fb_frame_A rev. B1 2000/08/01		5		4		3		2		1	