

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0879110811

Status:

Active

Overview:

cgrid_sl_products

Description:

2.54mm (.100") Pitch C-Grid® Header, Right Angle, Through Hole, 8 Circuits, 0.38µm (15µ") Gold (Au) Selective Plating, Tube Packaging, Lead-free

Documents:


3D Model

Drawing (PDF)

RoHS Certificate of Compliance (PDF)

Agency Certification		
UL		E29179
General		
Product Family		PCB Headers
Series		87911
Application		Board-to-Board, Wire-to-Board
Overview		cgrid_sl_products
Product Name		C-Grid®

Physical		
Breakaway		Yes
Circuits (Loaded)		8
Circuits (maximum)		8
Color - Resin		Black
First Mate / Last Break		No
Flammability		94V-0
Glow-Wire Compliant		No
Guide to Mating Part		No
Keying to Mating Part		None
Lock to Mating Part		None
Material - Metal		Copper Alloy
Material - Plating Mating		Gold
Material - Plating Termination		Tin
Material - Resin		High Temperature Thermoplastic
Number of Rows		2
Orientation		Right Angle
PC Tail Length (in)		0.125 In
PC Tail Length (mm)		3.18 mm
PCB Locator		No
PCB Retention		None
PCB Thickness Recommended (in)		0.062 In
PCB Thickness Recommended (mm)		1.60 mm
Packaging Type		Tube
Pitch - Mating Interface (in)		0.100 In
Pitch - Mating Interface (mm)		2.54 mm
Pitch - Term. Interface (in)		0.100 In
Pitch - Term. Interface (mm)		2.54 mm
Plating min: Mating (µin)		15
Plating min: Mating (µm)		0.38
Polarized to Mating Part		No
Polarized to PCB		No
Shrouded		No
Stackable		No
Surface Mount Compatible (SMC)		Yes
Temperature Range - Operating		-55°C to +105°C



EU RoHS

ELV and RoHS

Compliant

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com

For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

87911Series

Mates With

7859 Shunts. C-Grid® PCB Receptacles like 71850. SL™ IDT Housing like 70450

Termination Interface: Style	Through Hole
Electrical	
Current - Maximum per Contact	3A
Voltage - Maximum	250V
Material Info	
Reference - Drawing Numbers	
Sales Drawing	SD-87911-027

This document was generated on 05/25/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

10 9 8 7 6 5 4 3 2 1

F






E

D

C

B

A



NOTE:

1. MATERIAL:

HOUSING: - LCP, GLASS FILLED, UL94V-0
COLOR: BLACK
TERMINAL: - COPPER ALLOY, 0.64MM SQ

2. PLATING TYPE:

- 1) 15µin MIN. GOLD PLATE ON CONTACT AND 75µin MIN. TIN ON SOLDER TAIL OVER 50µin MIN. NICKEL OVERALL.
- 2) 30µin MIN. GOLD PLATE ON CONTACT AND 75µin MIN. TIN ON SOLDER TAIL OVER 50µin MIN. NICKEL OVERALL.
- 3) 100µin MIN. TIN OVERALL. 50µin MIN. NICKEL OVERALL.

3. THE ABOVE 14 CKT SHOWN IS FOR ILLUSTRATION ONLY..

4. PIN PUSHOUT FORCE: 1KG MIN. IN EITHER DIRECTION

5. PART TO BE PACKED IN TUBE.

6. IRREGULAR CIRCUIT CUTOFF WITHIN BREAKAWAY SECTION IS PERMISSIBLE. CUTTING OR CHIPPING OF THE MAIN BODY IS NOT ACCEPTABLE

7. RECOMMENDED PCB THICKNESS = 1.60 ± 0.10mm

8. PRODUCT SPECIFICATION: PS-87920-019

9. PACKAGING SPECIFICATION: PK-89990-519

REVISED		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION	
EC NO: S2007-0544		▼=0		4 PLACES ± --- ± ---		DRAWN BY DATE YLQ1A0 2005/01/17		TITLE CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE					
2006/12/13		▽=0		3 PLACES ± --- ± ---		CHECKED BY DATE PTL IM 2005/01/25							
2006/12/19				2 PLACES ± 0.2 ± ---		APPROVED BY DATE SCLOW 2005/01/25							
2006/12/27				1 PLACE ± --- ± ---		ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
B		DESCRIPTION		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-87911-027				1 OF 4	
REV						SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

9 8 7 6 5 4 3 2 1

	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																				
F	<table><tr><th rowspan="2">PART NO.</th><th rowspan="2">CKT SIZE</th><th rowspan="2">VOID POSITION</th><th rowspan="2">PLATING TYPE</th><th colspan="5">DIMENSION</th></tr><tr><th>A</th><th>B</th><th>M</th><th>P</th><th>E</th></tr><tr><td>87911-0411</td><td>4</td><td>-----</td><td>1</td><td>5.08</td><td>2.54</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0412</td><td>4</td><td>-----</td><td>2</td><td>5.08</td><td>2.54</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0413</td><td>4</td><td>-----</td><td>3</td><td>5.08</td><td>2.54</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0611</td><td>6</td><td>-----</td><td>1</td><td>7.62</td><td>5.08</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0612</td><td>6</td><td>-----</td><td>2</td><td>7.62</td><td>5.08</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0613</td><td>6</td><td>-----</td><td>3</td><td>7.62</td><td>5.08</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0811</td><td>8</td><td>-----</td><td>1</td><td>10.16</td><td>7.62</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0812</td><td>8</td><td>-----</td><td>2</td><td>10.16</td><td>7.62</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0813</td><td>8</td><td>-----</td><td>3</td><td>10.16</td><td>7.62</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0800</td><td>8</td><td>-----</td><td>1</td><td>10.16</td><td>7.62</td><td>6.10</td><td>2.79</td><td>2.29</td></tr><tr><td>87911-1011</td><td>10</td><td>-----</td><td>1</td><td>12.70</td><td>10.16</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1012</td><td>10</td><td>-----</td><td>2</td><td>12.70</td><td>10.16</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1013</td><td>10</td><td>-----</td><td>3</td><td>12.70</td><td>10.16</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1211</td><td>12</td><td>-----</td><td>1</td><td>15.24</td><td>12.70</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1212</td><td>12</td><td>-----</td><td>2</td><td>15.24</td><td>12.70</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1213</td><td>12</td><td>-----</td><td>3</td><td>15.24</td><td>12.70</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1411</td><td>14</td><td>-----</td><td>1</td><td>17.78</td><td>15.24</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1412</td><td>14</td><td>-----</td><td>2</td><td>17.78</td><td>15.24</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1413</td><td>14</td><td>-----</td><td>3</td><td>17.78</td><td>15.24</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1611</td><td>16</td><td>-----</td><td>1</td><td>20.32</td><td>17.78</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1612</td><td>16</td><td>-----</td><td>2</td><td>20.32</td><td>17.78</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1613</td><td>16</td><td>-----</td><td>3</td><td>20.32</td><td>17.78</td><td>6.10</td><td>3.18</td><td>2.27</td></tr></table>									PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	M	P	E	87911-0411	4	-----	1	5.08	2.54	6.10	3.18	2.27	87911-0412	4	-----	2	5.08	2.54	6.10	3.18	2.27	87911-0413	4	-----	3	5.08	2.54	6.10	3.18	2.27	87911-0611	6	-----	1	7.62	5.08	6.10	3.18	2.27	87911-0612	6	-----	2	7.62	5.08	6.10	3.18	2.27	87911-0613	6	-----	3	7.62	5.08	6.10	3.18	2.27	87911-0811	8	-----	1	10.16	7.62	6.10	3.18	2.27	87911-0812	8	-----	2	10.16	7.62	6.10	3.18	2.27	87911-0813	8	-----	3	10.16	7.62	6.10	3.18	2.27	87911-0800	8	-----	1	10.16	7.62	6.10	2.79	2.29	87911-1011	10	-----	1	12.70	10.16	6.10	3.18	2.27	87911-1012	10	-----	2	12.70	10.16	6.10	3.18	2.27	87911-1013	10	-----	3	12.70	10.16	6.10	3.18	2.27	87911-1211	12	-----	1	15.24	12.70	6.10	3.18	2.27	87911-1212	12	-----	2	15.24	12.70	6.10	3.18	2.27	87911-1213	12	-----	3	15.24	12.70	6.10	3.18	2.27	87911-1411	14	-----	1	17.78	15.24	6.10	3.18	2.27	87911-1412	14	-----	2	17.78	15.24	6.10	3.18	2.27	87911-1413	14	-----	3	17.78	15.24	6.10	3.18	2.27	87911-1611	16	-----	1	20.32	17.78	6.10	3.18	2.27	87911-1612	16	-----	2	20.32	17.78	6.10	3.18	2.27	87911-1613	16	-----	3	20.32	17.78	6.10	3.18	2.27	F
PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																										
				A	B	M	P	E																																																																																																																																																																																																																						
87911-0411	4	-----	1	5.08	2.54	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0412	4	-----	2	5.08	2.54	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0413	4	-----	3	5.08	2.54	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0611	6	-----	1	7.62	5.08	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0612	6	-----	2	7.62	5.08	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0613	6	-----	3	7.62	5.08	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0811	8	-----	1	10.16	7.62	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0812	8	-----	2	10.16	7.62	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0813	8	-----	3	10.16	7.62	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0800	8	-----	1	10.16	7.62	6.10	2.79	2.29																																																																																																																																																																																																																						
87911-1011	10	-----	1	12.70	10.16	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1012	10	-----	2	12.70	10.16	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1013	10	-----	3	12.70	10.16	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1211	12	-----	1	15.24	12.70	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1212	12	-----	2	15.24	12.70	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1213	12	-----	3	15.24	12.70	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1411	14	-----	1	17.78	15.24	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1412	14	-----	2	17.78	15.24	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1413	14	-----	3	17.78	15.24	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1611	16	-----	1	20.32	17.78	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1612	16	-----	2	20.32	17.78	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1613	16	-----	3	20.32	17.78	6.10	3.18	2.27																																																																																																																																																																																																																						
E										E																																																																																																																																																																																																																				
D										D																																																																																																																																																																																																																				
C										C																																																																																																																																																																																																																				
B										B																																																																																																																																																																																																																				
A	<table><tr><td rowspan="4">REVISED EC NO: S2007-0544 DRWNS:SKL IM01 CHKD:CWLAM APPR:KWLEE B</td><td rowspan="4">2006/12/13 2006/12/19 2006/12/27</td><td rowspan="4">DESCRIPTION REV</td><td rowspan="4">QUALITY SYMBOLS ▽=0 ▽C=0</td><td>GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td>DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td>THIRD ANGLE PROJECTION</td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>4 PLACES ± ---</td><td>mm</td><td>DATE</td><td colspan="3">CUSTOM HEADER</td></tr><tr><td>3 PLACES ± ---</td><td>INCH</td><td>2005/01/17</td><td colspan="3">C-GRID DUAL ROW HEADER</td></tr><tr><td>2 PLACES ± 0.2</td><td></td><td>2005/01/25</td><td colspan="3">RIGHT ANGLE THROUGH HOLE</td></tr><tr><td>1 PLACE ± ---</td><td></td><td>2005/01/25</td><td colspan="3">MOLEX INCORPORATED</td></tr><tr><td colspan="4">ANGULAR ± 3 °</td><td colspan="2">MATERIAL NO.</td><td colspan="2">DOCUMENT NO.</td><td>SHEET NO.</td></tr><tr><td colspan="4">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE TABLE</td><td colspan="2">SD-87911-027</td><td>2 OF 4</td></tr><tr><td colspan="4"></td><td colspan="5">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>									REVISED EC NO: S2007-0544 DRWNS:SKL IM01 CHKD:CWLAM APPR:KWLEE B	2006/12/13 2006/12/19 2006/12/27	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE MM ONLY	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION						4 PLACES ± ---	mm	DATE	CUSTOM HEADER			3 PLACES ± ---	INCH	2005/01/17	C-GRID DUAL ROW HEADER			2 PLACES ± 0.2		2005/01/25	RIGHT ANGLE THROUGH HOLE			1 PLACE ± ---		2005/01/25	MOLEX INCORPORATED			ANGULAR ± 3 °				MATERIAL NO.		DOCUMENT NO.		SHEET NO.	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE TABLE		SD-87911-027		2 OF 4					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					A																																																																																																																																																			
REVISED EC NO: S2007-0544 DRWNS:SKL IM01 CHKD:CWLAM APPR:KWLEE B	2006/12/13 2006/12/19 2006/12/27	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE MM ONLY	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																																																																																																																																																						
				4 PLACES ± ---	mm	DATE	CUSTOM HEADER																																																																																																																																																																																																																							
				3 PLACES ± ---	INCH	2005/01/17	C-GRID DUAL ROW HEADER																																																																																																																																																																																																																							
2 PLACES ± 0.2		2005/01/25	RIGHT ANGLE THROUGH HOLE																																																																																																																																																																																																																											
1 PLACE ± ---		2005/01/25	MOLEX INCORPORATED																																																																																																																																																																																																																											
ANGULAR ± 3 °				MATERIAL NO.		DOCUMENT NO.		SHEET NO.																																																																																																																																																																																																																						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE TABLE		SD-87911-027		2 OF 4																																																																																																																																																																																																																						
				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																										
	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																					

	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																											
F											F																																																																																																																																																																																																																																																																										
E											E																																																																																																																																																																																																																																																																										
D											D																																																																																																																																																																																																																																																																										
C											C																																																																																																																																																																																																																																																																										
B											B																																																																																																																																																																																																																																																																										
A											A																																																																																																																																																																																																																																																																										
<table><tr><th rowspan="2">PART NO.</th><th rowspan="2">CKT SIZE</th><th rowspan="2">VOID POSITION</th><th rowspan="2">PLATING TYPE</th><th colspan="5">DIMENSION</th></tr><tr><th>A</th><th>B</th><th>M</th><th>P</th><th>E</th></tr><tr><td>87911-3211</td><td>32</td><td>-----</td><td>1</td><td>40.64</td><td>38.10</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3212</td><td>32</td><td>-----</td><td>2</td><td>40.64</td><td>38.10</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3213</td><td>32</td><td>-----</td><td>3</td><td>40.64</td><td>38.10</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3411</td><td>34</td><td>-----</td><td>1</td><td>43.18</td><td>40.64</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3412</td><td>34</td><td>-----</td><td>2</td><td>43.18</td><td>40.64</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3413</td><td>34</td><td>-----</td><td>3</td><td>43.18</td><td>40.64</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3611</td><td>36</td><td>-----</td><td>1</td><td>45.72</td><td>43.18</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3612</td><td>36</td><td>-----</td><td>2</td><td>45.72</td><td>43.18</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3613</td><td>36</td><td>-----</td><td>3</td><td>45.72</td><td>43.18</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3811</td><td>38</td><td>-----</td><td>1</td><td>48.26</td><td>45.72</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3812</td><td>38</td><td>-----</td><td>2</td><td>48.26</td><td>45.72</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3813</td><td>38</td><td>-----</td><td>3</td><td>48.26</td><td>45.72</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4011</td><td>40</td><td>-----</td><td>1</td><td>50.80</td><td>48.26</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4012</td><td>40</td><td>-----</td><td>2</td><td>50.80</td><td>48.26</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4013</td><td>40</td><td>-----</td><td>3</td><td>50.80</td><td>48.26</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4211</td><td>42</td><td>-----</td><td>1</td><td>53.34</td><td>50.80</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4212</td><td>42</td><td>-----</td><td>2</td><td>53.34</td><td>50.80</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4213</td><td>42</td><td>-----</td><td>3</td><td>53.34</td><td>50.80</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4411</td><td>44</td><td>-----</td><td>1</td><td>55.88</td><td>53.34</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4412</td><td>44</td><td>-----</td><td>2</td><td>55.88</td><td>53.34</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4413</td><td>44</td><td>-----</td><td>3</td><td>55.88</td><td>53.34</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr></table>												PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	M	P	E	87911-3211	32	-----	1	40.64	38.10	6.10	3.18	2.27				87911-3212	32	-----	2	40.64	38.10	6.10	3.18	2.27				87911-3213	32	-----	3	40.64	38.10	6.10	3.18	2.27				87911-3411	34	-----	1	43.18	40.64	6.10	3.18	2.27				87911-3412	34	-----	2	43.18	40.64	6.10	3.18	2.27				87911-3413	34	-----	3	43.18	40.64	6.10	3.18	2.27				87911-3611	36	-----	1	45.72	43.18	6.10	3.18	2.27				87911-3612	36	-----	2	45.72	43.18	6.10	3.18	2.27				87911-3613	36	-----	3	45.72	43.18	6.10	3.18	2.27				87911-3811	38	-----	1	48.26	45.72	6.10	3.18	2.27				87911-3812	38	-----	2	48.26	45.72	6.10	3.18	2.27				87911-3813	38	-----	3	48.26	45.72	6.10	3.18	2.27				87911-4011	40	-----	1	50.80	48.26	6.10	3.18	2.27				87911-4012	40	-----	2	50.80	48.26	6.10	3.18	2.27				87911-4013	40	-----	3	50.80	48.26	6.10	3.18	2.27				87911-4211	42	-----	1	53.34	50.80	6.10	3.18	2.27				87911-4212	42	-----	2	53.34	50.80	6.10	3.18	2.27				87911-4213	42	-----	3	53.34	50.80	6.10	3.18	2.27				87911-4411	44	-----	1	55.88	53.34	6.10	3.18	2.27				87911-4412	44	-----	2	55.88	53.34	6.10	3.18	2.27				87911-4413	44	-----	3	55.88	53.34	6.10	3.18	2.27			
PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																																																																																	
				A	B	M	P	E																																																																																																																																																																																																																																																																													
87911-3211	32	-----	1	40.64	38.10	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3212	32	-----	2	40.64	38.10	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3213	32	-----	3	40.64	38.10	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3411	34	-----	1	43.18	40.64	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3412	34	-----	2	43.18	40.64	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3413	34	-----	3	43.18	40.64	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3611	36	-----	1	45.72	43.18	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3612	36	-----	2	45.72	43.18	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3613	36	-----	3	45.72	43.18	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3811	38	-----	1	48.26	45.72	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3812	38	-----	2	48.26	45.72	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3813	38	-----	3	48.26	45.72	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4011	40	-----	1	50.80	48.26	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4012	40	-----	2	50.80	48.26	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4013	40	-----	3	50.80	48.26	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4211	42	-----	1	53.34	50.80	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4212	42	-----	2	53.34	50.80	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4213	42	-----	3	53.34	50.80	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4411	44	-----	1	55.88	53.34	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4412	44	-----	2	55.88	53.34	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4413	44	-----	3	55.88	53.34	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
<table><tr><th rowspan="2">PART NO.</th><th rowspan="2">CKT SIZE</th><th rowspan="2">VOID POSITION</th><th rowspan="2">PLATING TYPE</th><th colspan="5">DIMENSION</th></tr><tr><th>A</th><th>B</th><th>M</th><th>P</th><th>E</th></tr><tr><td>87911-4611</td><td>46</td><td>-----</td><td>1</td><td>58.42</td><td>55.88</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4612</td><td>46</td><td>-----</td><td>2</td><td>58.42</td><td>55.88</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4613</td><td>46</td><td>-----</td><td>3</td><td>58.42</td><td>55.88</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4811</td><td>48</td><td>-----</td><td>1</td><td>60.96</td><td>58.42</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4812</td><td>48</td><td>-----</td><td>2</td><td>60.96</td><td>58.42</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4813</td><td>48</td><td>-----</td><td>3</td><td>60.96</td><td>58.42</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5011</td><td>50</td><td>-----</td><td>1</td><td>63.50</td><td>60.96</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5012</td><td>50</td><td>-----</td><td>2</td><td>63.50</td><td>60.96</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5013</td><td>50</td><td>-----</td><td>3</td><td>63.50</td><td>60.96</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5211</td><td>52</td><td>-----</td><td>1</td><td>66.04</td><td>63.50</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5212</td><td>52</td><td>-----</td><td>2</td><td>66.04</td><td>63.50</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5213</td><td>52</td><td>-----</td><td>3</td><td>66.04</td><td>63.50</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5411</td><td>54</td><td>-----</td><td>1</td><td>68.58</td><td>66.04</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5412</td><td>54</td><td>-----</td><td>2</td><td>68.58</td><td>66.04</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5413</td><td>54</td><td>-----</td><td>3</td><td>68.58</td><td>66.04</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5611</td><td>56</td><td>-----</td><td>1</td><td>71.12</td><td>68.58</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5612</td><td>56</td><td>-----</td><td>2</td><td>71.12</td><td>68.58</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5613</td><td>56</td><td>-----</td><td>3</td><td>71.12</td><td>68.58</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5811</td><td>58</td><td>-----</td><td>1</td><td>73.66</td><td>71.12</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5812</td><td>58</td><td>-----</td><td>2</td><td>73.66</td><td>71.12</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5813</td><td>58</td><td>-----</td><td>3</td><td>73.66</td><td>71.12</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr></table>												PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	M	P	E	87911-4611	46	-----	1	58.42	55.88	6.10	3.18	2.27				87911-4612	46	-----	2	58.42	55.88	6.10	3.18	2.27				87911-4613	46	-----	3	58.42	55.88	6.10	3.18	2.27				87911-4811	48	-----	1	60.96	58.42	6.10	3.18	2.27				87911-4812	48	-----	2	60.96	58.42	6.10	3.18	2.27				87911-4813	48	-----	3	60.96	58.42	6.10	3.18	2.27				87911-5011	50	-----	1	63.50	60.96	6.10	3.18	2.27				87911-5012	50	-----	2	63.50	60.96	6.10	3.18	2.27				87911-5013	50	-----	3	63.50	60.96	6.10	3.18	2.27				87911-5211	52	-----	1	66.04	63.50	6.10	3.18	2.27				87911-5212	52	-----	2	66.04	63.50	6.10	3.18	2.27				87911-5213	52	-----	3	66.04	63.50	6.10	3.18	2.27				87911-5411	54	-----	1	68.58	66.04	6.10	3.18	2.27				87911-5412	54	-----	2	68.58	66.04	6.10	3.18	2.27				87911-5413	54	-----	3	68.58	66.04	6.10	3.18	2.27				87911-5611	56	-----	1	71.12	68.58	6.10	3.18	2.27				87911-5612	56	-----	2	71.12	68.58	6.10	3.18	2.27				87911-5613	56	-----	3	71.12	68.58	6.10	3.18	2.27				87911-5811	58	-----	1	73.66	71.12	6.10	3.18	2.27				87911-5812	58	-----	2	73.66	71.12	6.10	3.18	2.27				87911-5813	58	-----	3	73.66	71.12	6.10	3.18	2.27			
PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																																																																																	
				A	B	M	P	E																																																																																																																																																																																																																																																																													
87911-4611	46	-----	1	58.42	55.88	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4612	46	-----	2	58.42	55.88	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4613	46	-----	3	58.42	55.88	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4811	48	-----	1	60.96	58.42	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4812	48	-----	2	60.96	58.42	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4813	48	-----	3	60.96	58.42	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5011	50	-----	1	63.50	60.96	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5012	50	-----	2	63.50	60.96	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5013	50	-----	3	63.50	60.96	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5211	52	-----	1	66.04	63.50	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5212	52	-----	2	66.04	63.50	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5213	52	-----	3	66.04	63.50	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5411	54	-----	1	68.58	66.04	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5412	54	-----	2	68.58	66.04	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5413	54	-----	3	68.58	66.04	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5611	56	-----	1	71.12	68.58	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5612	56	-----	2	71.12	68.58	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5613	56	-----	3	71.12	68.58	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5811	58	-----	1	73.66	71.12	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5812	58	-----	2	73.66	71.12	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5813	58	-----	3	73.66	71.12	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
<table><tr><td rowspan="10">REVISED EC NO: S2007-0544 DRWNSKL IM01 CHKD: CWLAW APPR: KWLEE B</td><td rowspan="10">2006/12/13 2006/12/19 2006/12/27</td><td rowspan="10">DESCRIPTION REV</td><td>QUALITY SYMBOLS ▽=0 ▽=0</td><td>GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.2 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3 °</td><td>DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2005/01/17 CHECKED BY DATE PTL IM 2005/01/25 APPROVED BY DATE SCLW 2005/01/25</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td>THIRD ANGLE PROJECTION</td><td colspan="2">CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>MATERIAL NO.</td><td>DOCUMENT NO.</td><td colspan="2">SD-87911-027</td><td>SHEET NO. 3 OF 4</td></tr><tr><td colspan="2">SIZE A3</td><td colspan="5">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>												REVISED EC NO: S2007-0544 DRWNSKL IM01 CHKD: CWLAW APPR: KWLEE B	2006/12/13 2006/12/19 2006/12/27	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.2 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3 °	DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2005/01/17 CHECKED BY DATE PTL IM 2005/01/25 APPROVED BY DATE SCLW 2005/01/25	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.	DOCUMENT NO.	SD-87911-027		SHEET NO. 3 OF 4	SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																					
REVISED EC NO: S2007-0544 DRWNSKL IM01 CHKD: CWLAW APPR: KWLEE B	2006/12/13 2006/12/19 2006/12/27	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.2 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3 °	DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2005/01/17 CHECKED BY DATE PTL IM 2005/01/25 APPROVED BY DATE SCLW 2005/01/25	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE																																																																																																																																																																																																																																																																												
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.	DOCUMENT NO.	SD-87911-027		SHEET NO. 3 OF 4																																																																																																																																																																																																																																																																												
			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																
			tb_frame_A3_P_AM_T Rev. E 2006/04/15																																																																																																																																																																																																																																																																																		

	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																						
F	<table><tr><th rowspan="2">PART NO.</th><th rowspan="2">CKT SIZE</th><th rowspan="2">VOID POSITION</th><th rowspan="2">PLATING TYPE</th><th colspan="5">DIMENSION</th></tr><tr><th>A</th><th>B</th><th>M</th><th>P</th><th>E</th></tr><tr><td>87911-6011</td><td>60</td><td>-----</td><td>1</td><td>76.20</td><td>73.66</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6012</td><td>60</td><td>-----</td><td>2</td><td>76.20</td><td>73.66</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6013</td><td>60</td><td>-----</td><td>3</td><td>76.20</td><td>73.66</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6211</td><td>62</td><td>-----</td><td>1</td><td>78.74</td><td>76.20</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6212</td><td>62</td><td>-----</td><td>2</td><td>78.74</td><td>76.20</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6213</td><td>62</td><td>-----</td><td>3</td><td>78.74</td><td>76.20</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6411</td><td>64</td><td>-----</td><td>1</td><td>81.28</td><td>78.74</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6412</td><td>64</td><td>-----</td><td>2</td><td>81.28</td><td>78.74</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6413</td><td>64</td><td>-----</td><td>3</td><td>81.28</td><td>78.74</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6611</td><td>66</td><td>-----</td><td>1</td><td>83.82</td><td>81.28</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6612</td><td>66</td><td>-----</td><td>2</td><td>83.82</td><td>81.28</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6613</td><td>66</td><td>-----</td><td>3</td><td>83.82</td><td>81.28</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6811</td><td>68</td><td>-----</td><td>1</td><td>86.36</td><td>83.82</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6812</td><td>68</td><td>-----</td><td>2</td><td>86.36</td><td>83.82</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6813</td><td>68</td><td>-----</td><td>3</td><td>86.36</td><td>83.82</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-7011</td><td>70</td><td>-----</td><td>1</td><td>88.90</td><td>86.36</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-7012</td><td>70</td><td>-----</td><td>2</td><td>88.90</td><td>86.36</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-7013</td><td>70</td><td>-----</td><td>3</td><td>88.90</td><td>86.36</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-7211</td><td>72</td><td>-----</td><td>1</td><td>91.44</td><td>88.90</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-7212</td><td>72</td><td>-----</td><td>2</td><td>91.44</td><td>88.90</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-7213</td><td>72</td><td>-----</td><td>3</td><td>91.44</td><td>88.90</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr></table>										PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	M	P	E	87911-6011	60	-----	1	76.20	73.66	6.10	3.18	2.27			87911-6012	60	-----	2	76.20	73.66	6.10	3.18	2.27			87911-6013	60	-----	3	76.20	73.66	6.10	3.18	2.27			87911-6211	62	-----	1	78.74	76.20	6.10	3.18	2.27			87911-6212	62	-----	2	78.74	76.20	6.10	3.18	2.27			87911-6213	62	-----	3	78.74	76.20	6.10	3.18	2.27			87911-6411	64	-----	1	81.28	78.74	6.10	3.18	2.27			87911-6412	64	-----	2	81.28	78.74	6.10	3.18	2.27			87911-6413	64	-----	3	81.28	78.74	6.10	3.18	2.27			87911-6611	66	-----	1	83.82	81.28	6.10	3.18	2.27			87911-6612	66	-----	2	83.82	81.28	6.10	3.18	2.27			87911-6613	66	-----	3	83.82	81.28	6.10	3.18	2.27			87911-6811	68	-----	1	86.36	83.82	6.10	3.18	2.27			87911-6812	68	-----	2	86.36	83.82	6.10	3.18	2.27			87911-6813	68	-----	3	86.36	83.82	6.10	3.18	2.27			87911-7011	70	-----	1	88.90	86.36	6.10	3.18	2.27			87911-7012	70	-----	2	88.90	86.36	6.10	3.18	2.27			87911-7013	70	-----	3	88.90	86.36	6.10	3.18	2.27			87911-7211	72	-----	1	91.44	88.90	6.10	3.18	2.27			87911-7212	72	-----	2	91.44	88.90	6.10	3.18	2.27			87911-7213	72	-----	3	91.44	88.90	6.10	3.18	2.27			F
PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																																																												
				A	B	M	P	E																																																																																																																																																																																																																																																								
87911-6011	60	-----	1	76.20	73.66	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6012	60	-----	2	76.20	73.66	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6013	60	-----	3	76.20	73.66	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6211	62	-----	1	78.74	76.20	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6212	62	-----	2	78.74	76.20	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6213	62	-----	3	78.74	76.20	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6411	64	-----	1	81.28	78.74	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6412	64	-----	2	81.28	78.74	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6413	64	-----	3	81.28	78.74	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6611	66	-----	1	83.82	81.28	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6612	66	-----	2	83.82	81.28	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6613	66	-----	3	83.82	81.28	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6811	68	-----	1	86.36	83.82	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6812	68	-----	2	86.36	83.82	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6813	68	-----	3	86.36	83.82	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7011	70	-----	1	88.90	86.36	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7012	70	-----	2	88.90	86.36	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7013	70	-----	3	88.90	86.36	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7211	72	-----	1	91.44	88.90	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7212	72	-----	2	91.44	88.90	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7213	72	-----	3	91.44	88.90	6.10	3.18	2.27																																																																																																																																																																																																																																																								
E											E																																																																																																																																																																																																																																																					
D											D																																																																																																																																																																																																																																																					
C											C																																																																																																																																																																																																																																																					
B											B																																																																																																																																																																																																																																																					
A	<table><tr><td rowspan="5">REVISED EC NO: S2007-0544 DRWN:SKLIM01 2006/12/13 CHKD:CWLAM 2006/12/19 APPR:KWLEE 2006/12/27 B</td><td rowspan="5">QUALITY SYMBOLS ▽=0 ▽C=0 DESCRIPTION REV</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td><td>DRAWN BY YLQIA0</td><td>DATE 2005/01/17</td><td colspan="4" rowspan="2">TITLE CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td><td>CHECKED BY PTL IM</td><td>DATE 2005/01/25</td></tr><tr><td>2 PLACES</td><td>± 0.2</td><td>± ---</td><td>APPROVED BY SCLOW</td><td>DATE 2005/01/25</td><td colspan="4" rowspan="2">MOLEX INCORPORATED</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td><td>MATERIAL NO.</td><td>DOCUMENT NO.</td><td>SHEET NO. 4 OF 4</td></tr><tr><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE TABLE</td><td colspan="4">SD-87911-027</td></tr><tr><td colspan="3"></td><td colspan="2">SIZE A3</td><td colspan="6">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>										REVISED EC NO: S2007-0544 DRWN:SKLIM01 2006/12/13 CHKD:CWLAM 2006/12/19 APPR:KWLEE 2006/12/27 B	QUALITY SYMBOLS ▽=0 ▽C=0 DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		4 PLACES	± ---	± ---	DRAWN BY YLQIA0	DATE 2005/01/17	TITLE CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE				3 PLACES	± ---	± ---	CHECKED BY PTL IM	DATE 2005/01/25	2 PLACES	± 0.2	± ---	APPROVED BY SCLOW	DATE 2005/01/25	MOLEX INCORPORATED				1 PLACE	± ---	± ---	MATERIAL NO.	DOCUMENT NO.	SHEET NO. 4 OF 4	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		SD-87911-027							SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						A																																																																																																																																																																																										
REVISED EC NO: S2007-0544 DRWN:SKLIM01 2006/12/13 CHKD:CWLAM 2006/12/19 APPR:KWLEE 2006/12/27 B	QUALITY SYMBOLS ▽=0 ▽C=0 DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																																																																																																																																																																																								
		4 PLACES	± ---	± ---	DRAWN BY YLQIA0	DATE 2005/01/17	TITLE CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE																																																																																																																																																																																																																																																									
		3 PLACES	± ---	± ---	CHECKED BY PTL IM	DATE 2005/01/25																																																																																																																																																																																																																																																										
		2 PLACES	± 0.2	± ---	APPROVED BY SCLOW	DATE 2005/01/25	MOLEX INCORPORATED																																																																																																																																																																																																																																																									
		1 PLACE	± ---	± ---	MATERIAL NO.	DOCUMENT NO.					SHEET NO. 4 OF 4																																																																																																																																																																																																																																																					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		SD-87911-027																																																																																																																																																																																																																																																											
			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																											
	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																						