

Diagram of a microscope showing the eyepiece, objective lenses, and stage. Callout 59 points to the eyepiece, 58 points to the stage, and 239 points to the objective lenses.

SERVO LATCH PLATE

SERVO FEEDER NOT INCLUDED

133

135

240

183 REF

30mm STROKE

47

49

40mm STROKE

MECHANICAL POST FEED

30mm STROKE

48

49

40mm STROKE

MECHANICAL PRE FEED

30mm STROKE

248

49

40mm STROKE


AIR FEED

Shown on sheets 1 of 4 & 2 of 4
(Pacific version shown on sheets 3 of 4 & 4 of 4)


SHEETS 3 & 4 ARE NOT REQUIRED FOR ATLANTIC VERSION

LOC		DIST		REVISONS			
A	66	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-


FEED TYPE
MECHANICAL





PNEUMATIC




SERVO
LATCH PLATE



CAM POSITIONS



PACIFIC VERSION
Shown on sheets 3 of 4 & 4 of 4
(Atlantic version shown on sheets 1 of 4 & 2 of 4)

1. THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS SUBJECT TO CHANGE WITHOUT NOTICE.		DWN	J. HOW	18JUNE2014	STE Connectivity		
2. TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK	L. ZHANG	18JUNE2014	NAME		
3. DIMENSIONS:		APVD	U. GUO	18JUNE2014	Ocean End Feed Applicator -		
mm		PRODUCT SPEC		SIZE			
		APPLICATION SPEC		CAGE CODE			
8 PLC ±		WEIGHT		DRAWING NO			
1 PLC ±0.5		-		00779			
2 PLC ±0.13		-		C=2150447			
3 PLC ±0.13		-		Customer Accessible Production Drawing			
4 PLC ±0.001		-		SCALE 1:1			
ANGLES ±		-		SHEET 4 OF 4			
FINISH		-		REV B			
MATERIAL		-					