




| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
|     |      | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
| A   | 66   | -         | -   | SEE SHEET 1 | -    | -   | -    |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |

FEED TYPE  
MECHANICAL








PNEUMATIC



SERVO  
LATCH PLATE




CAM POSITIONS



ATLANTIC VERSION  
Shown on sheets 1 of 4 & 2 of 4  
(Pacific version shown on sheets 3 of 4 & 4 of 4)

|             |  |                                        |  |                                        |  |           |  |                           |  |
|-------------|--|----------------------------------------|--|----------------------------------------|--|-----------|--|---------------------------|--|
| DIMENSIONS: |  | TOLERANCES UNLESS OTHERWISE SPECIFIED: |  | DWN                                    |  | 10JUN2014 |  | TE Connectivity           |  |
| mm          |  | 0 PLC ±                                |  | CHK                                    |  | 10JUN2014 |  | Harrisburg, PA 17105-3608 |  |
|             |  | 1 PLC ±                                |  | G.BAILEY                               |  | 10JUN2014 |  | NAME                      |  |
|             |  | 2 PLC ±                                |  | U.GUO                                  |  | 10JUN2014 |  | Ocean Side Feed           |  |
|             |  | 3 PLC ±                                |  | PRODUCT SPEC                           |  |           |  | Applicator                |  |
|             |  | 4 PLC ±                                |  | APPLICATION SPEC                       |  |           |  |                           |  |
|             |  | ANGLES ±                               |  | WEIGHT                                 |  | A1        |  | SIZE                      |  |
|             |  | FINISH                                 |  | Customer Accessible Production Drawing |  | SCALE     |  | 1:2                       |  |
|             |  |                                        |  |                                        |  |           |  | SHEET                     |  |
|             |  |                                        |  |                                        |  |           |  | 2                         |  |
|             |  |                                        |  |                                        |  |           |  | OF                        |  |
|             |  |                                        |  |                                        |  |           |  | 4                         |  |
|             |  |                                        |  |                                        |  |           |  | REV                       |  |
|             |  |                                        |  |                                        |  |           |  | A1                        |  |

| <div>PACIFIC VERSION<br/>TERMINATOR<br/>INTERFACE ADAPTER</div> <div></div> | PART<br>NUMBER | REVISION          | DESCRIPTION              | FEED TYPE                         | APPLICATOR STYLE CONVERSION CHART |                       |           |             |           |           |                        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------|--------------------------|-----------------------------------|-----------------------------------|-----------------------|-----------|-------------|-----------|-----------|------------------------|
|                                                                                                                                                             |                |                   |                          |                                   | CONVERT TO                        | PART NUMBERS REQUIRED |           |             |           |           |                        |
|                                                                                                                                                             |                |                   |                          |                                   |                                   |                       |           |             |           |           |                        |
|                                                                                                                                                             | 2-2266311-1    | A                 | FINE CRIMP HEIGHT ADJUST | MECHANICAL                        | PNEUMATIC FEED                    | 2119950-1             | 1338685-1 | 5-18022-5   | 2119641-2 | 2119799-1 | 2063440-1              |
|                                                                                                                                                             |                |                   |                          |                                   | SERVO LATCH PLATE                 | 2119951-1             | -         | 8-2266311-5 | 1901094-3 | -         | 2168400-6 (QUANTITY 2) |
|                                                                                                                                                             |                |                   |                          |                                   | SMART APPLICATOR                  | 2161326-1             | -         | 8-2266311-4 | -         | -         | -                      |
|                                                                                                                                                             | 2-2266311-2    | A                 | FINE CRIMP HEIGHT ADJUST | PNEUMATIC                         | MECHANICAL FEED                   | 2119949-1             | 1338685-1 | 5-18022-5   | 2119653-2 | -         | -                      |
|                                                                                                                                                             |                |                   |                          |                                   | SERVO LATCH PLATE                 | 2119951-1             | -         | 8-2266311-5 | 1901094-3 | -         | 2168400-6 (QUANTITY 2) |
|                                                                                                                                                             |                |                   |                          |                                   | SMART APPLICATOR                  | 2161326-1             | -         | 8-2266311-4 | -         | -         | -                      |
|                                                                                                                                                             | 2-2266311-5    | A                 | FINE CRIMP HEIGHT ADJUST | SERVO<br>LATCH PLATE <sup>4</sup> | MECHANICAL FEED                   | 2119949-1             | 1338685-1 | 5-18022-5   | 2119653-2 | -         | -                      |
|                                                                                                                                                             |                |                   |                          |                                   | PNEUMATIC FEED                    | 2119950-1             | 1338685-1 | 5-18022-5   | 2119641-2 | 2119799-1 | 2063440-1              |
|                                                                                                                                                             | 2-2266311-7    | A                 | FINE CRIMP HEIGHT ADJUST | NONE                              | -                                 | -                     | -         | -           | -         | -         | -                      |
| 7-2266311-7                                                                                                                                                 | A              | CRIMP TOOLING KIT | -                        | -                                 | -                                 | -                     | -         | -           | -         | -         | -                      |

| APPLICATOR DATA                      |                |      |
|--------------------------------------|----------------|------|
| CRIMP                                | SIZE           | TYPE |
| WIRE                                 | 2.03 mm [.080] | F    |
| INSUL                                | 2.90 mm [.114] | O    |
| APPLICATOR INSTRUCTIONS<br>408-10389 |                |      |

| TERMINAL DATA: DELPHI TERMINAL DELPHI CRIMP SPECIFICATION |                 |                                                               |             |                |
|-----------------------------------------------------------|-----------------|---------------------------------------------------------------|-------------|----------------|
| TERMINAL NAME: TERMINAL                                   |                 |                                                               |             |                |
| WIRE STRIP LENGTH<br>4.98-5.74 mm [.196-.226 IN]          |                 | <br>INSULATION DIAMETER RANGE<br>Ø1.20-2.25 mm [.047-.089 IN] |             |                |
| TERMINAL APPLICATION SPECIFICATION                        | DELPHI SPEC     | -                                                             | -           | -              |
| TERMINALS APPLIED                                         |                 |                                                               |             |                |
| TE TERMINAL                                               | DELPHI TERMINAL | TE SEAL                                                       | DELPHI SEAL | CABLE DIAMETER |
| 1949044-1                                                 | 15326267        | 1949045-1                                                     | 15305351    | Ø1.7-2.1       |
|                                                           |                 | 1832359-1                                                     | 15366060    | Ø1.86-2.25     |
|                                                           |                 | 1949130-4                                                     | 15344324    | Ø1.2-2.1       |

| WIRE SIZE |  | CRIMP HEIGHT mm [INCH]     |  | CRIMP HEIGHT REFERENCE SETTING <sup>9</sup> |
|-----------|--|----------------------------|--|---------------------------------------------|
| 1.00mm2   |  | 1.30+/-0.05 [.051+/-0.002] |  | 5.8                                         |
| 0.80mm2   |  | 1.25+/-0.05 [.049+/-0.002] |  | 6.2                                         |
| 0.75mm2   |  | 1.25+/-0.05 [.049+/-0.002] |  | 6.2                                         |




- <sup>1</sup> RECOMMENDED SPARE PARTS
- <sup>2</sup> GREASE BEARING SURFACES LIGHTLY
3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.
- <sup>4</sup> APPLICATOR SPECIFIC DATA TO BE ENTERED INTO BLANK MEMORY CHIP AT ASSEMBLY. SEE BELOW FOR PART NUMBER:  
MECHANICAL FEED WITH "SMART APPLICATOR" CONVERSION: 8-2266311-4  
PNEUMATIC FEED WITH "SMART APPLICATOR" CONVERSION: 8-2266311-4  
SERVO FEED WITH "FINE CRIMP HEIGHT ADJUST": 8-2266311-5
5. ADJUSTMENT OF THE STRIPPER MAY BE REQUIRED WHEN MOVING THE APPLICATOR BETWEEN BENCH AND LEADMAKER APPLICATIONS.
- <sup>6</sup> APPLY PART NUMBER 1-23419-5 LOCTITE TO THREADS OF ITEM 62.  
APPLY PART NUMBER 2-23419-6 LOCTITE TO THREADS OF ITEM 242.
- <sup>7</sup> GREASE THREADS, GROOVE AND O-RING ON ITEMS 139 & 152.
- <sup>8</sup> MAGNET MUST BE ORIENTED CORRECTLY IN ORDER TO PROPERLY ACTUATE THE COUNTER.
- <sup>9</sup> CRIMP HEIGHT REFERENCE SETTING WAS THE SETTING USED WHEN THE APPLICATOR WAS QUALIFIED AT THE FACTORY. ADJUSTMENT MAY BE NECESSARY WHEN RUNNING APPLICATOR IN THE FIELD.
- <sup>10</sup> SPARE FEED CAM STORAGE LOCATION REFER TO INSTRUCTION SHEET FOR ADDITIONAL INFORMATION.
- <sup>11</sup> TO CONVERT THE APPLICATOR TO A NON-CARRIER CUTTING STYLE, REMOVE ITEM 13 AND ATTACH TO THE LOCATION ON BACK SIDE OF THE HOUSING. REFER TO INSTRUCTION SHEET FOR ADDITIONAL INFORMATION.
- <sup>12</sup> THIS APPLICATOR APPLIES TERMINAL WITH A SEAL.
- <sup>13</sup> APPLY TORQ-SEAL IN ALLEN SOCKET TO FILL HOLE AFTER FLAT HD HAS BEEN ADJUSTED TO CORRECT HEIGHT AT QUALIFICATION.  
APPLY #1-23419-5 LOC-TITE TO THREADS.

\*WARNING  
ON INSTALLATION, SET WIRE DISC, ITEM 40 TO LARGEST WIRE SIZE SETTING. USE OF SETTINGS BELOW MINIMUM REQUIRED CRIMP HEIGHT SETTING WILL CAUSE DAMAGE TO CRIMP TOOLING.

PACIFIC VERSION  
Shown on sheets 3 of 4 & 4 of 4  
(Atlantic version shown on sheets 1 of 4 & 2 of 4)

| SET UP GAUGE<br>2119599-1 | LOC<br>A | DIS<br>66 | REVISIONS |     |             |      |     |      |
|---------------------------|----------|-----------|-----------|-----|-------------|------|-----|------|
|                           |          |           | P         | LTR | DESCRIPTION | DATE | OWN | APVD |
|                           |          |           | -         | -   | SEE SHEET 1 | -    | -   | -    |
|                           |          |           |           |     |             |      |     |      |
|                           |          |           |           |     |             |      |     |      |








|     |     |     |     |     |             |                                     |         |
|-----|-----|-----|-----|-----|-------------|-------------------------------------|---------|
| -   | 1   | 1   | 1   | 1   | 2119782-1   | FINE ADJUST HEAD ASM, PACIFIC STYLE | 251     |
| -   | -   | -   | 1   | -   | 2119640-1   | PUSH ROD, AIR FEED                  | 250     |
| -   | -   | -   | 1   | -   | 2079988-1   | BUSHING, LCH5-12, MISUMI            | 249     |
| -   | 1   | 1   | 1   | 1   | 1-22279-3   | SPRING, COMPRESSION                 | 246     |
| -   | 1   | 1   | 1   | 1   | 2119082-4   | CAM, SNAIL, INSULATION ADJUSTMENT   | 244     |
| -   | 1   | 1   | 1   | 1   | 2079764-1   | WASHER, WAVE SPRING, CREST-TO-CREST | 243     |
| -   | 1   | 1   | 1   | 1   | 2119083-1   | RETAINER, INSULATION DIAL           | 242     |
| -   | 1   | 1   | 1   | 1   | 7-18023-7   | SCR, SKT HD CAP M3 X 4.0            | 241     |
| -   | -   | 2   | -   | -   | 2168400-6   | SHCS, LOW HEAD, RoHS, M5 X 16       | 240     |
| -   | -   | -   | -   | 1   | 2119580-1   | MECHANICAL FEED ASSEMBLY            | 239     |
| -   | -   | -   | 1   | -   | 2063440-1   | AIR FEED MODULE                     | 238     |
| -   | -   | 1   | -   | -   | 2119740-2   | TAG,IDENTIFICATION                  | 213     |
| -   | -   | 1   | -   | -   | 1901094-3   | SPACER, FEEDER                      | 198     |
| -   | -   | -   | 2   | -   | 21045-3     | RING, RETAIN, EXTERN, 3/16 CRESCENT | 172     |
| -   | 1   | 1   | 1   | 1   | 994969-1    | MAGNET, RARE EARTH HIGH ENERGY      | 166     |
| -   | REF | REF | REF | REF | 994970-2    | COUNTER, MAGNETIC                   | 164     |
| -   | -   | -   | 1   | -   | 240638-1    | SPRING, FEED FINGER                 | 163     |
| -   | 1   | 1   | 1   | 1   | 8-21084-1   | O-RING, .801 ID, .070 DIA. MAT.     | 152     |
| -   | -   | -   | 1   | -   | 2119641-2   | FEED CAM, AIR FEED                  | 151     |
| -   | 1   | 1   | 1   | 1   | 2119798-2   | DETENT PIN                          | 145     |
| -   | 1   | 1   | 1   | 1   | 2079383-8   | SCR, BHSC, RoHS (M4 X 16)           | 144     |
| -   | 4   | 4   | 4   | 4   | 2168400-5   | SHCS, LOW HEAD, RoHS, M4 X 20       | 143     |
| -   | -   | -   | -   | 1   | 2119653-2   | FEED CAM, POST FEED                 | 142     |
| -   | 1   | 1   | 1   | 1   | 1-2119656-0 | APPLICATOR BASIC ASSEMBLY, SF       | 141     |
| -   | 1   | 1   | 1   | 1   | 2119650-1   | RAM, ASIAN STYLE, SIDE FEED         | 140     |
| -   | 1   | 1   | 1   | 1   | 2119092-2   | BOLT, ADJUSTMENT                    | 139     |
| -   | -   | -   | 1   | -   | 3-23627-7   | PIN, RETAIN, GRVD, 3/16 X .854      | 137     |
| -   | -   | -   | 1   | -   | 2119799-1   | HOLDER,FEED FINGER, AF              | 136     |
| -   | -   | REF | -   | -   | SEE NOTE 4  | MEMORY CHIP, PROGRAMMED             | 135     |
| -   | -   | 1   | -   | -   | 1633743-1   | SERVO FEED LATCH ASM                | 133     |
| -   | -   | REF | -   | -   | 2119944-1   | FEED FINGER ASSEMBLY,SF             | 117     |
| -   | 1   | 1   | 1   | 1   | 455888-8    | SPACER, CRIMPER                     | 82      |
| -   | 1   | 1   | 1   | 1   | 2119956-1   | DOCUMENTATION PACKAGE               | 71      |
| -   | 1   | -   | 1   | 1   | 2119740-1   | TAG,IDENTIFICATION                  | 67      |
| -   | 2   | 2   | 2   | 2   | 2168078-1   | SCREW, DRIVE, RH, RoHS, 2 x .188    | 66      |
| -   | 1   | 1   | 1   | 1   | 2119793-1   | LIMITER, ADJUSTMENT BOLT            | 63      |
| -   | 3   | 3   | 3   | 3   | 992763-5    | SCR, SET, SOC, CONE POINT, M3 x 4.0 | 62      |
| -   | -   | -   | 1   | 1   | 5-18022-5   | SCR, HEX HD CAP, M4 X 6.0           | 59      |
| -   | 1   | 1   | 1   | 1   | 985575-3    | SCR, FLT SKT HD CAP M3 X 10.0       | 57      |
| -   | -   | -   | 1   | 1   | 1338685-1   | PAWL, FEED                          | 56      |
| -   | 2   | 2   | 2   | 2   | 1-2168083-0 | SCR, SKT HD CAP, RoHS, M4 X 10      | 53      |
| -   | 1   | 1   | 1   | 1   | 5018030-1   | NUT, HEX, REG, RoHS, M3             | 52      |
| -   | 1   | 1   | 1   | 1   | 811242-5    | BUMPER, HOLD DOWN                   | 51      |
| -   | 1   | 1   | 1   | 1   | 690753-2    | SPACER, TONKER                      | 50      |
| -   | -   | -   | 1   | 2   | 18023-9     | SCR, SKT HD CAP M4 X 6.0            | 49      |
| -   | -   | -   | -   | 1   | 2119652-1   | FEED CAM, PRE FEED                  | 48      |
| -   | 1   | 1   | 1   | 1   | 2079383-7   | SCR, BHSC, RoHS (M8 X 25)           | 41      |
| -   | 1   | 1   | 1   | 1   | 2119645-1   | DISC, NUMBERED FA WIRE ADJUSTMENT   | 40      |
| -   | 1   | 1   | 1   | 1   | 2119957-1   | APPLICATOR SHIM PACK                | 39      |
| -   | 1   | 1   | 1   | 1   | 2119644-1   | RAM WASHER, PRECISION               | 38      |
| -   | 1   | 1   | 1   | 1   | 1-1752356-8 | SUPPORT, TERMINAL                   | 34      |
| -   | 2   | 2   | 2   | 2   | 2079383-5   | SCR, BHSC, RoHS (M4 X 20)           | 33      |
| -   | 1   | 1   | 1   | 1   | 2161328-1   | HEX HEAD, FLANGED, M5 x 8mm LONG    | 32      |
| -   | 1   | 1   | 1   | 1   | 1-1320908-0 | SPACER, STRIP GUIDE                 | 30      |
| -   | 1   | 1   | 1   | 1   | 2119959-1   | ASSEMBLY, STRIP GUIDE               | 29      |
| -   | 1   | 1   | 1   | 1   | 455888-3    | SPACER, CRIMPER                     | 28      |
| -   | 1   | 1   | 1   | 1   | 1320928-2   | STRIP GUIDE                         | 24      |
| -   | 1   | 1   | 1   | 1   | 2168083-2   | SCR, SKT HD CAP, RoHS, M4 X 8.0     | 21      |
| -   | 2   | 2   | 2   | 2   | 1-18028-2   | WASHER, FLAT, REG M4                | 20      |
| -   | 1   | 1   | 1   | 1   | 2119533-1   | STRIPPER, SIDE FEED                 | 19      |
| -   | 1   | 1   | 1   | 1   | 2119806-1   | INSERT, SHEAR                       | 13      |
| -   | 1   | 1   | 1   | 1   | 3-22280-3   | SPRING, COMPRESSION                 | 12      |
| -   | 1   | 1   | 1   | 1   | 1-356885-4  | STOP, SHEAR                         | 11      |
| -   | 1   | 1   | 1   | 1   | 2119805-1   | SHEAR HOLDER, FRONT                 | 10      |
| -   | 1   | 1   | 1   | 1   | 318707-1    | FLOATING SHEAR, FRONT               | 9       |
| -   | 1   | 1   | 1   | 1   | 2-1633920-5 | ANVIL, COMBINATION                  | 8       |
| -   | -   | -   | -   | -   | -           | -                                   | 7       |
| -   | -   | -   | -   | -   | -           | -                                   | 6       |
| -   | 1   | 1   | 1   | 1   | 2-2119781-4 | DEPRESSOR, SHEAR                    | 5       |
| -   | 1   | 1   | 1   | 1   | 238011-4    | BLOCK, CRIMPER SPACER               | 4       |
| -   | 1   | 1   | 1   | 1   | 1-2119784-5 | CRIMPER, INSULATION O PREMIUM       | 3       |
| -   | 1   | 1   | 1   | 1   | 1-455888-6  | SPACER, CRIMPER                     | 2       |
| -   | 1   | 1   | 1   | 1   | 456405-8    | CRIMPER, WIRE PREMIUM               | 1       |
| -77 | -27 | -25 | -22 | -21 | PART NO     | DESCRIPTION                         | ITEM NO |

|                                                                                                                                                                                                                                                                                          |  |  |  |                                                                      |  |                                                                                                                                    |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|----------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------|--|
| THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE AND WITHOUT OBLIGATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE AND WITHOUT OBLIGATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE AND WITHOUT OBLIGATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE AND WITHOUT OBLIGATION. |  |  |  | OWN<br>T.YIN<br>10JUN2014                                            |  |  TE Connectivity<br>Harrisburg, PA 17105-3608 |  |
|                                                                                                                                                                                                                                                                                          |  |  |  | CHK<br>G.BAILEY<br>10JUN2014                                         |  |                                                                                                                                    |  |
| DIMENSIONS:<br>mm                                                                                                                                                                                                                                                                        |  |  |  | TOLERANCES UNLESS OTHERWISE SPECIFIED:                               |  | NAME                                                                                                                               |  |
|                                                                                                                                                                                                     |  |  |  | 0 PLC ±<br>1 PLC ±<br>2 PLC ±<br>3 PLC ±<br>4 PLC ±<br>ANGLES FINISH |  | Ocean Side Feed<br>Applicator                                                                                                      |  |
|                                                                                                                                                                                                                                                                                          |  |  |  | APVD<br>H.GUO<br>10JUN2014                                           |  | SIZE                                                                                                                               |  |
|                                                                                                                                                                                                                                                                                          |  |  |  | PRODUCT SPEC                                                         |  | CAGE CODE                                                                                                                          |  |
|                                                                                                                                                                                                                                                                                          |  |  |  | APPLICATION SPEC                                                     |  | DRAWING NO                                                                                                                         |  |
| MATERIAL                                                                                                                                                                                                                                                                                 |  |  |  | WEIGHT                                                               |  | RESTRICTED TO                                                                                                                      |  |
| -                                                                                                                                                                                                                                                                                        |  |  |  | -                                                                    |  | -                                                                                                                                  |  |
|                                                                                                                                                                                                                                                                                          |  |  |  | Customer Accessible Production Drawing                               |  | SCALE 1:2                                                                                                                          |  |
|                                                                                                                                                                                                                                                                                          |  |  |  |                                                                      |  | SHEET 3 of 4                                                                                                                       |  |
|                                                                                                                                                                                                                                                                                          |  |  |  |                                                                      |  | REV. A1                                                                                                                            |  |

# PNEUMATIC

SERVO  
LATCH PLATE

## CAM POSITIONS



PACIFIC VERSION  
Shown on sheets 3 of 4 & 4 of 4  
(Atlantic version shown on sheets 1 of 4 & 2 of 4)

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                                                                                 |  |                                                                                                                                    |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------|--|
| <small>THIS DRAWING IS THE PROPERTY OF TFC. IT IS TO BE USED FOR THE PROJECT AND QUANTITY SPECIFIED. IT IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF TFC. IT IS TO BE RETURNED TO TFC UPON COMPLETION OF THE PROJECT. IT IS TO BE DESTROYED AFTER THE PROJECT IS COMPLETED. IT IS TO BE KEPT IN A SAFE PLACE AND NOT TO BE LOANED TO ANYONE ELSE. IT IS TO BE KEPT IN A SAFE PLACE AND NOT TO BE LOANED TO ANYONE ELSE.</small> |  | DWN 10JUN2014<br>T.YIN<br>CHK 10JUN2014<br>G.BAILEY<br>APP'D 10JUN2014<br>W.GUO |  |  TE Connectivity<br>Harrisburg, PA 17105-3608 |  |
| DIMENSIONS:                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | TOLERANCES UNLESS OTHERWISE SPECIFIED:                                          |  | NAME Ocean Side Feed Applicator                                                                                                    |  |
| mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | 0 PLC ±<br>1 PLC ±<br>2 PLC ±<br>3 PLC ±<br>4 PLC ±<br>ANGLES ±°                |  | PRODUCT SPEC -<br>APPLICATION SPEC -                                                                                               |  |
|                                                                                                                                                                                                                                                                                                                                                                                 |  | WEIGHT -                                                                        |  | SIZE CAGE CODE DRAWING NO<br>A   00779 C=2266311                                                                                   |  |
| MATERIAL -                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  | FINISH -                                                                        |  | RESTRICTED TO -                                                                                                                    |  |
| Customer Accessible Production Drawing                                                                                                                                                                                                                                                                                                                                                                                                                               |  |                                                                                 |  |                                                                                                                                    |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                                                                                 |  | SCALE 1:2 SHEET 4 of 4 REV A                                                                                                       |  |