

Datasheet for 76650-0158

General Information

Part Number:	76650-0158
Manufacturer:	Molex / Waldom
Title:	Mini-Fit BMI Connector Kit
Description:	Blind Mate Vertical and Right Angle Header, Vertical Receptacle Header, Plug and Receptacle
Product Family:	Mini-Fit BMI™
Certificates:	(Molex Parts within this kit) - EU RoHS Compliant, UL and CSA
Country of Origin:	Kit assembled in U.S.A.

Specifications

Design

Configuration:	(Wire-to-Board), (Wire-to-Wire) and (Board-to-Board)
Pitch:	4.20mm (.165")
Connector Type:	Receptacles, Plugs and Headers
Circuit Sizes:	4, 6, 8, 10, 14 and 18
Current Rating:	6 Amps
Voltage:	600 Volts
Wire size:	24-18 AWG

Product Highlights

The Mini-Fit BMI™ is designed for high current/high density applications requiring the blind mating of modules, subassemblies or printed circuit boards. The Mini-Fit BMI™ allows a misalignment of up to .100". It is appropriate for both power and signal applications as it can carry currents of up to 9.0A per circuit and has a 10mW contact resistance. Mini-Fit BMI™ accepts the same terminals and application tooling as for the Mini-Fit product family, further reducing your design and qualification effort.

Features and Benefits

Applications

For additional Molex / Waldom Design and Solution Kits please go to www.molexkits.com

Datasheet for 76650-0158

- | | |
|---|--|
| <ul style="list-style-type: none"> • Blindmating Capabilities • Fully isolated terminals to protect contacts from damage • Positive housing locks to mate with Mini-Fit Jr. • Standard with drain holes to allow PCB washing after wave soldering • Low engagement force terminals | <ul style="list-style-type: none"> • Security and Alarms • Vending and Gaming • White Goods • High End Computer • Business Machines • Storage • Energy and Power • Environmental Equipment and Controls • Production Equipment • Broadcast Equipment • Telecom Infrastructure |
|---|--|

Bill of Materials for Part No. 76650-0158

Molex Part No.	Country of Origin	Description	Quantity in Kit
39-00-0039-C	USA	Female Crimp Terminals 18-24 AWG	100
39-00-0041-C	USA	Male Crimp Terminals 18-24 AWG	100
15-06-0040	USA	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Panel Mount, 4 Circuits	3
15-06-0060	USA	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Panel Mount, 6 Circuits	3
15-06-0080	USA	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Panel Mount, 8 Circuits	2
15-06-0100	USA	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Panel Mount, 10 Circuits	2
15-06-0140	USA	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Panel Mount, 14 Circuits	2
15-06-0180	USA	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Panel Mount, 18 Circuits	2
15-06-0045	USA	4.20mm (.165") Pitch Mini-Fit BMI™ Plug Panel Mount 4 Circuits	3
15-06-0065	USA	4.20mm (.165") Pitch Mini-Fit BMI™ Plug Panel Mount 6 Circuits	3
15-06-0085	USA	4.20mm (.165") Pitch Mini-Fit BMI™ Plug Panel Mount 8 Circuits	2
15-06-0105	USA	4.20mm (.165") Pitch Mini-Fit BMI™ Plug Panel Mount 10 Circuits	2
15-06-0145	USA	4.20mm (.165") Pitch Mini-Fit BMI™ Plug Panel Mount 14 Circuits	2
15-06-0185	USA	4.20mm (.165") Pitch Mini-Fit BMI™ Plug Panel Mount 18 Circuits	2
15-24-6040	USA	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Right Angle, 4 Circuits Tin Plating	2

For additional Molex / Waldom Design and Solution Kits please go to www.molexkits.com

Datasheet for 76650-0158

15-24-6060	Mexico	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Right Angle, 6 Circuits Tin Plating	2
15-24-6100	Mexico	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Right Angle, 10 Circuits Tin Plating	2
15-24-6140	Mexico	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Right Angle, 14 Circuits Tin Plating	2
15-24-6180	Mexico	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Right Angle, 18 Circuits Tin Plating	2
15-24-6046	Mexico	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Vertical, 4 Circuits Tin Plating	2
15-24-6066	Mexico	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Vertical, 6 Circuits Tin Plating	2
15-24-6106	Mexico	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Vertical, 10 Circuits Tin Plating	2
15-24-6146	Mexico	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Vertical, 14 Circuits Tin Plating	2
15-24-6186	Mexico	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Vertical, 18 Circuits Tin Plating	2
15-24-7040^	Mexico	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Header, Vertical, 4 Circuits	1
15-24-7060^	Mexico	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Header, Vertical, 6 Circuits	1
15-24-7100^	Mexico	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Header, Vertical, 10 Circuits	1
15-24-7140^	Mexico	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Header, Vertical, 14 Circuits	1
15-24-7180^	Mexico	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Header, Vertical, 18 Circuits	1

^ Note: 42385 (series) Receptacle Headers do not mate with Mini-Fit Jr.™ products, and are not inherently blindmating. Guidance to align the connectors during mating and float to provide stress-free positioning after mating must be provided

Recommended Molex Tool(s) for Part No. 76650-0158*

Molex Part No.	Country of Origin	Description
63819-0900 *	Sweden	Hand Crimp Tool
11-03-0044 *	USA	Extraction Tool
57031-6000 *	USA	Japan - Hand Extraction Tool

*Tool(s) not included in kit. Tool(s) ordered separately.