




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RELEASED	18JUN2018	CJV	EDB
	B	REVISED	12SEP2018	CJV	EDB
	E	REVISED PER ECO-20-002354	05DEC2019	ES	SH
	E1	REVISED PER ECO-20-018166	28DEC2020	ES	SZ



2338495-1 AS SHOWN




- 1 CAGE ASSEMBLY- 0.25mm THICK STAINLESS STEEL.
EMI SPRING- COPPER ALLOY.
LIGHT PIPE- CLEAR POLYCARBONATE.
LIGHT PIPE ORGANIZER- POLYCARBONATE.
LIGHT PIPE BRACKET- STAINLESS STEEL.
- 2 FINISH:
EMI SPRING- 1.27um NICKEL PALTING OVER ALL.
- 3. MATES WITH OSFP MSA COMPLIANT TRANSCEIVERS.
- 4 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- 5. MINIMUM PC BOARD THICKNESS:
SINGLE SIDE = 1.5MM
DOUBLE SIDE = 2.10MM
- 6 PADS AND VIAS CHASSIS GROUND.
- 7 REFERENCE APPLICATION SPEC 114-XXXX, HOLE A, FOR
RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- 8 DATE CODE MARKED IN APPROXIMATE AREA.
- 9 LIGHT PIPE ASSEMBLY SHOWN ASSEMBLED TO CAGE ASSEMBLY
FOR REFERENCE. LIGHT PIPE ASSEMBLY IS SHIPPED
UNASSEMBLED FROM CAGE ASSEMBLY.
- 10 LED PLACEMENT AREA FOR 4 LIGHT PIPE DASH NUMBERS.
- 11 LED PLACEMENT AREA FOR 2 LIGHT PIPE DASH NUMBERS.
- 12 LED PLACEMENT AREA FOR 1 LIGHT PIPE DASH NUMBERS.
- 13 ASSEMBLY NOT COMPATIBLE WITH LIGHT PIPES.
- 14 ASSEMBLY COMPATIBLE WITH LIGHT PIPES.
- 15 PART NUMBER MARKED IN APPROXIMATE AREA.
- 16 LOW Br/CI AS DEFINED IN TEC-138-702.
- 17 LIGHT PIPE ASSEMBLY IS SHIPPED ATTACHED TO CAGE ASSEMBLY.
- 18 PACKAGE: HARD TRAY.


	2	WITH EMI SPRINGS	6-2338495-1
	4	WITH EMI SPRINGS	5-2338495-3
	4	WITH EMI SPRINGS	4-2338495-3
	4	WITH EMI SPRINGS	4-2338495-1
	2	WITH EMI SPRINGS	2-2338495-3
	2	WITH EMI SPRINGS	2-2338495-1
	1	WITH EMI SPRINGS	1-2338495-3
	1	WITH EMI SPRINGS	1-2338495-1
	0	WITH EMI SPRINGS	2338495-6
	0	WITH EMI SPRINGS	2338495-5
OBSOLETE	0	WITHOUT EMI SPRINGS	2338495-4
	0	WITH EMI SPRINGS	2338495-3
OBSOLETE	0	WITHOUT EMI SPRINGS	2338495-2
	0	WITH EMI SPRINGS	2338495-1
	LIGHT PIPES PER PORT		
	DESCRIPTION		PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. VALENTINE 18JUN2018	TE Connectivity	
DIMENSIONS:		CHK D. HARMON 18JUN2018		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. HARMON 18JUN2018	NAME CAGE ASSEMBLY, 1X4, OSFP	
	0 PLC ±.25	PRODUCT SPEC	-	
	1 PLC ±0.15	108-60117	-	
	2 PLC ±0.10	APPLICATION SPEC	-	
	3 PLC ±.10	114-130009	SIZE CAGE CODE DRAWING NO	
	4 PLC ±.	WEIGHT	A1 - C=2338495	
MATERIAL	FINISH	CUSTOMER DRAWING	SCALE 3:1	SHEET 1 OF 8 REV E1


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




2338495-1
SCALE 2:1




2338495-2
SCALE 2:1




2338495-3
SCALE 2:1



2338495-4
SCALE 2:1









2338495-5 AND 2338495-6
SCALE 2:1



6-2338495-1
SCALE 2:1


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. VALENTINE 18JUN2018	TE Connectivity	
DIMENSIONS:		CHK D. HARMON 18JUN2018		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. HARMON 18JUN2018	NAME CAGE ASSEMBLY, 1X4, OSFP	
	0 PLC ±.025	PRODUCT SPEC	SIZE A1	
	1 PLC ±0.15	APPLICATION SPEC	CAGE CODE -	
MATERIAL	2 PLC ±0.10	WEIGHT	DRAWING NO C=2338495	
	3 PLC ±.025	FINISH	RESTRICTED TO	
CUSTOMER DRAWING		SCALE 3:1	SHEET 2 OF 8	REV E1

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. VALENTINE 18JUN2018	TE Connectivity	
DIMENSIONS:		CHK D. HARMON 18JUN2018		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. HARMON 18JUN2018	NAME	CAGE ASSEMBLY, 1X4, OSFP
	0 PLC	±	PRODUCT SPEC	
	1 PLC	±0.25	108-60117	
	2 PLC	±0.15	APPLICATION SPEC	
	3 PLC	±0.10		
MATERIAL	4 PLC	±	114-130009	
	ANGLES	±	WEIGHT	
FINISH			CUSTOMER DRAWING	
			SCALE	3:1
			SHEET	3 OF 8
			REV	E1



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




SINGLE SIDE MOUNTING




BELLY TO BELLY MOUNTING
SAME AS SINGLE SIDE
EXCEPT AS NOTED



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. VALENTINE 18JUN2018	TE Connectivity	
DIMENSIONS:		CHK D. HARMON 18JUN2018		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. HARMON 18JUN2018	NAME CAGE ASSEMBLY, 1X4, OSFP	
	0 PLC	±	PRODUCT SPEC	
	1 PLC	±0.25	108-60117	
	2 PLC	±0.15	APPLICATION SPEC	
	3 PLC	±0.10	114-130009	
MATERIAL	4 PLC	±	WEIGHT	
	ANGLES	±	CUSTOMER DRAWING	
		FINISH	SCALE	3:1
			SHEET	4 OF 8
			REV	E1



BEZEL LAYOUT FOR DOUBLE LIGHT PIPE
SINGLE SIDE




BEZEL LAYOUT FOR LIGHT PIPES
BELLY TO BELLY
SIMILAR TO SINGLE SIDE
EXCEPT WHERE NOTED


4805 (3/13)

4805 (3/13)


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



4X INDIVIDUALLY
DETAIL A
SCALE 8:1





DETAIL C
SCALE 10:1



DETAIL B
SCALE 16:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. VALENTINE 18JUN2018	TE Connectivity	
DIMENSIONS:		CHK D. HARMON 18JUN2018		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. HARMON 18JUN2018	NAME CAGE ASSEMBLY, 1X4, OSFP	
	0 PLC	±	PRODUCT SPEC	
	1 PLC	±0.25	108-60117	
	2 PLC	±0.15	APPLICATION SPEC	
	3 PLC	±0.10	114-130009	
MATERIAL		FINISH	WEIGHT	-
			CUSTOMER DRAWING	
			SCALE 3:1	SHEET 7 OF 8
				REV E1



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG. 18JUN2018 VALENTIN CHK. D. HARMON 18JUN2018 APPR. D. HARMON 18JUN2018		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.25 1 PLC ±0.15 2 PLC ±0.10 3 PLC ±0.10 4 PLC ±0.10 ANGLES ° ±		NAME: CAGE ASSEMBLY, 1X4, OSPF - -	
		PRODUCT SPEC 108-60117 APPLICATION SPEC 114-130009		SIZE: CAGE CODE: DRAWING NO A1 - C=2338495	
MATERIAL		WEIGHT: -		RESTRICTED TO: -	
FINISH		CUSTOMER DRAWING		SCALE: 3:1 SHEET 8 of 8 REV: E	