



LOC		DIST		REVISIONS			
A	66	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2003


FEED TYPE MECHANICAL






PNEUMATIC




SERVO LATCH PLATE




CAM POSITIONS



TERMINAL SUPPORT LOCATION



HOLDDOWN SET-UP



FEED TRACK POSITION
GUIDE BY INSULATION BARREL

ATLANTIC VERSION
Shown on sheets 1 of 4 & 2 of 4
(Pacific version shown on sheets 3 of 4 & 4 of 4)

THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE AND SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN R.O. WILSON 26SEP2012		TE Connectivity	
DIMENSIONS:		CHK K.J. STAKEM 28SEP2012		Harrisburg, PA 17105-3608	
mm		APVD T.L. ELBIN 28SEP2012		NAME Ocean Side Feed Applicator	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		SIZE CAGE CODE DRAWING NO	
0 PLC ±0.1		APPLICATION SPEC		RESTRICTED TO	
1 PLC ±0.1		WEIGHT		A1 00779 ©=2151764	
2 PLC ±0.02		Customer Accessible Production Drawing		SCALE 1:1 SHEET 2 OF 4 REV A	
3 PLC ±0.005					
4 PLC ±0.0005					
ANGLES FINISH					
MATERIAL					

