





LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			A	RELEASE TO PRODUCTION	21APR2016	KQ	SH



2294408-1
SCALE 3:1




- 1 MATERIAL:
CAGE ASSEMBLY: NICKEL SILVER ALLOY, (0.25mm)
PCB GASKET: RF ABSORBER
EMI SPRINGS: PHOSPHOR BRONZE
LIGHT PIPE BRACKET: STAINLESS STEEL
LIGHT PIPE: POLYCARBONATE, CLEAR
- 2 MINIMUM PC BOARD THICKNESS:
SINGLE SIDE = 1.45mm
BELLY TO BELLY = 2.25mm
- 3 PADS AND VIAS CHASSIS GROUND
- 4 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER
5. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS
6. INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OF ASME Y14.5M-1994
- 7 REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR
RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS
- 8 REFERENCE APPLICATION SPEC. 114-13120, HOLE B, FOR
RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS
- 9 HOLE PATTERN REPEATS FOR EACH PORT, SPACING BETWEEN PORTS IS 14.25mm
10. PRODUCT COMPLIES WITH SPECIFICATION SFF-8433, IMPROVED PLUGGABLE FORM FACTOR FOR SFP+ GANGED CAGES
- 11 CONTACT STANDOFF WILL PIERCE GASKET WHEN PROPERLY PRESSED INTO PCB.
- 12 DIMENSION APPLIES WITH MODULE INSERTED IN CAGE.




W/O LIGHT PIPE & SHOUT HEATSINK TYPE	2294408-2
W/ LIGHT PIPE&LONG HEATSINK TYPR	2294408-1
DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009 OTHERWISE SPECIFIED:		DWN: KEVIN 24JUL2015 CHK: SEAN HAN 24JUL2015 APVD: SEAN HAN 24JUL2015	NAME: CAGE ASSEMBLY, PRESS-FIT, EMI SPRINGS, 1X8, zSFP+	
DIMENSIONS: mm		PRODUCT SPEC	SIZE: CAGE CODE: DRAWING NO: 00779	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.08 3 PLC ±0.05 4 PLC ± ANGLES ±1° FINISH		APPLICATION SPEC	RESTRICTED TO	
MATERIAL: SEE NOTES		WEIGHT: -	CUSTOMER DRAWING	
SCALE: 1:1		SHEET 1 OF 5		REV A

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-







2294408-2
SCALE 3:1




THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN: KEVIN 24JUL2015 CHK: SEAN HAN 24JUL2015 APVD: SEAN HAN 24JUL2015	 TE Connectivity		
DIMENSIONS:		PRODUCT SPEC	NAME: CAGE ASSEMBLY, PRESS-FIT, EMI SPRINGS, 1X8, zSFP+		
mm		APPLICATION SPEC			
		WEIGHT: -	SIZE: A1 CAGE CODE: 00779 DRAWING NO: 2294408 RESTRICTED TO: -		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		CUSTOMER DRAWING			
0 PLC ±0.1		SCALE 3:1 SHEET 2 OF 5 REV A			
1 PLC ±0.1					
2 PLC ±0.08					
3 PLC ±0.05					
4 PLC ±					
ANGLES ±1°					
FINISH SEE NOTES					

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-	-	SEE SHEET 1	-	-	-




THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009				DWN: KEVIN 24JUL2015 CHK: SEAN HAN 24JUL2015		 TE Connectivity	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: SEAN HAN 24JUL2015		NAME: CAGE ASSEMBLY, PRESS-FIT, EMI SPRINGS, 1X8, zSFP+	
mm				PRODUCT SPEC		SIZE: A1 CAGE CODE: 00779 DRAWING NO: 2294408	
		0 PLC ±0.1		APPLICATION SPEC			
		1 PLC ±0.1					
		2 PLC ±0.08					
		3 PLC ±0.05					
MATERIAL: SEE NOTES		FINISH: SEE NOTES		WEIGHT: -		RESTRICTED TO: -	
CUSTOMER DRAWING				SCALE: 4:1		SHEET 3 OF 5 REV A	



DETAIL SEE DETAIL A
6X INDIVIDUALLY
SCALE 10:1


THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009						DWG KEVIN 24JUL2015			TE		TE Connectivity	
DIMENSIONS:						CMP SEAN HAN 24JUL2015						
TOLERANCES UNLESS OTHERWISE SPECIFIED:						APPD SEAN HAN 24JUL2015						
mm						PRODUCT SPEC						
						-						
						APPLICATION SPEC						
						WEIGHT						
						CUSTOMER DRAWING						
MATERIAL	SEE NOTES	FINISH	SEE NOTES	SIZE	CAGE CODE	DRAWING NO.			RESTRICTED TO			
				A1	00779	C=2294408						
						SCALE	4:1	SHEET	4	OF	5	REV A



LOC		DIST		REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD		
		-	-	SEE SHEET 1	-	-	-		

THIS DRAWING IS A CONTROLLED DOCUMENT.
DIMENSIONING AND TOLERANCING
PER ASME Y14.5M-2009

DIMENSIONS:
mm



MATERIAL
SEE NOTES

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PL	±0.1
1 PL	±0.1
2 PL	±0.08
3 PL	±0.05
4 PL	±

ANGLES
FINISH
SEE NOTES

DWN: KEVIN 24JUL2015
CHK: SEAN HAN 24JUL2015
APVD: SEAN HAN 24JUL2015

PRODUCT SPEC
APPLICATION SPEC
WEIGHT
CUSTOMER DRAWING

NAME
CAGE ASSEMBLY,
PRESS-FIT, EMI SPRINGS,
1X8, zSFP+

SIZE
A1

CAGE CODE
00779

DRAWING NO
C=2294408

RESTRICTED TO
-

 TE Connectivity

SCALE 4:1
SHEET 5 OF 5
REV A