



LOC		DIST		REVISIONS			
A	66	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-


FEED TYPE
MECHANICAL






PNEUMATIC




SERVO
LATCH PLATE




CAM POSITIONS



TERMINAL SUPPORT LOCATION



HOLDDOWN SET-UP



FEED TRACK POSITION
GUIDE BY INSULATION BARREL

ATLANTIC VERSION
Shown on sheets 1 of 4 & 2 of 4
(Pacific version shown on sheets 3 of 4 & 4 of 4)

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN: HOFFNER 26MAR2013		TE Connectivity	
mm		0 PLC ±.1		CHK: TELBIN 27MAR2013		Harrisburg, PA 17105-3608	
APVD: TELBIN 27MAR2013		1 PLC ±0.1		NAME: Ocean Side Feed		RESTRICTED TO	
MATERIAL: -		2 PLC ±0.02		PRODUCT SPEC: -		SIZE: A1	
FINISH: -		3 PLC ±0.005		APPLICATION SPEC: -		CAGE CODE: 00779	
WEIGHT: -		4 PLC ±0.0005		DRAWING NO: C-2151918		SHEET 2 OF 4	
Customer Accessible Production Drawing		SCALE: 1:1		REV: A			

LOC		DIST		REVISIONS			
A	66	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-


DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2003

C


B

A


FEED TYPE MECHANICAL






PNEUMATIC




SERVO LATCH PLATE




CAM POSITIONS



TERMINAL SUPPORT LOCATION



HOLDDOWN SET-UP



FEED TRACK POSITION
GUIDE BY INSULATION BARREL

PACIFIC VERSION
Shown on sheets 3 of 4 & 4 of 4
(Atlantic version shown on sheets 1 of 4 & 2 of 4)

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		OWN		TE Connectivity	
mm		0 PLC ±.1		HOFFNER		Harrisburg, PA 17105-3608	
		1 PLC ±.02		T.ELBIN		Ocean Side Feed	
		2 PLC ±.02		T.ELBIN		Applicator	
		3 PLC ±.005		T.ELBIN		-	
		4 PLC ±.0005		T.ELBIN		-	
		ANGLES		APVD		-	
		FINISH		PRODUCT SPEC		-	
				APPLICATION SPEC		-	
				WEIGHT		-	
				Customer Accessible Production Drawing		-	
				SCALE		1:1	
				SHEET		4 of 4	
				REV		A	