




Accessories

440A-A07265...440A-A09197

Item	Description	Catalogue Number
	Blanking Plug, M20 Conduit	440A-A07265
	Cable Grip, M16 Conduit Accommodates Cable Diameter 4mm (0.16in) to 7mm (0.27in)	440A-A09004
	Security Bit	440A-A09015
	Screwdriver Including Security Bit	440A-A09018
	Cable Grip, Pg16 Conduit Accommodates Cable Diameter 12mm (0.47in) to 14mm (0.55in)	440A-A09025
	Cable Grip, M20 Conduit Accommodates Cable Diameter 7mm (0.27in) to 10.5mm (0.41in)	440A-A09028
	Adaptor, Conduit, M20 to 1/2in NPT, Plastic	440A-A09042
	Bulb, 240V for Conduit Pilot Light 0.75W T-3¼ Bulb, Miniature Screw Base	440A-A09054
	Bulb, 110V for Conduit Pilot Light 2.6W T-3¼ Bulb, Miniature Screw Base	440A-A09055
	Bulb, 24V for Conduit Pilot Light 2.8W T-3¼ Bulb, Miniature Screw Base	440A-A09056
	Adaptor, Conduit, 1/2in NPT to M16, Brass	440A-A09093
	Adaptor, Conduit, M16 to 1/2in NPT, Brass	440A-A09094
	Fuse, 250mA Bussmann Catalogue Number ETF-250mA	440A-A09196
	Fuse, 2A Bussmann Catalogue Number ETF-2	440A-A09197






Accessories

440A-A17029...440G-A07269

Item	Description	Approximate Dimensions—mm (inches)	Catalogue Number
	Screw Pack (16 Security Screws M4 x 20mm & Bit)	—	440A-A17029
	Screw Pack (10 Security Screws M5 x 20mm & Bit)	—	440A-A17030
	Indicator, M20 Conduit Pilot Light—Amber	—	440A-A19001
	Indicator, M20 Conduit Pilot Light—Red	—	440A-A19002
	Indicator, 1/2in NPT Conduit Pilot Light—Amber	—	440A-A19005
	Indicator, 1/2in NPT Conduit Pilot Light—Red	—	440A-A19007
	Atlas Standard Actuator		440G-A07136
	Atlas Replacement End Cap		440G-A07180
	Atlas Fully Flex Actuator		440G-A07269







Accessories

440G-A27011...440K-A11094

Item	Description	Approximate Dimensions—mm (inches)	Catalogue Number
	GD2 Standard Actuator (GD2 model only)	 3.5 (0.14) 18 (0.71) 14.5 (0.57) 40 (1.57) 52 (2.05) 4 (0.16) 36 (1.42) M5 CSK	440G-A27011
	Fully-Flexible Actuator (GD2 model only)	 18 (0.71) 2 x M3 13 (0.51) 51 (2.01) 4 x Ø5.5 (Ø2.2) 19 (0.75)	440G-A27143
	Sliding Bolt Actuator (GD2 model only)	 Ø10 (0.39) 20 (0.78) 50 (1.96) 20 19 (0.74) 50 100 (3.93) 42 (1.65) 18 (0.7) 40 (1.57) 84 (3.3) 140 (5.51) 25.5 (1.0) 2.5 (0.09) 117.5 (4.62) 20.5 (0.8) 24 (0.94) Tapped M5 5.5 (0.21) 34 (1.33)	440G-A27163
	Spartan/TLS-GD2/ 440G-MT Solenoid Emergency Override	—	440G-A36026
	Spartan Replacement Actuator with Catch Retainer and Guide	 3.5 (0.14) 17.5 (0.69) 14.5 (0.57) 40 (1.57) 52 (2.05) 5 (0.2) 31.2 (1.23) 52 (2.05) 40 (1.57) 7.25 (0.29) 14.5 (0.57) 25.5 (1.0) 1.5 (0.06) Catch Retainer Mounting Holes for M5 CSK Screws	440G-A36050
	T15/Trojan 5/Trojan 6 Catch and Retainer Kit (Standard Model Only)	 29 (1.14) 52 (2.05) 4 (0.16) 18 (0.71) 11.2 (0.44) 7.25 (0.29) 52 (2.05) 40 (1.57) 14.5 (0.57) 1.5 (0.06) 25.5 (1.0) Catch Case Catch Retainer	440K-A11094







Accessories

440K-A11095...440K-A17116

Item	Description	Approximate Dimensions—mm (inches)	Catalogue Number
	Trojan 5 and Trojan 6 Standard Actuator (Standard Model Only)		440K-A11095
	Trojan/440G-MT/TLS-GD2/MT-GD2 Flat Actuator		440K-A11112
	Replacement Alignment Guide		440K-A11115
	Trojan Alignment Guide with Semi-Flexible Actuator (Discard the Alignment Guide for GD2)		440K-A11144
	Trojan T15 Standard Actuator (Standard model only)		440K-A11238
	440G-MT/TLS-GD2/Trojan/MT-GD2 Extended Flat Actuator		440K-A17116

Accessories

440K-A21006...440R-A31562

Description		Approximate Dimensions—mm (inches)	Catalogue Number
	Elf/Cadet 90° Actuator		440K-A21006
	Elf/Cadet Flat Actuator		440K-A21014
	Elf/Cadet GD2 Metal Alignment Guide with Semi-Flexible Actuator		440K-A21030
	Elf/Cadet Alignment Guide		440K-A21069
	TLS-GD2/Trojan/ MT-GD2 Alignment Guide with Fully-Flexible Actuator (Discard the Alignment Guide for GD2)		440K-A27010
	Mounting Plate		440K-A33624
	Fuse, 500mA Bussmann Catalogue Number ETF-500mA	—	440R-A31562