





ターミナル装着図
TERMINAL ASSEMBLY DRAWING




- 回路番号 1
CKT. NO. 1
- NOTES
- 1. 適合ターミナル : 502381-00**
APPLICABLE TARMINAL : 502381-00**
 - 2. 嵌合相手 : 502382-**09 / 502386-**09
MATE WITH : 502382-**09 / 502386-**09
 - 3. 極数/2=偶数に適用。
APPLY FOR CKT. SIZE / 2 = EVEN.
 - 4. 本製品のプラスチック部に黒点等が確認される場合や色合いが異なる場合がありますが、製品性能に影響はありません。
THERE IS NO INFLUENCE IN THE PRODUCT PERFORMANCE THOUGH THE BLACK SPOT ETC. MIGHT BE CONFIRMED TO THE PLASTIC PART OF THIS PRODUCT AND THE SHADE MIGHT BE DIFFERENT.
 - 5. アプリケーション仕様書 (コネクタ取扱説明書) : AS-502380-001
APPLICATION SPECIFICATIONS (CONNECTOR MANUAL): AS-502380-001
 - 6. 製品仕様書 : PS-502382-001
Product specification: PS-502382-001



極数の種類 (正面図)
KIND OF CKT. NO. (FRONT VIEW)

10	11.85	502380-070*	7
8.75	10.6	502380-060*	6
7.5	9.35	502380-050*	5
6.25	8.1	502380-040*	4
5	6.85	502380-030*	3
3.75	5.6	502380-020*	2
B	A	ポリ袋 POLYBAG PACKAGE オーダー番号 ORDER No.	極数 CKT. No.





部品 PART	材質 MATERIAL
ハウジング HOUSING	ポリブチレンテレフタレート UL94V-0 色 : SHEET 2 参照 POLYBUTYLENE TEREPHTHALATE UL94V-0 COLOR : SEE SHEET 2




REVISED EC NO: J2010-2217 DRWN:THANYU 2010/05/12 CHKDK: ASAKAWA 2010/05/13 APPR:NUKITA 2010/05/14	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	ORDER NO. THIRD ANGLE PROJECTION				
				DRAWN BY T.MIYAZAKI		DATE 2006/08/28	TITLE 1.25 W/B CONN. SINGLE PLUG HOUSING 2-7CKT.					
		10 UNDER ±0.2		CHECKED BY K.ASAKAWA		DATE 2006/08/28						
		10 OVER 30 UNDER ±0.25		APPROVED BY YO.I TO		DATE 2006/08/28	MOLEX INCORPORATED					
		30 OVER ±0.3		MATERIAL NO.		DOCUMENT NO.						
		ANGULAR ±3 °		SEE TABLE		SD-502380-001				SHEET NO. 1 OF 2		
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
REV				SIZE A3								

	10	9	8	7	6	5	4	3	2	1	CONFIDENTIAL
F											
E											
D											
C											
B											
A											
	tb_frame_A3_J_ME_S Rev. E 2006/04/15	9	8	7	6	5	4	3	2	EN-02JA(021)	

HSG COLOR : GREEN	HSG COLOR : BLUE	HSG COLOR : RED	HSG COLOR : BLACK	HSG COLOR : NATURAL							
502380-0706	502380-0704	502380-0702	502380-0701	502380-0700	7						
502380-0606	502380-0604	502380-0602	502380-0601	502380-0600	6						
502380-0506	502380-0504	502380-0502	502380-0501	502380-0500	5						
502380-0406	502380-0404	502380-0402	502380-0401	502380-0400	4						
502380-0306	502380-0304	502380-0302	502380-0301	502380-0300	3						
502380-0206	502380-0204	502380-0202	502380-0201	502380-0200	2						
ポリ袋 POLYBAG PACKAGE オーダー番号 ORDER No.					極数 (KT. NO.)						
REVISED EC NO: J2010-2217 DRWN:THANYU 2010/05/12 CHKDK: ASAKAWA 2010/05/13 APPR: NUKITA 2010/05/14 REV		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION				
		10 UNDER ± 0.2		DRAWN BY T. MIYAZAKI	DATE 2006/08/28	TITLE 1.25 W/B CONN. SINGLE PLUG HOUSING 2-7CKT.					
		10 OVER 30 UNDER ± 0.25		CHECKED BY K. ASAKAWA	DATE 2006/08/28	MOLEX INCORPORATED					
		30 OVER ± 0.3		APPROVED BY Y0. ITO	DATE 2006/08/28						
		ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-502380-001		2 OF 2					
		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							



ターミナル装着図
TERMINAL ASSEMBLY DRAWING




回路番号 1
CKT NO. 1

NOTES


- 適合ターミナル : 502381-00**
APPLICABLE TARMINAL : 502381-00**
- 嵌合相手 : 502382-**09 / 502386-**09
MATE WITH : 502382-**09 / 502386-**09
- 極数/2=偶数に適用。
APPLY FOR CKT. SIZE / 2 = EVEN.
- 本製品のプラスチック部に黒点等が確認される場合や色合いが異なる場合がありますが、製品性能に影響はありません。
THERE IS NO INFLUENCE IN THE PRODUCT PERFORMANCE THOUGH THE BLACK SPOT ETC. MIGHT BE CONFIRMED TO THE PLASTIC PART OF THIS PRODUCT AND THE SHADE MIGHT BE DIFFERENT.
- アプリケーション仕様書 (コネクタ取扱説明書) : AS-502380-001
APPLICATION SPECIFICATIONS (CONNECTOR MANUAL) : AS-502380-001.
- 製品仕様書 : PS-502382-001
Product specification: PS-502382-001
- ELV AND RoHS COMPLIANT.




8 CKT.




12 CKT.



9 CKT.




13 CKT.



10 CKT.



14 CKT.



11 CKT.




15 CKT.

極数の種類 (正面図)

KIND OF CKT. NO. (FRONT VIEW)

20	21.85	502380-150*	15
18.75	20.6	502380-140*	14
17.5	19.35	502380-130*	13
16.25	18.1	502380-120*	12
15	16.85	502380-110*	11
13.75	15.6	502380-100*	10
12.5	14.35	502380-090*	9
11.25	13.1	502380-080*	8
B	A	ポリ袋 POLYBAG PACKAGE オーダー番号 ORDER NO.	極数 CKT. NO.



部品 PART	材質 MATERIAL
ハウジング HOUSING	ポリブチレンテレフタレート UL94V-0 色 : SHEET 2 参照 POLYBUTYLENE TEREPHTHALATE UL94V-0 COLOR : SEE SHEET 2

REVISED EC NO: J2011-0737 DRWN:TKGN CHKD: APPR:NUKITA REV	DESCRIPTION 2010/11/29 2010/11/29	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	± 0.2	DRAWN BY T.MIYAZAKI	DATE 2006/08/28	TITLE 1.25 W/B CONN. SINGLE PLUG HOUSING 8-15CKT.				
		10 OVER 30 UNDER	± 0.25	CHECKED BY K.ASAKAWA	DATE 2006/08/28					
		30 OVER	± 0.3	APPROVED BY YO.IITO	DATE 2006/08/28					
		ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-502380-002		1 OF 2		
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

	10	9	8	7	6	5	4	3	2	1	CONFIDENTIAL	
F												F
E												E
D												D
C												C
B												B
A												A

HSG COLOR : GREEN

502380-1506

502380-1406

502380-1306

502380-1206

502380-1106

502380-1006

502380-0906

502380-0806

HSG COLOR : BLUE

502380-1504

502380-1404

502380-1304

502380-1204

502380-1104

502380-1004

502380-0904

502380-0804

HSG COLOR : YELLOW

502380-0903

HSG COLOR : RED

502380-1502

502380-1402

502380-1302

502380-1202

502380-1102

502380-1002

502380-0902

502380-0802

HSG COLOR : BLACK

502380-1501

502380-1401

502380-1301

502380-1201

502380-1101

502380-1001

502380-0901

502380-0801

HSG COLOR : NATURAL

502380-1500

502380-1400

502380-1300

502380-1200

502380-1100

502380-1000

502380-0900

502380-0800

15

14

13

12

11

10

9

8

ポリ袋 POLYBAG PACKAGE

オーダー番号 ORDER No.

極数 (KT. NO.)

REVISED EC NO: J2011-0737 DRWN:TKGN CHKD: APPR:NUKITA G	2010/11/29 2010/11/29	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ----	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
			10 UNDER	± 0.2	DRAWN BY T.MIYAZAKI	DATE 2006/08/28	TITLE 1.25 W/B CONN. SINGLE PLUG HOUSING 8-15CKT.			
			10 OVER 30 UNDER	± 0.25	CHECKED BY K.ASAKAWA	DATE 2006/08/28				
			30 OVER	± 0.3	APPROVED BY YO.IITO	DATE 2006/08/28	MOLEX INCORPORATED			
			ANGULAR ±3 °		MATERIAL NO.			DOCUMENT NO.	SHEET NO.	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-502380-002		2 OF 2				
		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

tb_frame_A3_J_ME_S
Rev. E 2006/04/15

9

8

7

6

5

4

3

2

EN-02JA(021)