

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-16-010181	21JUL2016	RS	LZ

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2266280


FOR REPLACEMENT PARTS FOR APPLICATOR 2266091
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
2266091


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.SHEN		 TE Connectivity			
DIMENSIONS:		CHK					
		APVD LJ.ZHANG		NAME Ocean Side Feed Applicator			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 2266091	RESTRICTED TO
FINISH		CUSTOMER ACCESSIBLE PRODUCTION DRAWING		SCALE		SHEET 1 OF 5	REV A1

REV. 66		REVISIONS			
LOC	DIST	P	LYR	DESCRIPTION	DATE
A	66			SEE SHEET 1	


FEED TYPE MECHANICAL







PNEUMATIC



SERVO LATCH PLATE



CAM POSITIONS



ATLANTIC VERSION
Shown on sheets 1 of 4 & 2 of 4
(Pacific version shown on sheets 3 of 4 & 4 of 4)

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		OWN	
ITEM		0 PLC ±.1		X. ZHAO	
		1 PLC ±0.5		25OCT2013	
		2 PLC ±0.13		T. ELBIN	
		3 PLC ±0.013		25OCT2013	
		4 PLC ±0.0001		NAME	
		ANGLES		I. ZHANG	
MATERIAL		FINISH		PRODUCT SPEC	
				APPLICATION SPEC	
				SIZE	
				CAGE CODE	
				DRAWING NO	
				RESTRICTED TO	
				00779	
				C=2266091	
				Customer Accessible Production Drawing	
				SCALE	
				1:2	
				SHEET	
				2	
				OF	
				4	
				REV	
				A	

SHEETS 3 & 4 ARE NOT REQUIRED FOR ATLANTIC VERSION

A diagram of a microscope with four numbered callouts: 2 points to the eyepiece, 3 points to the objective lenses, 5 points to the stage, and 6 points to the base.

PNEUMATIC

Diagram illustrating the components of a pneumatic cylinder assembly, labeled with callouts:

- 250
- 249
- 238
- 163
- 59
- 136
- 137
- 172
- 56

Additional labels include 'A' and 'C'.

30mm STROKE

142

49

MECHANICAL POST FEED

30mm STROKE

48

49



MECHANICAL PRE FEED

30mm STROKE


151

49

AIR FEED



TERMINAL SUPPORT LOCATION



FEED TRACK POSITION GUIDE BY INSULATION BARREL

Shown on sheets 3 of 4 & 4 of 4
(Atlantic version shown on sheets 1 of 4 & 2 of 4)

THIS DRAWING IS A CONFIDENTIAL DOCUMENT FOR THE CUSTOMER'S ORGANIZATION IT IS SUBJECT TO THE SAME CONFIDENTIALITY AND PROTECTION AS THE INFORMATION IT SHOULD BE PROTECTED FOR THE CUSTOMER'S ORGANIZATION		DWN 250C12013 X.ZHAO CHE 250C12013 L.BLIN APVD 250C12013 PRODUCT SPEC - APPLICATION SPEC -		 TE Connectivity Morrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME Ocean Side Feed Applicator	
				SIZE A	
MATERIAL -		FINISH -		CASE CODE 00779	
WEIGHT -		DRAWING NO C-2266091		RESTRICTED TO	
Customer Accessible Production Drawing				SCALE 1:2 SHEET 1 OF 1 REV A	

SHEETS 1 & 2 ARE NOT REQUIRED FOR PACIFIC VERSION