
Kelvin Clip, Insulated, 10 Amp

Features
- **Clip Halves are Electrically Isolated**
- **Gold Contacts**
- **Screw Connection**
- **Overall Length: 1.600" (40.6mm)**
- **Jaw Opening: .310" (7.87mm)**

NTE Type No.	Description
72–162	Kelvin Clip, Insulated



Petite Plier–Type Steel Clip, 15 Amp

Features
- **Nickel Plated**
- **Crimp or Solder Connection**
- **Includes PVC Sleeve Insulators**
- **Overall Length: 2.300" (58.4mm)**
- **Jaw Opening: .750" (19.05mm)**

NTE Type No.	Description
72–132–0	Petite Plier–Type Steel Clip with Black Insulators
72–132–2	Petite Plier–Type Steel Clip with Red Insulators
72–132–KIT	Contains 1 ea. of 72–132–0 (Black) & 72–132–2 (Red)



Mini Plier–Type Copper Plated Steel Clip, 50 Amp

Features
- **Copper Plated Clip**
- **Perfect for Chargers or Battery Terminals**
- **Crimp or Solder Connection**
- **Overall Length: 2.900" (73.6mm)**
- **Jaw Opening: 1.125" (28.6mm)**

NTE Type No.	Description
72–139	Miniature Plier–Type Copper Plated Steel Clip
72–138–0	1 Piece 72–139 with Black (72–142–0) Insulators
72–138–2	1 Piece 72–139 with Red (72–142–2) Insulators
72–139–KIT	1 Pair of 72–139 Mini Plier–Type Copper Plated Steel Clips 2 Each of 72–142–0 (Black) and 72–142–2 (Red) Insulators

See page 14 for recommended insulators.



Mini Plier–Type Zinc Plated Steel Clip, 50 Amp

Features
- **Zinc Plated Clip**
- **Perfect for Chargers or Battery Terminals**
- **Crimp or Solder Connection**
- **Overall Length: 2.900" (73.6mm)**
- **Jaw Opening: 1.125" (28.6mm)**

NTE Type No.	Description
72–140	Miniature Plier–Type Zinc Plated Steel Clip
72–140–KIT	1 Pair of 72–140 Mini Plier–Type Zinc Plated Steel Clip 2 Each of 72–142–0 (Black) and 72–142–2 (Red) Insulators

See page 14 for recommended insulators.



Mini Plier–Type Solid Copper Clip, 75 Amp

Features
- **Perfect for Chargers or Battery Terminals**
- **Crimp or Solder Connection**
- **Overall Length: 2.900" (73.6mm)**
- **Jaw Opening: 1.125" (28.6mm)**



NTE Type No.	Description
72–141	Miniature Plier–Type Solid Copper Clip
72–141–0	1 Piece 72–141 with Black (72–142–0) Insulators
72–141–2	1 Piece 72–141 with Red (72–142–2) Insulators
72–141–KIT	1 Pair of 72-141 Mini Plier-Type Solid Copper Clip 2 Each of 72-142-0 (Black) and 72-142-2 (Red) Insulators

See page 14 for recommended insulators.

Fully Insulated Small Charger Clip, 80 Amp

Features
- **Kelvin Capable**
- **Perfect for Charging or Grounding Applications**
- **Crimp or Solder Connection**
- **Overall Length: 4.100" (104.1mm)**
- **Jaw Opening: 1.250" (31.7mm)**



NTE Type No.	Description
72–094	Plier–Type Fully Insulated Charger Clip, Black
72–095	Plier–Type Fully Insulated Charger Clip, Red
72–095–KIT	1 Pcs Ea of 72–094 (Black) and 72–095 (Red)

Plier–Type Copper Plated Steel Clip, 200 Amp

Features
- **Copper Plated Clip**
- **Heavy Duty Spring and Construction**
- **Perfect for Battery Terminals or Grounding Applications**
- **Crimp or Solder Connection**
- **Overall Length: 6.000" (152.4mm)**
- **Jaw Opening: 1.600" (40.6mm)**




NTE Type No.	Description
72–133	Plier–Type Copper Plated Steel Clip
72–133–0	1 Piece 72–133 with Black (72–135–0) Insulators
72–133–2	1 Piece 72–133 with Red (72–135–2) Insulators

See page 14 for recommended insulators.

Plier–Type Solid Copper Clip, 400 Amp

Features
- **Heavy Duty Spring and Construction**
- **Perfect for Battery Terminals or Grounding Applications**
- **Crimp or Solder Connection**
- **Overall Length: 6.000" (152.4mm)**
- **Jaw Opening: 1.600" (40.6mm)**



NTE Type No.	Description
72–134	Plier–Type Solid Copper Clip
72–134–0	1 Piece 72–134 with Black (72–135–0) Insulators
72–134–2	1 Piece 72–134 with Red (72–135–2) Insulators

See page 14 for recommended insulators.

Fully Insulated Heavy Duty Clamp, 500 Amp

Features

- **High Impact, Glass−Filled Nylon Jaws**
- **Braided Copper Shunt**
- **Replaceable Copper Contact Pads**
- **Nut & Bolt or Crimp/Solder Lug Connection**
- **Overall Length: 6.500” (165.1mm)**
- **Jaw Opening: 1.700” (43.2mm)**

NTE Type No.	Description
72−112−0	Fully Insulated Heavy Duty Clamp, Black
72−112−2	Fully Insulated Heavy Duty Clamp, Red



72−135 Series PVC Insulators

Features

- **Fits 72−133 & 72−134**
- **2 Required per Clip**
- **Flexible PVC Composition**
- **Overall Length: 4.500” (114.3mm)**

NTE Type No.	Description
72−135−0	PVC Insulator for 72−133 & 72−134, Black
72−135−2	PVC Insulator for 72−133 & 72−134, Red



72−142 Series PVC Insulators

Features

- **Fits 72−139, 72−140 & 72−141**
- **2 Required per Clip**
- **Flexible PVC Composition**
- **Overall Length: 1.600” (40.64mm)**

NTE Type No.	Description
72−142−0	PVC Insulator for 72−139, 72−140 & 72−141, Black
72−142−2	PVC Insulator for 72−139, 72−140 & 72−141, Red

