





| LOC |    | DIST |     | REVISONS    |      |     |      |
|-----|----|------|-----|-------------|------|-----|------|
| A   | 66 | P    | LTR | DESCRIPTION | DATE | DWN | APVD |
|     |    | -    |     | SEE SHEET 1 | -    | -   | -    |
|     |    |      |     |             |      |     |      |
|     |    |      |     |             |      |     |      |

DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2003


# FEED TYPE MECHANICAL






# PNEUMATIC




# SERVO LATCH PLATE




# CAM POSITIONS



TERMINAL SUPPORT LOCATION



HOLDDOWN SET-UP



FEED TRACK POSITION  
GUIDE BY INSULATION BARREL

ATLANTIC VERSION  
Shown on sheets 1 of 4 & 2 of 4  
(Pacific version shown on sheets 3 of 4 & 4 of 4)

|                                                                                                                                                                                                              |  |  |  |                                                        |  |                                                                                                                                    |  |                    |  |                         |  |                    |  |    |  |   |  |     |  |    |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------|--|--------------------|--|-------------------------|--|--------------------|--|----|--|---|--|-----|--|----|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT FOR TFC ELECTRONICS CORPORATION<br>IT IS SUBJECT TO THE TFC ELECTRONICS CORPORATION INFORMATION MANAGEMENT<br>POLICY AND SHOULD BE CONTROLLED FOR THE LATEST REVISION. |  |  |  | DWN<br>K. STAKEM<br>14FEB2013                          |  |  TE Connectivity<br>Harrisburg, PA 17105-3608 |  |                    |  |                         |  |                    |  |    |  |   |  |     |  |    |  |
| DIMENSIONS:<br><br>mm<br><br>                                                                                           |  |  |  | CHK<br>G. BAILEY<br>14FEB2013                          |  |                                                                                                                                    |  |                    |  |                         |  |                    |  |    |  |   |  |     |  |    |  |
|                                                                                                                                                                                                              |  |  |  | APVD<br>T. ELBIN<br>14FEB2013                          |  |                                                                                                                                    |  |                    |  |                         |  |                    |  |    |  |   |  |     |  |    |  |
| TOLERANCES UNLESS<br>OTHERWISE SPECIFIED:<br><br>0 PLC ±<br>1 PLC ±<br>2 PLC ±<br>3 PLC ±<br>4 PLC ±<br>ANGLES ±<br>FINISH                                                                                   |  |  |  | NAME<br><br>Ocean Side Feed<br>Applicator<br>-         |  | SIZE<br>A1                                                                                                                         |  | CASE CODE<br>00779 |  | DRAWING NO<br>C-2151872 |  | RESTRICTED TO<br>- |  |    |  |   |  |     |  |    |  |
|                                                                                                                                                                                                              |  |  |  | PRODUCT SPEC<br><br>-<br><br>APPLICATION SPEC<br><br>- |  |                                                                                                                                    |  |                    |  |                         |  |                    |  |    |  |   |  |     |  |    |  |
| MATERIAL                                                                                                                                                                                                     |  |  |  | WEIGHT<br>-                                            |  | Customer Accessible Production Drawing                                                                                             |  |                    |  |                         |  |                    |  |    |  |   |  |     |  |    |  |
|                                                                                                                                                                                                              |  |  |  |                                                        |  | SCALE                                                                                                                              |  | 1:2                |  | SHEET                   |  | 2                  |  | OF |  | 4 |  | REV |  | A1 |  |



| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
|     |      | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
| A   | 66   | -         | -   | SEE SHEET 1 | -    | -   | -    |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |

DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2003


D

C


B

A


# FEED TYPE MECHANICAL






# PNEUMATIC




# SERVO LATCH PLATE




# CAM POSITIONS



TERMINAL SUPPORT LOCATION



HOLDDOWN SET-UP



FEED TRACK POSITION  
GUIDE BY INSULATION BARREL

PACIFIC VERSION  
Shown on sheets 3 of 4 & 4 of 4  
(Atlantic version shown on sheets 1 of 4 & 2 of 4)

|                                                          |  |                                        |  |                          |  |                                        |  |                                              |  |
|----------------------------------------------------------|--|----------------------------------------|--|--------------------------|--|----------------------------------------|--|----------------------------------------------|--|
| THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20 |  | OWN: R. STANEM 14FEB2013               |  | CHK: G. BAILEY 14FEB2013 |  | APVD: T. ELBIN 14FEB2013               |  | NAME: Ocean Side Feed Applicator             |  |
| DIMENSIONS: mm                                           |  | TOLERANCES UNLESS OTHERWISE SPECIFIED: |  | PRODUCT SPEC:            |  | APPLICATION SPEC:                      |  | SIZE: CAGE CODE: DRAWING NO: 00779 ©=2151872 |  |
| MATERIAL:                                                |  | FINISH:                                |  | WEIGHT:                  |  | Customer Accessible Production Drawing |  | SCALE: 1:2 SHEET 4 OF 4 REV A1               |  |