

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0877581417](#)
Status: **Active**
Overview: [milligrid](#)
Description: 2.00mm (.079") Pitch Milli-Grid™ Header, Through Hole, Vertical, 14 Circuits, 0.76µm (30µ") Gold (Au) Selective Plating, Pocket Tray Packaging, Lead-free

Documents:
[3D Model](#) [Product Specification PS-87761-100 \(PDF\)](#)
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

UL E29179

General

Product Family PCB Headers
Series [87758](#)
Application Board-to-Board
Overview [milligrid](#)
Product Name Milli-Grid™

Physical

Breakaway Yes
Circuits (Loaded) 14
Circuits (maximum) 14
Color - Resin Black
Durability (mating cycles max) 100
First Mate / Last Break No
Flammability 94V-0
Glow-Wire Compliant No
Guide to Mating Part No
Keying to Mating Part None
Lock to Mating Part None
Mated Height (in) 0.157 In
Mated Height (mm) 4.00 mm
Material - Metal Phosphor Bronze
Material - Plating Mating Gold
Material - Plating Termination Tin
Material - Resin Nylon
Number of Rows 2
Orientation Vertical
PC Tail Length (in) 0.102 In
PC Tail Length (mm) 2.60 mm
PCB Locator No
PCB Retention None
PCB Thickness Recommended (in) 0.062 In
PCB Thickness Recommended (mm) 1.60 mm
Packaging Type Tray
Pitch - Mating Interface (in) 0.079 In
Pitch - Mating Interface (mm) 2.00 mm
Pitch - Term. Interface (in) 0.079 In
Pitch - Term. Interface (mm) 2.00 mm
Plating min: Mating (µin) 30
Plating min: Mating (µm) 0.76
Polarized to Mating Part No
Polarized to PCB No
Shrouded No




image - Reference only

Series

EU RoHS

**ELV and RoHS
Compliant**
REACH SVHC
Not Reviewed
**Halogen-Free
Status**

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of
Compliance, [click here](#)

Please visit the [Contact Us](#) section for any
non-product compliance questions.

Search Parts in this Series
[87758Series](#)

Mates With
[79107](#) Milli-Grid™ Receptacle, Vertical,
Through Hole. [79108](#) Milli-Grid™ Flex-to-
Board, Vertical Receptacle. Milli-Grid™
Receptacle, Surface Mount. [79109](#). [87381](#)

Stackable	No
Surface Mount Compatible (SMC)	Yes
Temperature Range - Operating	-55°C to +105°C
Termination Interface: Style	Through Hole

Electrical

Current - Maximum per Contact	2A
Voltage - Maximum	125V

Solder Process Data

Duration at Max. Process Temperature (seconds)	3
Lead-free Process Capability	Wave Capable (TH only)
Max. Cycles at Max. Process Temperature	1
Process Temperature max. C	250





Material Info

Reference - Drawing Numbers

Product Specification	PS-87761-100
Sales Drawing	SD-87758-107

This document was generated on 05/25/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



$\phi 0.71 \pm 0.07$
 $\phi 0.30 \times M$



VIEW P

$\phi 0.71 \pm 0.07$
 $\phi 0.30 \times M$



VIEW Q

LEGEND

87758- * * * *

CKT SIZE (SEE SHT 2 TABLE) PLATING (SEE NOTE 2)

NOTES:

1. MATERIAL:

HOUSING: 30% G.F. NYLON 46, 94V-0, COLOR: BLACK
 PIN: 0.50mm SQ. PHOSPHOR BRONZE 510

2. PLATING:

**16 - 0.38um MIN GOLD IN CONTACT AREA.
 TIN IN SOLDER AREA, BOTH OVER
 NICKEL OVERALL.
 **17 - 0.76um MIN GOLD IN CONTACT AREA,
 TIN IN SOLDER AREA, BOTH OVER
 NICKEL OVERALL.
 **18 - 2.54um MIN TIN OVER
 NICKEL OVERALL.

3. 12 CKT USED FOR ILLUSTRATION ONLY

4. PACKED IN POCKET TRAY




5. PIN PUSHOUT FORCE: 1KG MIN IN EITHER DIRECTION

6. CKT 4 AND 6 IS CUT FROM CKT 8 AND 12 RESPECTIVELY.
 CKT 2 ARE CUT FROM ANY LARGER CKT SIZE.ROUGH EDGES
 ARE EXPECTED ALONG THE CUTTING EDGES.

7. PRODUCT SPEC PS-87761-100 APPLIES.

8. RECOMMENDED PCB THICKNESS IS 1.60±0.10

QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
				mm	INCH				
				4 PLACES	± ---	DRAWN BY KSEE		DATE 2003/10/30	
				3 PLACES	± ---	CHECKED BY KCL ING		DATE 2004/01/05	
				2 PLACES	± 0.20	APPROVED BY SKTOH		DATE 2004/01/05	
				1 PLACE	± ---	MATERIAL NO.		DOCUMENT NO.	
				ANGULAR ± 3 °		SEE TABLE		SD-87758-107	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	

	10	9	8	7	6	5	4	3	2	1																																																
F	PART NUMBER	CKT SIZE	A	B	<table><tr><td>CKT SIZE</td><td>PART NO. WITH CAP IN TUBE</td><td>PART NO. WITH CAP IN TAPE/REEL</td><td>PLATING TYPE</td></tr><tr><td>8</td><td>87758-0814</td><td>87758-0815</td><td>**16</td></tr><tr><td>22</td><td>87758-5126</td><td>87758-5111</td><td>MOLEX INC.</td></tr></table>						CKT SIZE	PART NO. WITH CAP IN TUBE	PART NO. WITH CAP IN TAPE/REEL	PLATING TYPE	8	87758-0814	87758-0815	**16	22	87758-5126	87758-5111	MOLEX INC.																																				
	CKT SIZE	PART NO. WITH CAP IN TUBE	PART NO. WITH CAP IN TAPE/REEL	PLATING TYPE																																																						
	8	87758-0814	87758-0815	**16																																																						
	22	87758-5126	87758-5111	MOLEX INC.																																																						
	87758-02** 	2	NA	NA	WITH CAP IN TUBE (22 CKT SHOWN FOR MOLEX INC.)  WITH CAP IN TAPE/REEL (22 CKT SHOWN FOR MOLEX INC.)  DETAIL A 																																																					
87758-04** 	4	NA	2.00																																																							
87758-06** 	6	NA	4.00																																																							
87758-08**	8	7.90	6.00																																																							
E	87758-10**	10	9.90	8.00																																																						
	87758-12**	12	11.90	10.00																																																						
	87758-14**	14	13.90	12.00																																																						
	87758-16**	16	15.90	14.00																																																						
	87758-18**	18	17.90	16.00																																																						
D	87758-20**	20	19.90	18.00																																																						
	87758-22**	22	21.90	20.00																																																						
	87758-24**	24	23.90	22.00																																																						
	87758-26**	26	25.90	24.00																																																						
	87758-28**	28	27.90	26.00																																																						
C	87758-30**	30	29.90	28.00																																																						
	87758-32**	32	31.90	30.00																																																						
	87758-34**	34	33.90	32.00																																																						
	87758-36**	36	35.90	34.00																																																						
	87758-38**	38	37.90	36.00																																																						
B	87758-40**	40	39.90	38.00																																																						
	87758-42**	42	41.90	40.00																																																						
	87758-44**	44	43.90	42.00																																																						
	87758-46**	46	45.90	44.00																																																						
	87758-48**	48	47.90	46.00																																																						
A	87758-50**	50	49.90	48.00																																																						
<table><tr><td rowspan="4">EC NO: S2005-0715 DRM:KCHO CHKD:PLIM APPR:SCLOW</td><td rowspan="4">2005/05/16 2005/05/18 2005/05/19</td><td rowspan="4">DESCRIPTION REV</td><td rowspan="4">QUALITY SYMBOLS ▽=0 ▽=0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td rowspan="4"> THIRD ANGLE PROJECTION</td></tr><tr><td rowspan="3">4 PLACES</td><td>mm</td><td>INCH</td><td>DRAWN BY KSEE</td><td>DATE 2003/10/30</td><td rowspan="3">TITLE SALES DRAWING 2MM DUAL ROW SINGLE WAFER, VERTICAL T/H HDR MOLEX INCORPORATED</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td><td>CHECKED BY KCL ING</td><td>DATE 2004/01/05</td></tr><tr><td>2 PLACES</td><td>± 0.20</td><td>± ---</td><td>APPROVED BY SKTOH</td><td>DATE 2004/01/05</td></tr><tr><td colspan="2">1 PLACE</td><td>± ---</td><td>± ---</td><td colspan="2">ANGULAR ± 3 °</td><td>MATERIAL NO. SEE TABLE</td><td>DOCUMENT NO. SD-87758-107</td><td>SHEET NO. 2 OF 2</td></tr><tr><td colspan="2">A2</td><td></td><td></td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="6">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>					EC NO: S2005-0715 DRM:KCHO CHKD:PLIM APPR:SCLOW	2005/05/16 2005/05/18 2005/05/19	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	4 PLACES	mm	INCH	DRAWN BY KSEE	DATE 2003/10/30	TITLE SALES DRAWING 2MM DUAL ROW SINGLE WAFER, VERTICAL T/H HDR MOLEX INCORPORATED	3 PLACES	± ---	± ---	CHECKED BY KCL ING	DATE 2004/01/05	2 PLACES	± 0.20	± ---	APPROVED BY SKTOH	DATE 2004/01/05	1 PLACE		± ---	± ---	ANGULAR ± 3 °		MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-87758-107	SHEET NO. 2 OF 2	A2				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
EC NO: S2005-0715 DRM:KCHO CHKD:PLIM APPR:SCLOW	2005/05/16 2005/05/18 2005/05/19	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)					DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION																																													
				4 PLACES					mm	INCH	DRAWN BY KSEE	DATE 2003/10/30		TITLE SALES DRAWING 2MM DUAL ROW SINGLE WAFER, VERTICAL T/H HDR MOLEX INCORPORATED																																												
									3 PLACES	± ---	± ---	CHECKED BY KCL ING				DATE 2004/01/05																																										
					2 PLACES	± 0.20	± ---	APPROVED BY SKTOH	DATE 2004/01/05																																																	
1 PLACE		± ---	± ---	ANGULAR ± 3 °		MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-87758-107	SHEET NO. 2 OF 2																																																		
A2				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																				
ib_frame_A3_P_AM_T Rev. D 2004/06/28																																																										