



DSL-1205-G02MY

SICK
Sensor Intelligence.



Illustration may differ

Ordering information

Type	Part no.
DSL-1205-G02MY	6053044

Other models and accessories → www.sick.com/



Detailed technical data


Technical specifications

Accessory group	Plug connectors and cables
Accessory family	Connection cables
Connection type head A	Female connector, M12, 5-pin, straight
Connection type head B	Male connector, M12, 5-pin, straight
Connector material	TPU
Connector color	Black
Locking nut material	Zinc die-cast, nickel-plated
Cable	2 m, 5-wire, PUR, halogen-free
Jacket material	PUR, halogen-free
Jacket color	Black
Cable diameter	6.7 mm
Conductor cross-section	2 x 0,34 mm ² + 2 x 0,25 mm ² + 1 x 0,34 mm ²
Shielding	Shielded
Bending radius	
Flexible use	> 10 x cable diameter
Stationary position	> 10 x cable diameter
Bending cycles	2,000,000
Reference voltage	≤ 60 V
Traversing speed	3 m/s
Travelling distance	4.5 m
Acceleration	≤ 3 m/s ²
Signal type	CANopen, DeviceNet™
Note	A-coded
Authorizations	UL
Enclosure rating	IP65/ IP67/ IP69K
Specialty	Flame-resistant, self-extinguishing
Ambient operating temperature	
Flexible use	-20 °C ... +70 °C
Stationary position	-40 °C ... +80 °C

Classifications

ECI@ss 5.0	19030312
ECI@ss 5.1.4	19030312
ECI@ss 6.0	27060304
ECI@ss 6.2	27060304
ECI@ss 7.0	27060304
ECI@ss 8.0	27060304
ECI@ss 8.1	27060304
ECI@ss 9.0	27060304
ETIM 5.0	EC000830
ETIM 6.0	EC000830
UNSPSC 16.0901	26121604


Dimensional drawing (Dimensions in mm (inch))



plug connector M12 x1, straight, screened

- ① Shield wire
- ② Red
- ③ Black
- ④ White
- ⑤ Blue

PIN assignment



- ① Shield wire
- ② Red
- ③ Black
- ④ White
- ⑤ Blue

SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is “Sensor Intelligence.”

WORLDWIDE PRESENCE:

Contacts and other locations –www.sick.com