






REVISION RECORD		
REV	DESCRIPTION	DRFT



DIMENSIONS				
POSITION	A ±0.10	B $\begin{smallmatrix} +0.15 \\ -0.05 \end{smallmatrix}$	C ±0.20	D ±0.23
36	6	7.65	9.15	25.00
64	20	21.65	23.15	39.00
98	37	38.65	40.15	56.00
164	70	71.65	73.15	89.00



SECTION F-F

DUAL POST TYPE

DETACHED LISTS	 MM (INCH)		DFTO Roy	DATE 11/14/2012	 Pulse Electronics		RoHS Compliant		
	TOLERANCES EXCEPT AS NOTED		CHKD	DATE					
	MM		APPVL	DATE	TITLE PCI EXPRESS 1.0mm CARD EDGE ASSY'				
	. ± 0.40	±	MATERIAL :						
	.0 ± 0.30	±							
	.00 ± 0.20	±	QT'Y :		DRAWING NO. E9001-XXX-XX		SIZE	REV	
	.000 ± 0.10	±	FINISH :		/PART NO. E9001-XXX-XX		A3	01	
	ANGLES ± 0.5°		SCALE : 1:1		DO NOT SCALE DRAWING		SHEET	1 OF 3	
									
	THIRD ANGLE PROJECTION								

NOTES:

1. MATERIAL:

- 1.1 HOUSING: THERMOPLASTIC, HIGH TEMP.,
UL94V-0;
COLOR: BLACK
- 1.2 CONTACTS: COPPER ALLOY.

2. FINISH:

- 2.1 CONTACT:
SELECTEIVE GOLD PLATING ON CONTACT AREA.
100μ" MIN. MATTE TIN PLATING ON SOLDER TAILS,
50μ" MIN. NICKEL UNDERPLATING OVERALL.

REVISION RECORD		
REV	DESCRIPTION	DRFT

PRAT NUMBER	DESCRIPTION	PLATING Au	No.of Pins	Packing
E9001-001-01	PCI Express Connector, Vertical, THT,	1u"	36pin	Tray
E9001-001-02		15u"	36pin	
E9001-002-01		1u"	64pin	
E9001-002-02		15u"	64pin	
E9001-003-01		1u"	98pin	
E9001-003-02		15u"	98pin	
E9001-004-01		1u"	164pin	
E9001-004-02		15u"	164pin	

DETACHED LISTS	MM (INCH)		DFTD Roy	DATE 11/14/2012	 Pulse Electronics		RoHS Compliant		
	TOLERANCES EXCEPT AS NOTED		CHKD	DATE					
	MM ± 0.40 .0 ± 0.30 .00 ± 0.20 .000 ± 0.10		± ± ± ±	APPVL	DATE	TITLE PCI EXPRESS 1.0mm CARD EDGE ASSY'			
			MATERIAL :						
	ANGLES ± 0.5°		QT'Y :		DRAWING NO. E9001-XXX-XX /PART NO. E9001-XXX-XX			SIZE A3	REV 01
			FINISH :						
	THIRD ANGLE PROJECTION		SCALE : 1:1		DO NOT SCALE DRAWING			SHEET 3 OF 3	