KVM-0223 □□□□ □□: 2



2-Port Cable KVM Switch, VGA, USB, Audio

The LevelOne KVM-0223 USB Cable KVM Switch offers users a high resolution VGA video interface and eliminates connection headaches with two sets of fixed USB KVM & Audio / Mic combo cables. A wired QuickSwitch! button further enhances the user's experience by switching from one computer to another with just the touch of a button.The LevelOne KVM-0223 also supports switching client software with both Windows and Mac OS supported. LevelOne freeware can be installed on networked computers for intuitive menu-driven switching action. A desktop icon displays which port is currently active, giving users an easy interface with the devices, an LED display provides easy status monitoring and keyboard hotkeys offer even more convenience with a third way of switching between devices.The two USB 2.0 keyboard and mouse ports are transparent USB hub ports that feature full driver support for advanced keyboard/mouse action. In addition, they can also be connected to other high-speed devices such as USB disk storage.



1. Mic Connectorr
2. Audio Connector
3. USB Console Port
4. Video Connector
5. Quick switch button
6. Mic Jack
7. USB Console Port
8. Video Console Port
9. Speaker Jack
10. Port LED

Key Features

- □□□ USB □□□, □□□, □□□□ □□□□ 2 □□ □□□ □□ □ □□
- 1 x wired QuickSwitch! Button for instant switching
- 2 x fixed VGA USB KVM audio/mic combo cables
- Windows and Mac switching software support
- USB 2.0 hub ports for keyboard, mouse or other high-speed USB devices
- VGA analog video up to 2048 x 1536 pixels
- Independent/simultaneous switching of PC and audio/mic channel
- User-definable hotkeys and universal hotkey for computer switching
- LED display for easy status monitoring



KVM-0221
2-Port USB KVM Switch with Audio

System Specifications

Standards & Protocols:
Windows Vista/7/8/2003, Mac, Linux

Connectors and Cabling:
PC Port:
USB: 2 x Type A USB Connectors
Video: 2 x VGA (male)
Speaker: 2 x Stereo speaker plugs
Microphone: 2 x Mono microphone plugs
KVM Body: 2 x Video Connector (male)

Console Port:
Keyboard/Mouse: 2 x Type A USB Connectors (female)
Video: 1 x VGA (female)
Speaker: 1 x Stereo speaker jack
Microphone: 1 x Mono microphone jack

Button:
display switch button

Indicator:
Green for PC Selection

Resolution:
Resolution:2048 x 1536
Cable Length 0.9 M

Power:
Power Input: By PC USB Power

Features

General:
Keyboard: 105 key usb keyboard

Management:
USB Keyboard Hot Key and Push button

Environment

Temperature (°C):
Operating: 0°C ~ 40°C
Storage: - 20°C ~ 60°C

Humidity (Non-condensing):
Storage: 0% ~ 90%
Operating: 0% ~ 90%


Physical Specifications

Dimensions (W x D x H mm):
87 x 59 x 25 mm

Weight (g):
360 g

Others

Approval and Compliance:
CE, FCC



Order Information

KVM-0223

Package Contents

KVM-0223
Quick Installation Guide
Resource CD (User Manual, Utility, Driver)

No liability or responsibility for any errors or omissions in the content.
Specifications are subject to change without notice.
All mentioned brand names are registered trademarks and property of their owners.
Copyright © Digital Data Communications GmbH, Germany. All Rights Reserved.