PASTERNACK®
THE ENGINEER'S RF SOURCE



Preset Click Type Torque Wrench With 13/16 Bit For N, SC Connectors Preset to 14 in-lbs

Torque Wrenches Technical Data Sheet PE5011-6

Features

- Designed for continual use
- "Clicks" once preset torque value is achieved
- Designed to avoid over torque

Applications

- Lab environments
- Production cable attachment
- Field install and testing
- Applying accurate torque
- Avoiding over torque

Description

PE5011-6 click type torque wrench, designed for type N and SC connectors, has a 13/16 bit with a preset value of 14 in-lbs. Pasternack's PE5011-XX click type torque wrenches allow accurate mating force when assembling and disassembling a variety of RF coaxial connectors. The unique feature of click type RF wrenches is that once the preset torque value is reached, they will "click" which can be heard and felt, followed by a slight bend at the head, alerting to the user to stop applying torque on the connector. Pasternack's click type N and SC torque wrenches are in-stock and also available for a wide variety of other RF connectors, all of which ship the same day. These RF torque wrenches are calibrated at time of manufacture in compliance with ANSI/NCSL Z540 or other internationally recognized standard.

Configuration

Torque Type	Preset
Design Type	Click Type
Hex Size	13/16 inch
Torque Setting	14 in-lbs [1.58 Nm]
Torque Accuracy Percentage	±4 %
Size	
Length	7.27 in [184.66 mm]
Handle Diameter	1.35 in [34.29 mm]
Weight	0.393 lbs [178.26 g]
Handle Color	Blue

Compliance Certifications (see product page for current document)

Notes:

- Do not use on damaged connectors.
- The torque wrench is verified at the factory and cannot be calibrated by the user. We cannot re-calibrate the unit.
- To improve performance of wrench that hasn't been used recently, actuate the wrench by clicking the wrench head back and forth several times before use. This will spread the lubricant through the internal mechanism.
- Click type tools required smooth, consisten clicking action. Each torquing action should be completed within 2 seconds.
- Slower or faster torquing action will detract from accuracy.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Preset Click Type Torque Wrench With 13/16 Bit For N, SC Connectors Preset to 14 in-lbs PE5011-6

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623
Phone: (866) 727-8376 or (949) 261-1920 • **Fax:** (949) 261-7451
Sales@Pasternack.com • Techsupport@Pasternack.com

ISO 9001 : 2008 Registered

© 2017 Pasternack Enterprises All Rights Reserved

PASTERNACK®
THE ENGINEER'S RF SOURCE



Preset Click Type Torque Wrench With 13/16 Bit For N, SC Connectors Preset to 14 in-lbs

Torque Wrenches Technical Data Sheet PE5011-6

Preset Click Type Torque Wrench With 13/16 Bit For N, SC Connectors Preset to 14 in-lbs from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Preset Click Type Torque Wrench With 13/16 Bit For N, SC Connectors Preset to 14 in-lbs PE5011-6

URL: https://www.pasternack.com/preset-torque-wrench-13-16-bit-n-sc-14in-lbs-pe5011-6-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.


Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623
Phone: (866) 727-8376 or (949) 261-1920 • **Fax:** (949) 261-7451
Sales@Pasternack.com • Techsupport@Pasternack.com

ISO 9001 : 2008 Registered

© 2017 Pasternack Enterprises All Rights Reserved

PE5011-6 CAD Drawing

Preset Click Type Torque Wrench With 13/16 Bit For N, SC Connectors Preset to 14 in-lbs



NOTES:
1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
3. DIMENSIONS ARE IN INCHES [mm].

DWG TITLE
PE5011-6

CAD FILE 100313 | SCALE N/A | SIZE A | 150

FSCM NO. 53919

PASTERNACK®
Pasternack Enterprises, Inc.
P.O. Box 16759 | Irvine | CA | 92623
Phone: (949) 261-1920 | **Fax:** (949) 261-7451
Website: www.pasternack.com | **E-Mail:** sales@pasternack.com

© 2017 Pasternack Enterprises All Rights Reserved