PASTERNACK®
www.pasternack.com



TNC Female to SMP Male Push-On Bulkhead Adapter Limited Detent

TECHNICAL DATA SHEET PE91073

TNC Female to SMP Male Push-On Bulkhead Adapter Limited Detent

Configuration

Connector 1	TNC Female
Impedance 1	50 Ohms
Connector 2	SMP Male
Impedance 2	50 Ohms
Adapter Design	Standard
Body Style	Straight
Mount Method	Bulkhead

Electrical Specifications

Frequency Range, GHz	DC to 8
Maximum VSWR	1.3:1

Mechanical Specifications

Temperature

Operating Range,deg C	-55 to +125

Size

Length, in [mm]	1 [25.4]
Width/Dia., in [mm]	0.5 [12.7]

Connector 1

Type	TNC Female
Inner Conductor Material and Plating	Bronze, Gold
Outer Conductor Material and Plating	Brass, Nickel
Body Material and Plating	Brass, Nickel
Dielectric Type	PTFE

Connector 2

Type	SMP Male
Inner Conductor Material and Plating	Bronze, Gold
Outer Conductor Material and Plating	Brass, Nickel
Body Material and Plating	Brass, Nickel
Dielectric Type	PTFE

Click the following link (or enter part number in “SEARCH” on website) to obtain additional part information including price, inventory and certifications: TNC Female to SMP Male Push-On Bulkhead Adapter Limited Detent PE91073

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623
Phone: (866) 727-8376 or (949) 261-1920 • **Fax:** (949) 261-7451
Sales@Pasternack.com • Techsupport@Pasternack.com

ISO 9001 : 2008 Registered

© 2013 Pasternack Enterprises All Rights Reserved

PASTERNACK®
www.pasternack.com



TNC Female to SMP Male Push-On Bulkhead Adapter Limited Detent

TECHNICAL DATA SHEET PE91073

Compliance Certifications (visit www.Pasternack.com for current document)

Plotted and Other Data

Notes: Values at 25 °C, sea level

TNC Female to SMP Male Push-On Bulkhead Adapter Limited Detent from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in “SEARCH” on website) to obtain additional part information including price, inventory and certifications: TNC Female to SMP Male Push-On Bulkhead Adapter Limited Detent PE91073

URL: http://www.pasternack.com/tnc-female-smp-male-straight-adapter-pe91073-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.


Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623
Phone: (866) 727-8376 or (949) 261-1920 • **Fax:** (949) 261-7451
Sales@Pasternack.com • Techsupport@Pasternack.com

ISO 9001 : 2008 Registered

© 2013 Pasternack Enterprises All Rights Reserved

PE91073 CAD Drawing

TNC Female to SMP Male Push-On Bulkhead Adapter Limited Detent



© 2013 Pasternack Enterprises All Rights Reserved