

# Material & Color Availability Chart

## CABLE TIES

### Available Styles

- Pan-Ty® Cable Ties - Clamp Ties, Marker and Flag Ties, Push Mount Ties, Lashing Ties, Releasable Ties
- Super-Grip® Cable Ties
- Dome-Top® Barb Ty Cable Ties - Clamp Ties, Marker and Flag Ties, Push Mount Ties, Dura-Ty™ Cable Ties
- Parallel-Entry Ties:
  - Contour-Ty™ Cable Ties,
  - Hyper-V™ In-Line Cable Ties,
  - Belt-Ty™ In-Line Cable Ties,
  - IN-LINE Cable Ties),
  - Elastomeric Cable Ties
- Hook and Loop Cable Ties:
  - Tak-Ty® Cable Ties (Cinch Ties, 15' & 75' Rolls, Strip Ties, Loop Ties, UL Listed Strip & Loop Ties, Stacked Strips)
  - Tak-Tape™ Rolls
  - Ultra-Cinch™ Cable Ties
- Sta-Strap® Cable Ties - Clamp Ties, Marker Ties
- Specialty Ties - Cable Marker Strap, Double Hose Clamp, Double Loop, Triple Loop, Locking Stud Mounted, Releasable Stud Mounted Ladder Ties, Bow-Ty, Chassis/Panel Mount Ties

---

## CONTACTS

**Customer Service**    Phone: 800-777-3300    • Fax: 708-532-1811    • Email: [info@panduit.com](mailto:info@panduit.com)    • Website: [www.panduit.com](http://www.panduit.com)

## Part Number System for Pan-Ty® Cable Ties

PLT

2

S

—

C

| Type                                    | Size      | Cross Section     | Screw Hole Size<br>(Clamp Ties Only) | Package Size          | Mat'l / Color |
|-----------------------------------------|-----------|-------------------|--------------------------------------|-----------------------|---------------|
| PLT = Locking Tie                       | Approx.   | SM = Subminiature | – S4 = #4(M2.5)                      | Q = 25                | See below     |
| PRT = Releasable Tie                    | Maximum   | M = Miniature     | – S6 = #6 (M3)                       | L = 50                |               |
| PLC = Locking Clamp                     | Bundle    | I = Intermediate  | – S8 = #8 (M4)                       | C = 100               |               |
| PLF = Locking Flag                      | Dia. (In) | S = Standard      | – S10 = #10 (M5)                     | TL = 250              |               |
| PLM = Locking Marker                    |           | LH = Light-Heavy  | – S25 = 1/4 (M6)                     | D = 500               |               |
| PLP = Locking Push Mount                |           | H = Heavy         |                                      | M = 1000              |               |
| PLWP = Locking Wing Push Mount          |           | EH = Extra-Heavy  |                                      | VMR = 2 reels/2500 ea |               |
| PRLWP = Releasable Ladder Wing Push Mt. |           |                   |                                      | XMR = 2 reels/5000 ea |               |
| PRWP = Releasable Wing Push Mount       |           |                   |                                      |                       |               |
| PLUP = Locking Umbrella Push Mount      |           |                   |                                      |                       |               |

## Material and Color Chart

| Material                                       | Color          | Panduit Suffix |
|------------------------------------------------|----------------|----------------|
| Nylon 6.6                                      | Natural        | ✓              |
| Weather Resistant Nylon 6.6                    | Black          | 0              |
| Weather Resistant Nylon 6.6 (meets Mil. Spec.) | Black          | 00             |
| Nylon 6.6                                      | Brown          | 1              |
| Nylon 6.6                                      | Red            | 2              |
| Nylon 6.6                                      | Orange         | 3              |
| Nylon 6.6                                      | Yellow         | 4Y             |
| Nylon 6.6                                      | Green          | 5              |
| Nylon 6.6                                      | Blue           | 6              |
| Nylon 6.6                                      | Purple         | 7              |
| Nylon 6.6                                      | Gray           | 8              |
| Nylon 6.6                                      | White          | 10             |
| Nylon 6.6                                      | Telephone Gray | 14             |
| Nylon 6.6                                      | Black          | 20             |
| Heat Stabilized Nylon 6.6                      | Black          | 30             |

| Material                                    | Color              | Panduit Suffix |
|---------------------------------------------|--------------------|----------------|
| Heat Stabilized Nylon 6.6                   | Natural            | 39             |
| Nylon 6.6                                   | Fluorescent Orange | 53             |
| Nylon 6.6                                   | Fluorescent Yellow | 54             |
| Nylon 6.6                                   | Fluorescent Green  | 55             |
| Nylon 6.6                                   | Fluorescent Pink   | 59             |
| Flame Retardant Nylon 6.6                   | Black              | 60             |
| Flame Retardant Nylon 6.6                   | Natural (Ivory)    | 69             |
| PEEK (Polyetheretherketone)                 | Translucent Brown  | 71             |
| TEFZEL <sup>■</sup>                         | Aqua Blue          | 76             |
| Metal Detectable                            | Blue               | 86             |
| Weather Resistant Polypropylene             | Black              | 100            |
| Polypropylene                               | Green              | 109            |
| Nylon 12                                    | Black              | 120            |
| Heat Stabilized Weather Resistant Nylon 6.6 | Black              | 300            |
| HALAR <sup>▲</sup>                          | Maroon             | 702Y           |

✓ Denotes Panduit Natural Nylon 6.6 (no suffix).

■TEFZEL is a registered trademark of E. I. du Pont de Nemours and Company.

▲HALAR is a registered trademark of Solvay Solexis, Inc.

## Part Number Availability List

| Standard Packaging |                   |                       | Bulk Packaging |                   |                                    |
|--------------------|-------------------|-----------------------|----------------|-------------------|------------------------------------|
| Part Number        | Natural Nylon 6.6 | Material/Color Suffix | Part Number    | Natural Nylon 6.6 | Material/Color Suffix              |
| PLC1M-S4-C         | ✓                 | 0                     | PLC1M-S4-M     | ✓                 | 0, 30                              |
| PLC1.5I-S8-C       | ✓                 | 0                     | PLC1.5I-S8-M   | ✓                 | 0, 30                              |
| PLC2S-S6-C         | ✓                 | 0                     | PLC2S-S6-M     | ✓                 | 0                                  |
| PLC2S-S10-C        | ✓                 | 0, 14                 | PLC2S-S10-M    | ✓                 | 0, 20, 30                          |
| PLC3S-S10-C        | ✓                 | 0                     | PLC3S-S10-M    | ✓                 | 0                                  |
| PLC4S-S10-C        | ✓                 | 0                     | PLC4S-S10-M    | ✓                 | 0, 30                              |
| PLC2H-S25-L        | ✓                 |                       | PLC2H-S25-TL   | ✓                 | 0, 30                              |
| PLC4H-S25-L        | ✓                 | 0                     | PLC4H-S25-TL   | ✓                 | 0, 30                              |
| PLF1M-C            | ✓                 | 0                     | PLF1M-M        | ✓                 | 0, 2, 3, 4Y, 6, 10, 69             |
| PLF1MA-C           | ✓                 | 3, 4Y                 | PLF1MA-M       | ✓                 | 0, 2, 3, 4Y, 5, 6, 10              |
| PLF1MB-C           | ✓                 |                       | PLF1MB-M       | ✓                 |                                    |
|                    |                   |                       | PLF1MC-M       | ✓                 | 3                                  |
| PLM1M-C            | ✓                 | 0                     | PLM1M-M        | ✓                 | 0, 1, 2, 3, 4Y, 5, 6, 7, 8, 10, 69 |
| PLM2M-C            | ✓                 |                       | PLM2M-M        | ✓                 | 0, 4Y, 6                           |
| PLM2S-C            | ✓                 | 0, 4Y                 | PLM2S-D        | ✓                 | 0, 2, 3, 4Y, 5, 6, 8               |
| PLM4S-C            | ✓                 |                       | PLM4S-D        | ✓                 | 0, 2, 4Y, 6                        |
| PL2M2S-L           | ✓                 | 0                     | PL2M2S-D       | ✓                 | 0, 4Y, 10                          |

| Standard Packaging |                   |                                                                   | Bulk Packaging |                   |                                                                                                              |
|--------------------|-------------------|-------------------------------------------------------------------|----------------|-------------------|--------------------------------------------------------------------------------------------------------------|
| Part Number        | Natural Nylon 6.6 | Material/Color Suffix                                             | Part Number    | Natural Nylon 6.6 | Material/Color Suffix                                                                                        |
| PL3M2S-L           | ✓                 |                                                                   | PL3M2S-D       | ✓                 | 0, 4Y                                                                                                        |
| PLP1.5I-C          | ✓                 |                                                                   | PLP1.5I-M      | ✓                 | 0, 30                                                                                                        |
|                    |                   |                                                                   | PLP1S-M        | ✓                 | 0, 30                                                                                                        |
|                    |                   |                                                                   | PLP1.5S-M      | ✓                 |                                                                                                              |
| PLP2S-C            | ✓                 |                                                                   | PLP2S-M        | ✓                 | 0, 30                                                                                                        |
| PLT.6SM-C          | ✓                 | 0                                                                 | PLT.6SM-M      | ✓                 | 0, 30                                                                                                        |
| PLT.7M-C           | ✓                 |                                                                   | PLT.7M-M       | ✓                 | 0, 30                                                                                                        |
| PLT1M-C            | ✓                 | 0, 00, 1, 2, 3, 4Y, 5, 6, 7, 8, 10, 14, 30, 76, 86, 186, 702Y     | PLT1M-M        | ✓                 | 0, 00, 1, 2, 3, 4Y, 5, 6, 7, 8, 10, 14, 20, 30, 53, 54, 55, 59, 60, 69, 76, 100, 109, 300, 702Y              |
|                    |                   |                                                                   | PLT1M-XMR      | ✓                 | 0, 1, 2, 3, 4Y, 5, 6, 7, 8, 10, 30                                                                           |
| PLT1.5M-C          | ✓                 | 0                                                                 | PLT1.5M-M      | ✓                 | 0, 00, 1, 2, 3, 4Y, 5, 6, 7, 8, 10, 14, 20, 30                                                               |
|                    |                   |                                                                   | PLT1.5M-XMR    | ✓                 | 0, 00, 30                                                                                                    |
| PLT2M-C            | ✓                 | 0                                                                 | PLT2M-M        | ✓                 | 0, 1, 2, 3, 4Y, 5, 6, 7, 8, 10, 20, 30, 69                                                                   |
| PLT1.5I-C          | ✓                 | 0, 1, 2, 3, 4Y, 5, 6, 7, 8, 10, 20, 30                            | PLT1.5I-M      | ✓                 | 0, 00, 1, 2, 3, 4Y, 5, 6, 7, 8, 10, 20, 30, 69, 100, 109, 120, 300                                           |
| PLT2I-C            | ✓                 | 0, 14, 30, 76, 86, 186                                            | PLT2I-M        | ✓                 | 0, 00, 1, 2, 3, 4Y, 5, 6, 7, 8, 10, 14, 20, 30, 53, 54, 55, 59, 69, 76, 300                                  |
| PLT2.5I-C          | ✓                 | 0                                                                 | PLT2.5I-M      | ✓                 | 0, 20                                                                                                        |
| PLT3I-C            | ✓                 | 0, 14                                                             | PLT3I-M        | ✓                 | 0, 2, 3, 4Y, 5, 6, 8, 10, 14, 20, 30                                                                         |
| PLT4I-C            | ✓                 | 0, 14                                                             | PLT4I-M        | ✓                 | 0, 2, 5, 6, 14, 20, 30                                                                                       |
| PLT1S-C            | ✓                 | 0                                                                 | PLT1S-M        | ✓                 | 0, 30, 38, 300                                                                                               |
| PLT1.5S-C          | ✓                 | 0                                                                 | PLT1.5S-M      | ✓                 | 0, 30                                                                                                        |
| PLT2S-C            | ✓                 | 0, 00, 1, 2, 3, 4Y, 5, 6, 7, 8, 10, 20, 30, 71, 76, 86, 186, 702Y | PLT2S-M        | ✓                 | 0, 00, 1, 2, 3, 4Y, 5, 6, 7, 8, 10, 20, 30, 38, 39, 53, 54, 55, 59, 60, 69, 71, 76, 100, 109, 120, 300, 702Y |
|                    |                   |                                                                   | PLT2S-VMR      | ✓                 | 0, 30                                                                                                        |
| PLT2.5S-C          | ✓                 | 0                                                                 | PLT2.5S-M      | ✓                 | 0, 30                                                                                                        |
| PLT3S-C            | ✓                 | 0, 00, 2, 20, 30, 76, 86, 186, 702Y                               | PLT3S-M        | ✓                 | 0, 00, 1, 2, 3, 4Y, 5, 6, 7, 8, 10, 20, 30, 53, 54, 55, 59, 76, 100, 109, 702Y                               |
|                    |                   |                                                                   | PLT3S-VMR      | ✓                 | 30                                                                                                           |
| PLT4S-C            | ✓                 | 0, 00, 2, 3, 4Y, 5, 6, 8, 20, 30, 76, 86, 186                     | PLT4S-M        | ✓                 | 0, 00, 1, 2, 3, 4Y, 5, 6, 7, 8, 10, 14, 20, 30, 69, 76, 100, 109, 120, 300                                   |
| PLT4.5S-C          | ✓                 | 0                                                                 | PLT4.5S-M      | ✓                 | 0                                                                                                            |
| PLT5S-C            | ✓                 | 0                                                                 | PLT5S-M        | ✓                 | 0, 2, 3, 4Y, 5, 6, 8, 30                                                                                     |
| PLT6LH-L           | ✓                 | 0                                                                 | PLT6LH-C       | ✓                 | 0                                                                                                            |
| PLT7LH-L           | ✓                 | 0                                                                 | PLT7LH-C       | ✓                 | 0, 30                                                                                                        |
| PLT8LH-L           | ✓                 | 0                                                                 | PLT8LH-C       | ✓                 | 0, 120                                                                                                       |
| PLT8LH-Q           |                   | 0                                                                 |                |                   |                                                                                                              |
| PLT9LH-L           | ✓                 | 0                                                                 | PLT9LH-C       | ✓                 | 0, 30                                                                                                        |
| PLT10LH-L          | ✓                 |                                                                   | PLT10LH-C      | ✓                 |                                                                                                              |
| PLT2H-L            | ✓                 | 0                                                                 | PLT2H-TL       | ✓                 | 0, 2, 4Y, 6, 30, 100, 109, 300                                                                               |
| PLT2.5H-L          | ✓                 | 0                                                                 | PLT2.5H-TL     | ✓                 | 0                                                                                                            |
| PLT3H-L            | ✓                 | 0, 76, 86, 186                                                    | PLT3H-TL       | ✓                 | 0, 30, 76, 100, 109                                                                                          |
| PLT4H-L            | ✓                 | 0, 00, 76, 86, 186                                                | PLT4H-TL       | ✓                 | 0, 00, 1, 2, 3, 4Y, 5, 6, 10, 20, 30, 69, 76, 100, 109, 120, 300                                             |
| PLT4H-C            | ✓                 | 0                                                                 |                |                   |                                                                                                              |
| PLT5H-L            | ✓                 | 0                                                                 | PLT5H-C        | ✓                 | 0, 30                                                                                                        |
| PLT6H-L            | ✓                 | 0                                                                 | PLT6H-C        | ✓                 | 0, 30                                                                                                        |
| PLT8H-L            | ✓                 | 0                                                                 | PLT8H-C        | ✓                 | 0, 00, 30                                                                                                    |
| PLT8H-L            | ✓                 | 0                                                                 |                |                   |                                                                                                              |
| PLT13H-Q           | ✓                 | 0                                                                 | PLT13H-C       | ✓                 | 0, 3                                                                                                         |
| PLT2EH-Q           |                   | 0                                                                 | PLT2EH-C       | ✓                 | 0                                                                                                            |
|                    |                   |                                                                   | PLT3EH-NB-C    |                   | 0                                                                                                            |
| PLT5EH-Q           | ✓                 | 0                                                                 | PLT5EH-C       | ✓                 | 0                                                                                                            |
|                    |                   |                                                                   | PLT5EH-NB-C    |                   | 0                                                                                                            |
| PLT6EH-Q           | ✓                 | 0                                                                 | PLT6EH-C       | ✓                 | 0                                                                                                            |
|                    |                   |                                                                   | PLT6EH-NB-C    |                   | 0                                                                                                            |
| PLT8EH-Q           |                   | 0                                                                 | PLT8EH-C       | ✓                 | 0                                                                                                            |
| PLT10EH-Q          |                   | 0                                                                 | PLT10EH-C      | ✓                 | 0                                                                                                            |
| PLT12EH-Q          |                   | 0                                                                 | PLT12EH-C      | ✓                 | 0                                                                                                            |

| Standard Packaging |                   |                       | Bulk Packaging |                   |                       |
|--------------------|-------------------|-----------------------|----------------|-------------------|-----------------------|
| Part Number        | Natural Nylon 6.6 | Material/Color Suffix | Part Number    | Natural Nylon 6.6 | Material/Color Suffix |
|                    |                   |                       | PLUP40S-D      |                   | 30                    |
|                    |                   |                       | PLUP40SE-D     | ✓                 | 30                    |
| PLWP1M-C           | ✓                 |                       | PLWP1M-D       | ✓                 | 0, 30                 |
| PLWP1.5I-C         | ✓                 |                       | PLWP1.5I-D     | ✓                 | 30                    |
| PLWP1S-C           | ✓                 | 0                     | PLWP1S-D       | ✓                 | 0, 20, 30             |
|                    |                   |                       | PLWP1SA-D      | ✓                 |                       |
|                    |                   |                       | PLWP1SB-D      | ✓                 |                       |
|                    |                   |                       | PLWP1.5S-D     | ✓                 | 30                    |
|                    |                   |                       | PLWP1.5SA-D    | ✓                 |                       |
| PLWP2S-C           | ✓                 | 0                     | PLWP2S-D       | ✓                 | 0, 30                 |
|                    |                   |                       | PLWP2SA-D      | ✓                 |                       |
|                    |                   |                       | PLWP2SB-D      | ✓                 |                       |
|                    |                   |                       | PLWP2H-TL      | ✓                 | 0, 30                 |
|                    |                   |                       | PLWP3H-TL      | ✓                 | 0                     |
|                    |                   |                       | PLWP30SC-D     |                   | 30                    |
|                    |                   |                       | PLWP40SC-D     |                   | 30                    |
|                    |                   |                       | PLWP40SD-D     |                   | 30                    |
|                    |                   |                       | PLWP50SC-D     |                   | 30                    |
|                    |                   |                       | PLWP50SE-D     |                   | 30                    |
|                    |                   |                       | PRLWP30S-D     |                   | 30                    |
|                    |                   |                       | PRLWP50S-D     |                   | 30                    |
| PRT1S-C            | ✓                 | 0                     | PRT1S-M        | ✓                 | 0                     |
| PRT1.5S-C          | ✓                 | 0                     | PRT1.5S-M      | ✓                 | 0, 30                 |
| PRT2S-C            | ✓                 | 0                     | PRT2S-M        | ✓                 | 0, 2, 3, 4Y, 6, 7     |
| PRT3S-C            | ✓                 | 0                     | PRT3S-M        | ✓                 | 0                     |
| PRT4S-C            | ✓                 | 0                     | PRT4S-M        | ✓                 | 0, 2, 3, 4Y, 6        |
| PRT2H-L            | ✓                 | 0                     | PRT2H-TL       | ✓                 | 0                     |
| PRT3H-L            | ✓                 | 0                     | PRT3H-TL       | ✓                 | 0                     |
| PRT4H-L            | ✓                 | 0                     | PRT4H-TL       | ✓                 | 0                     |
| PRT2EH-Q           |                   | 0                     | PRT2EH-C       | ✓                 | 0, 100                |
| PRT5EH-Q           | ✓                 | 0                     | PRT5EH-C       | ✓                 | 0, 100                |
| PRT6EH-Q           | ✓                 | 0                     | PRT6EH-C       | ✓                 | 0, 100                |
| PRT8EH-Q           |                   | 0                     | PRT8EH-C       | ✓                 | 0, 100                |
| PRT10EH-Q          |                   | 0                     | PRT10EH-C      | ✓                 | 0                     |
| PRT12EH-Q          |                   | 0                     | PRT12EH-C      | ✓                 | 0                     |
| PRWP1S-C           | ✓                 |                       | PRWP1S-D       | ✓                 | 0                     |
|                    |                   |                       | PRWP1SA-D      | ✓                 |                       |
|                    |                   |                       | PRWP1SB-D      | ✓                 |                       |
|                    |                   |                       | PRWP1.5S-D     | ✓                 | 0, 20, 30             |
|                    |                   |                       | PRWP2S-D       | ✓                 | 0                     |
|                    |                   |                       | PRWP2H-TL      | ✓                 |                       |

Part Number System for Super-Grip® Cable Ties

|                  |                           |                                                                                    |                                           |                         |
|------------------|---------------------------|------------------------------------------------------------------------------------|-------------------------------------------|-------------------------|
| SG               | 200                       | S                                                                                  | —                                         | C                       |
| <u>Type</u>      | <u>Size</u>               | <u>Cross Section</u>                                                               | <u>Package Size</u>                       | <u>Material / Color</u> |
| SG = Locking Tie | Approx.<br>Length<br>(mm) | M = Miniature<br>I = Intermediate<br>S = Standard<br>LH = Light-Heavy<br>H = Heavy | L = 50<br>C = 100<br>TL = 250<br>M = 1000 | See below               |

Material and Color Chart

| Material                    | Color   | Panduit<br>Suffix |
|-----------------------------|---------|-------------------|
| Nylon 6.6                   | Natural | ✓                 |
| Weather Resistant Nylon 6.6 | Black   | 0                 |
| Heat Stabilized Nylon 6.6   | Black   | 30                |

✓ Denotes Panduit Natural Nylon 6.6 (no suffix).

Part Number Availability List

| Standard Packaging |                      |                       | Bulk Packaging |                      |                       |
|--------------------|----------------------|-----------------------|----------------|----------------------|-----------------------|
| Part Number        | Natural<br>Nylon 6.6 | Material/Color Suffix | Part Number    | Natural<br>Nylon 6.6 | Material/Color Suffix |
| SG100M-C           | ✓                    | 0                     | SG100M-M       | ✓                    | 0                     |
| SG150I-C           | ✓                    | 0                     | SG150I-M       | ✓                    | 0                     |
| SG200S-C           | ✓                    | 0                     | SG200S-M       | ✓                    | 0, 30                 |
| SG250S-C           | ✓                    | 0                     |                |                      |                       |
| SG300S-C           | ✓                    | 0                     | SG300S-M       | ✓                    | 0, 30                 |
| SG370S-C           | ✓                    | 0                     | SG370S-M       | ✓                    | 0                     |
| SG350LH-L          | ✓                    | 0                     | SG350LH-TL     | ✓                    | 0, 30                 |
| SG450H-L           | ✓                    | 0                     | SG450H-C       | ✓                    | 0                     |

## Part Number System for Dome-Top® Barb Ty & Dura-Ty™ Cable Ties

| BT                       | 2         | S                | —                                    | C             | Material / Color |
|--------------------------|-----------|------------------|--------------------------------------|---------------|------------------|
| Type                     | Size      | Cross Section    | Screw Hole Size<br>(Clamp Ties Only) | Package Size  |                  |
| BT = Locking Tie         | Approx.   | M = Miniature    | —S4 = #4 (M2.5)                      | Q = 25        | See below        |
| BC = Clamp Tie           | Maximum   | I = Intermediate | —S6 = #6 (M3)                        | L = 50        |                  |
| BF = Flag Tie            | Bundle    | S = Standard     | —S8 = #8 (M4)                        | C = 100       |                  |
| BM = Marker Tie          | Dia. (In) | LH = Light-Heavy | —S10 = #10 (M5)                      | TL = 250      |                  |
| BP = Push Mount Tie      |           | H = Heavy        | —S25 = 1/4 (M6)                      | D = 500       |                  |
| BW = Wing Push Mount Tie |           | EH = Extra-Heavy |                                      | M = 1000      |                  |
| DT = Locking Tie         |           |                  |                                      | LR = 50' Reel |                  |

## Material and Color Chart

| Material                    | Color   | Panduit Suffix | Material                                    | Color           | Panduit Suffix |
|-----------------------------|---------|----------------|---------------------------------------------|-----------------|----------------|
| Nylon 6.6                   | Natural | ✓              | Nylon 6.6                                   | Gray            | 8              |
| Weather Resistant Nylon 6.6 | Black   | 0              | Nylon 6.6                                   | White           | 10             |
| Nylon 6.6                   | Brown   | 1              | Nylon 6.6                                   | Telephone Gray  | 14             |
| Nylon 6.6                   | Red     | 2              | Nylon 6.6                                   | Black           | 20             |
| Nylon 6.6                   | Orange  | 3              | Heat Stabilized Nylon 6.6                   | Black           | 30             |
| Nylon 6.6                   | Yellow  | 4Y             | Heat Stabilized Nylon 6.6                   | Natural         | 39             |
| Nylon 6.6                   | Green   | 5              | Flame Retardant Nylon 6.6                   | Natural (Ivory) | 69             |
| Nylon 6.6                   | Blue    | 6              | Weather Resistant Acetal                    | Black           | *              |
| Nylon 6.6                   | Purple  | 7              | Heat Stabilized Weather Resistant Nylon 6.6 | Black           | 300            |

✓ Denotes Panduit Natural Nylon 6.6 (no suffix).

\* Denotes Dura-Ty™ Weather Resistant Acetal material (no suffix).

## Part Number Availability List

| Standard Packaging |                   |                       | Bulk Packaging |                   |                                                 |
|--------------------|-------------------|-----------------------|----------------|-------------------|-------------------------------------------------|
| Part Number        | Natural Nylon 6.6 | Material/Color Suffix | Part Number    | Natural Nylon 6.6 | Material/Color Suffix                           |
|                    |                   |                       | BC1M-S4-M      | ✓                 | 0                                               |
|                    |                   |                       | BC2M-S4-M      | ✓                 | 0                                               |
|                    |                   |                       | BC1.5I-S8-M    | ✓                 | 0                                               |
| BC2S-S10-C         | ✓                 | 0                     | BC2S-S10-D     | ✓                 | 0                                               |
|                    |                   |                       | BC3S-S10-D     | ✓                 | 0                                               |
| BC4S-S10-C         | ✓                 | 0                     | BC4S-S10-D     | ✓                 | 0, 30                                           |
| BC4LH-S25-L        | ✓                 | 0                     | BC4LH-S25-TL   | ✓                 | 0                                               |
| BF1M-C             | ✓                 |                       | BF1M-M         | ✓                 | 0                                               |
| BF2M-C             | ✓                 |                       | BF2M-M         | ✓                 | 0                                               |
| BM1M-C             | ✓                 |                       | BM1M-M         | ✓                 | 0                                               |
| BM2M-C             | ✓                 |                       | BM2M-M         | ✓                 | 0                                               |
| BM2S-C             | ✓                 |                       | BM2S-D         | ✓                 | 0                                               |
| BM4S-C             | ✓                 |                       | BM4S-D         | ✓                 | 0                                               |
|                    |                   |                       | BP2S-D         |                   | 0                                               |
| BT1M-C             | ✓                 | 0, 30                 | BT1M-M         | ✓                 | 0, 1, 2, 3, 4Y, 5, 6, 7, 8, 10, 30, 39, 69, 300 |
|                    |                   |                       | BT1M-XMR       | ✓                 | 0, 30                                           |
| BT1.5M-C           | ✓                 | 0                     | BT1.5M-M       | ✓                 | 0, 30, 69                                       |
|                    |                   |                       | BT1.5M-XMR     | ✓                 | 0, 30, 69                                       |
| BT2M-C             | ✓                 | 0                     | BT2M-M         | ✓                 | 0, 2, 3, 4Y, 5, 6, 8, 30                        |
| BT4M-C             | ✓                 | 0                     | BT4M-M         | ✓                 | 0                                               |
| BT1.5I-C           | ✓                 | 0                     | BT1.5I-M       | ✓                 | 0, 1, 2, 3, 4Y, 5, 6, 7, 8, 10, 30, 39          |
| BT2I-C             | ✓                 | 0                     | BT2I-M         | ✓                 | 0, 30, 69, 300                                  |
| BT3I-C             | ✓                 | 0                     | BT3I-M         | ✓                 | 0, 14, 30                                       |

| Standard Packaging |                   |                       | Bulk Packaging |                   |                                                     |
|--------------------|-------------------|-----------------------|----------------|-------------------|-----------------------------------------------------|
| Part Number        | Natural Nylon 6.6 | Material/Color Suffix | Part Number    | Natural Nylon 6.6 | Material/Color Suffix                               |
| BT4I-C             | ✓                 | 0                     | BT4I-M         | ✓                 | 0, 14                                               |
| BT2S-C             | ✓                 | 0                     | BT2S-M         | ✓                 | 0, 1, 2, 3, 4Y, 5, 6, 7, 8, 10, 20, 30, 39, 69, 300 |
| BT3S-C             | ✓                 | 0, 2                  | BT3S-M         | ✓                 | 0, 30, 39, 69, 300                                  |
| BT4S-C             | ✓                 | 0                     | BT4S-M         | ✓                 | 0, 2, 3, 4Y, 5, 6, 7, 8, 10, 30, 39, 300            |
| BT2LH-L            | ✓                 | 0                     | BT2LH-TL       | ✓                 | 0, 300                                              |
| BT3LH-L            | ✓                 | 0                     | BT3LH-TL       | ✓                 | 0                                                   |
| BT4LH-L            | ✓                 | 0                     | BT4LH-TL       | ✓                 | 0, 30, 39, 69, 300                                  |
| BT5LH-L            | ✓                 | 0                     | BT5LH-C        | ✓                 | 0, 300                                              |
| BT6LH-L            | ✓                 | 0                     | BT6LH-C        | ✓                 | 0, 69, 300                                          |
| BT7LH-L            | ✓                 | 0                     | BT7LH-C        | ✓                 | 0                                                   |
| BT8LH-L            | ✓                 | 0                     | BT8LH-C        | ✓                 | 0, 300                                              |
| BT9LH-L            | ✓                 | 0                     | BT9LH-C        | ✓                 | 0, 300                                              |
|                    |                   |                       | BW1.5I-D       | ✓                 |                                                     |
|                    |                   |                       | BW2S-D         | ✓                 | 0                                                   |
|                    |                   |                       | B2M2S-D        | ✓                 | 0                                                   |
|                    |                   |                       | B3M2S-TL       | ✓                 | 0                                                   |
|                    |                   |                       | B4M2S-TL       | ✓                 | 0                                                   |
| DTHEH-Q0           |                   | *                     |                |                   |                                                     |
| DTHH-Q0            |                   | *                     |                |                   |                                                     |
| DTKEH-0            |                   | *                     |                |                   |                                                     |
| DTKH-0             |                   | *                     |                |                   |                                                     |
| DTREH-LR0          |                   | *                     |                |                   |                                                     |
| DTRH-LR0           |                   | *                     |                |                   |                                                     |
| DT4EH-L0           |                   | *                     |                |                   |                                                     |
| DT8EH-Q0           |                   | *                     |                |                   |                                                     |
| DT14EH-L0          |                   | *                     | DT14EH-C0      |                   | *                                                   |
| DT15EH-L0          |                   | *                     |                |                   |                                                     |
| DT28EH-C0          |                   | *                     |                |                   |                                                     |
| DT44EH-C0          |                   | *                     |                |                   |                                                     |

## Part Number System for Contour-Ty® and Belt-Ty™ Cable Ties

| CBR                                    | 2                                         | S                                                                                            | — | M                                          |                       |
|----------------------------------------|-------------------------------------------|----------------------------------------------------------------------------------------------|---|--------------------------------------------|-----------------------|
| <u>Type</u>                            | <u>Size</u>                               | <u>Cross Section</u>                                                                         |   | <u>Package Size</u>                        | <u>Material/Color</u> |
| CBR = Locking Tie<br>ILT = Locking Tie | Approx.<br>Maximum<br>Bundle<br>Dia. (In) | M = Miniature<br>I = Intermediate<br>S = Standard<br>HS = Heavy-Standard<br>LH = Light-Heavy |   | C = 100<br>TL = 250<br>D = 500<br>M = 1000 | See below             |

## Part Number System for IN-LINE and Hyper-V™ Cable Ties

| IT                                   | 9                        | 100                                 | — | C                   |                       |
|--------------------------------------|--------------------------|-------------------------------------|---|---------------------|-----------------------|
| <u>Type</u>                          | <u>Width</u>             | <u>Size</u>                         |   | <u>Package Size</u> | <u>Material/Color</u> |
| HV = Locking Tie<br>IT = Locking Tie | Approx.<br>Width<br>(mm) | Approx.<br>Max. Bundle<br>Dia. (mm) |   | C = 100             | See below             |

## Part Number System for Elastomeric Cable Ties

| ERT                                 | 2                                | M                    | — | C                   |                       |
|-------------------------------------|----------------------------------|----------------------|---|---------------------|-----------------------|
| <u>Type</u>                         | <u>Size</u>                      | <u>Cross Section</u> |   | <u>Package Size</u> | <u>Material/Color</u> |
| ERT = Elastomeric<br>Releasable Tie | Approx. Max.<br>Bundle Dia. (In) | M = Miniature        |   | C = 100             | See below             |

## Material and Color Chart

| Material                    | Color           | Panduit Suffix | Material  | Color                    | Panduit Suffix |
|-----------------------------|-----------------|----------------|-----------|--------------------------|----------------|
| Nylon 6.6                   | Natural         | ✓              | Nylon 6.6 | Ultraviolet Red          | UV2            |
| Weather Resistant Nylon 6.6 | Black           | 0              | Nylon 6.6 | Ultraviolet Bright Red   | UV2A           |
| Nylon 6.6                   | Brown           | 1              | Nylon 6.6 | Ultraviolet Yellow       | UV4Y           |
| Nylon 6.6                   | Red             | 2              | Nylon 6.6 | Ultraviolet Butterscotch | UV4A           |
| Nylon 6.6                   | Orange          | 3              | Nylon 6.6 | Ultraviolet Green        | UV5A           |
| Nylon 6.6                   | Yellow          | 4Y             | Nylon 6.6 | Ultraviolet Hunter Green | UV5B           |
| Nylon 6.6                   | Green           | 5              | Nylon 6.6 | Ultraviolet Dark Blue    | UV6            |
| Nylon 6.6                   | Blue            | 6              | Nylon 6.6 | Ultraviolet Light Blue   | UV6A           |
| Nylon 6.6                   | Purple          | 7              | Nylon 6.6 | Ultraviolet Cobalt Blue  | UV6B           |
| Nylon 6.6                   | Gray            | 8              | Nylon 6.6 | Ultraviolet Purple       | UV7A           |
| Nylon 6.6                   | White           | 10             | Nylon 6.6 | Ultraviolet Gray         | UV8            |
| TPU                         | Black           | 20             | Nylon 6.6 | Ultraviolet Teal         | UV11           |
| Heat Stabilized Nylon 6.6   | Black           | 30             | Nylon 6.6 | Ultraviolet Magenta      | UV16B          |
| Heat Stabilized Nylon 6.6   | Natural         | 39             | Nylon 6.6 | Ultraviolet Tan          | UV18           |
| Flame Retardant Nylon 6.6   | Natural (Ivory) | 69             |           |                          |                |

✓ Denotes Panduit Natural Nylon 6.6 (no suffix).

## Part Number Availability List

| Standard Packaging |                   |                       | Bulk Packaging |                   |                                                 |
|--------------------|-------------------|-----------------------|----------------|-------------------|-------------------------------------------------|
| Part Number        | Natural Nylon 6.6 | Material/Color Suffix | Part Number    | Natural Nylon 6.6 | Material/Color Suffix                           |
|                    |                   |                       | CBR1M-M        | ✓                 | 0, 30                                           |
|                    |                   |                       | CBR1.5M-M      | ✓                 | 0                                               |
|                    |                   |                       | CBR2M-M        | ✓                 | 0, 1, 2, 3, 4Y, 5, 6, 7, 10                     |
|                    |                   |                       | CBR1.5I-M      | ✓                 | 0, 30                                           |
|                    |                   |                       | CBR3I-M        | ✓                 | 0, 1, 2, 3, 4Y, 5, 6, 7, 8, 10                  |
|                    |                   |                       | CBR4I-M        | ✓                 | 0                                               |
|                    |                   |                       | CBR2S-M        | ✓                 | 0, 30, 39                                       |
|                    |                   |                       | CBR3S-M        | ✓                 | 0, 30, 69                                       |
|                    |                   |                       | CBR4S-M        | ✓                 | 0, 30                                           |
|                    |                   |                       | CBR2HS-D       | ✓                 | 0                                               |
|                    |                   |                       | CBR4LH-TL      | ✓                 | 0, 30                                           |
|                    |                   |                       | CBR6LH-C       | ✓                 | 0, 30                                           |
|                    |                   |                       | ERT2M-C        |                   | 20                                              |
|                    |                   |                       | ERT3M-C        |                   | 20                                              |
|                    |                   |                       | ERT4.5M-C      |                   | 20                                              |
|                    |                   |                       | HV965-C        |                   | 0                                               |
|                    |                   |                       | HV9100-C       |                   | 0                                               |
|                    |                   |                       | HV9150-C       |                   | 0                                               |
|                    |                   |                       | HV9250-C       |                   | 0                                               |
| ILT2S-C            | ✓                 | 0                     | ILT2S-M        | ✓                 | 0                                               |
| ILT3S-C            | ✓                 | 0                     | ILT3S-M        | ✓                 | 0                                               |
| ILT4S-C            | ✓                 | 0                     | ILT4S-M        | ✓                 | 0                                               |
|                    |                   |                       | ILT4LH-TL      | ✓                 | 0                                               |
|                    |                   |                       | ILT6LH-C       | ✓                 | 0                                               |
|                    |                   |                       | IT940-C        |                   | 0                                               |
|                    |                   |                       | IT965-C        |                   | 0                                               |
|                    |                   |                       | IT9100-C       |                   | 0, UV2,4Y,6,6A,7A,8,16B                         |
|                    |                   |                       | IT9115-C       |                   | 0, UV2,2A,4Y,4A,5A,5B, 6,6A,6B,7A, 8,11,16B, 18 |

## Part Number System for Sta-Strap® Cable Ties

SST

1

M

—

C

| <u>Type</u>       | <u>Size</u> | <u>Cross Section</u> | <u>Screw Hole Size</u><br>(Clamp Ties Only) | <u>Package Size</u> | <u>Material/Color</u> |
|-------------------|-------------|----------------------|---------------------------------------------|---------------------|-----------------------|
| SST = Locking Tie | Approx.     | M = Miniature        | —S6 = #6 (M3)                               | L = 50              | See below             |
| SSC = Clamp Tie   | Maximum     | I = Intermediate     | —S10 = #10 (M5)                             | C = 100             |                       |
| SSM = Marker Tie  | Bundle      | S = Standard         | —S25 = ¼ (M6)                               | D = 500             |                       |
|                   | Dia. (In)   | H = Heavy            |                                             | M = 1000            |                       |
|                   |             | HH = Heavy Head      |                                             |                     |                       |

## Material and Color Chart

| Material                    | Color   | Panduit Suffix |
|-----------------------------|---------|----------------|
| Nylon 6.6                   | Natural | ✓              |
| Weather Resistant Nylon 6.6 | Black   | 0              |
| Nylon 6.6                   | Red     | 2              |

| Material                  | Color | Panduit Suffix |
|---------------------------|-------|----------------|
| Nylon 6.6                 | Black | 20             |
| Heat Stabilized Nylon 6.6 | Black | 30             |

✓ Denotes Panduit Natural Nylon 6.6 (no suffix).

## Part Number Availability List

| Standard Packaging |                   |                       | Bulk Packaging |                   |                       |
|--------------------|-------------------|-----------------------|----------------|-------------------|-----------------------|
| Part Number        | Natural Nylon 6.6 | Material/Color Suffix | Part Number    | Natural Nylon 6.6 | Material/Color Suffix |
| SSC2S-S6-C         | ✓                 |                       | SSC2S-S6-M     | ✓                 | 0                     |
| SSC2S-S10-C        | ✓                 |                       | SSC2S-S10-M    | ✓                 | 0, 30                 |
| SSC4S-S10-C        | ✓                 |                       | SSC4S-S10-M    | ✓                 | 0                     |
| SSC4H-S25-L        | ✓                 |                       | SSC4H-S25-D    | ✓                 | 0                     |
| SSM2S-C            | ✓                 |                       | SSM2S-D        | ✓                 | 0                     |
|                    |                   |                       | SSM4S-D        | ✓                 |                       |
| SST1M-C            | ✓                 | 0                     | SST1M-M        | ✓                 | 0, 20, 30             |
| SST1.5M-C          | ✓                 |                       | SST1.5M-M      | ✓                 | 0, 20, 30             |
| SST1.5I-C          | ✓                 |                       | SST1.5I-M      | ✓                 | 0                     |
| SST2I-C            | ✓                 |                       | SST2I-M        | ✓                 | 0                     |
| SST3I-C            | ✓                 | 0                     | SST3I-M        | ✓                 | 0                     |
| SST4I-C            | ✓                 |                       | SST4I-M        | ✓                 | 0                     |
|                    |                   |                       | SST1.5S-M      | ✓                 | 0                     |
| SST2S-C            | ✓                 | 0                     | SST2S-M        | ✓                 | 0, 20, 30             |
| SST3S-C            | ✓                 | 0                     | SST3S-M        | ✓                 | 0, 20, 30             |
| SST4S-C            | ✓                 | 0                     | SST4S-M        | ✓                 | 0, 2, 30              |
|                    |                   |                       | SST2H-D        | ✓                 | 0                     |
|                    |                   |                       | SST2HH-D       |                   | 30                    |
| SST4H-L            | ✓                 | 0                     | SST4H-D        | ✓                 | 0, 30                 |
|                    |                   |                       | SST4HH-D       |                   | 30                    |
| SST8H-L            | ✓                 | 0                     | SST8H-D        | ✓                 | 0, 30                 |

## Part Number System for Specialty Cable Ties

| PLST                                      | 4           | H                    | S25              | —                   | TL                    | 300 |
|-------------------------------------------|-------------|----------------------|------------------|---------------------|-----------------------|-----|
| <u>Type</u>                               | <u>Size</u> | <u>Cross Section</u> | <u>Stud Size</u> | <u>Package Size</u> | <u>Material/Color</u> |     |
| CM4S = Cable Marker Strap                 | Approx.     | S = Standard         | —S25 = M6        | L = 50              | See below             |     |
| PLB = Locking Bow Tie                     | Maximum     | H = Heavy            | —SC = 5mm        | C = 100             |                       |     |
| PL3B = Triple Loop Tie                    | Bundle      | EH = Extra-Heavy     | —S14 = 5mm       | TL = 250            |                       |     |
| DHC = Double Hose Clamp                   | Dia. (In)   |                      |                  | D = 500             |                       |     |
| PLST = Locking Stud Mounted Tie           |             |                      |                  | M = 1000            |                       |     |
| PRST = Releasable Stud Mount Ladder Style |             |                      |                  |                     |                       |     |
| SSB = Sta-Strap® Bow-Ty™ Tie              |             |                      |                  |                     |                       |     |
| SSPM = Sta-Strap® Panel Mount             |             |                      |                  |                     |                       |     |

## Material and Color Chart

| Material                    | Color   | Panduit Suffix |
|-----------------------------|---------|----------------|
| Nylon 6.6                   | Natural | ✓              |
| Weather Resistant Nylon 6.6 | Black   | 0              |
| Nylon 6.6                   | Red     | 2              |
| Nylon 6.6                   | Gray    | 8              |

| Material                                    | Color | Panduit Suffix |
|---------------------------------------------|-------|----------------|
| Heat Stabilized Nylon 6.6                   | Black | 30             |
| Heat Stabilized Weather Resistant Nylon 6.6 | Black | 300            |

✓ Denotes Panduit Natural Nylon 6.6 (no suffix).

## Part Number Availability List

| Standard Packaging |                   |                       | Bulk Packaging |                   |                       |
|--------------------|-------------------|-----------------------|----------------|-------------------|-----------------------|
| Part Number        | Natural Nylon 6.6 | Material/Color Suffix | Part Number    | Natural Nylon 6.6 | Material/Color Suffix |
| CM4S-L             |                   | 2, 8                  |                |                   |                       |
|                    |                   |                       | DHC1.12X1.75-D |                   | 0                     |
| PLB2S-C            | ✓                 | 0                     | PLB2S-M        | ✓                 | 0, 30                 |
| PLB3S-C            | ✓                 | 0                     | PLB3S-M        | ✓                 | 0, 30                 |
| PLB4S-C            | ✓                 |                       | PLB4S-M        | ✓                 | 0, 30, 39             |
|                    |                   |                       | PLB4H-TL       | ✓                 | 0, 30, 39             |
|                    |                   |                       | PLB5EH-C       |                   | 0                     |
|                    |                   |                       | PL3B5EH-C      |                   | 0                     |
|                    |                   |                       | PLST4HS25-TL   |                   | 300                   |
|                    |                   |                       | PLST30SC-D     |                   | 30                    |
|                    |                   |                       | PLST50SC-D     |                   | 30                    |
|                    |                   |                       | PRST30S-S14-M  |                   | 30                    |
|                    |                   |                       | PRST40SC-D     |                   | 30                    |
| SSB2S-C            | ✓                 |                       | SSB2S-M        | ✓                 | 0, 30                 |
| SSPM2.5H-L         |                   | 300                   | SSPM2.5H-TL    |                   | 300                   |
| SSPM2.5HP-L        |                   | 300                   | SSPM2.5HP-TL   |                   | 300                   |
| SSPM4H-L           |                   | 300                   | SSPM4H-TL      |                   | 300                   |
| SSPM4HP-L          |                   | 300                   | SSPM4HP-TL     |                   | 300                   |
|                    |                   |                       | SSPM4HLP-TL    |                   | 300                   |

## Part Number System for Tak-Ty® Hook & Loop Cable Ties

| <b>HLT</b>                       | <b>2</b>    | <b>I</b>             | <b>—</b> | <b>X</b>              | <b>0</b>     |
|----------------------------------|-------------|----------------------|----------|-----------------------|--------------|
| <u>Type</u>                      | <u>Size</u> | <u>Cross Section</u> |          | <u>Package Size</u>   | <u>Color</u> |
| HL = Hook and Loop               | Approx.     | I = Intermediate     |          | C = 100               | See below    |
| HLB = Hook and Loop Brick Pack   | Maximum     | S = Standard         |          | X = 10                |              |
| HLC = HL Cinch Tie               | Bundle      |                      |          | 15R = 15' Roll        |              |
| HLM = HL Miniature               | Dia. (In)   |                      |          | 20R = 20' Roll        |              |
| HLT = HL Loop Tie                |             |                      |          | 35R3 = 35' Rolls (3)  |              |
| HLTP = HL Loop Tie Plenum-Rated  |             |                      |          | 35RX = 35' Rolls (10) |              |
| HLS = HL Strip Tie               |             |                      |          | 75R = 75' Roll        |              |
| HLSP = HL Strip Tie Plenum-Rated |             |                      |          |                       |              |
| TTS = Tak-Tape™ Roll             |             |                      |          |                       |              |

## Part Number System for Ultra-Cinch™ Hook & Loop Cable Ties

| <b>UGCT</b>              | <b>E</b>         | <b>3</b>    | <b>S</b>             | <b>—</b> | <b>X</b>            | <b>0</b>     |
|--------------------------|------------------|-------------|----------------------|----------|---------------------|--------------|
| <u>Type</u>              | <u>Mount</u>     | <u>Size</u> | <u>Cross Section</u> |          | <u>Package Size</u> | <u>Color</u> |
| UCT = Cinch Tie          | E = End Mount    | Approx.     | I = Intermediate     |          | X = 10              | See below    |
| UGCT = Grommet Cinch Tie | C = Center Mount | Maximum     | S = Standard         |          |                     |              |
|                          |                  | Bundle      |                      |          |                     |              |
|                          |                  | Dia. (In)   |                      |          |                     |              |

## Color Chart

| <b>Color</b> | <b>Panduit Suffix</b> | <b>Color</b> | <b>Panduit Suffix</b> |
|--------------|-----------------------|--------------|-----------------------|
| Black        | 0                     | Blue         | 6                     |
| Red          | 2                     | Gray         | 8                     |
| Orange       | 3                     | White        | 10                    |
| Yellow       | 4                     | Maroon       | 12                    |
| Green        | 5                     |              |                       |

## Part Number Availability List

| <b>Standard Packaging</b> |                         |
|---------------------------|-------------------------|
| <b>Part Number</b>        | <b>Color Suffix</b>     |
| HLB2S-C                   | 0, 2, 3, 4, 5, 6, 8, 10 |
| HLC3S-X                   | 0                       |
| HLC5S-X                   | 0                       |
| HLM-15R                   | 0, 2, 3, 4, 5, 6, 8, 10 |
| HLS-15R                   | 0, 2, 3, 4, 5, 6, 8, 10 |
| HLS-75R                   | 0, 2, 3, 4, 5, 6, 8, 10 |
| HLS1.5S-X                 | 0, 2, 3, 4, 5, 6, 8, 10 |
| HLS3S-X                   | 0, 2, 3, 4, 5, 6, 8, 10 |
| HLS5S-X                   | 0, 2, 3, 4, 5, 6, 8, 10 |
| HLSP1.5S-X                | 0, 12                   |
| HLSP3S-X                  | 0, 12                   |
| HLSP5S-X                  | 0, 12                   |
| HLT2I-X                   | 0, 2, 3, 4, 5, 6, 8, 10 |
| HLT3I-X                   | 0, 2, 3, 4, 5, 6, 8, 10 |
| HLTP2I-X                  | 0, 12                   |
| HLTP3I-X                  | 0, 12                   |
| HLWM1.5S-X                | 0                       |
| HLWM3S-X                  | 0                       |
| TTS-20R                   | 0                       |
| TTS-35RX                  | 0                       |
| TTS-35R3                  | 0                       |
| UCT3S-X                   | 0, 2, 3, 4, 5, 6, 8, 10 |
| UCT5S-X                   | 0, 2, 3, 4, 5, 6, 8, 10 |
| UGCTC3S-X                 | 0, 2, 3, 4, 5, 6, 8, 10 |
| UGCTC5S-X                 | 0, 2, 3, 4, 5, 6, 8, 10 |
| UGCTE3S-X                 | 0, 2, 3, 4, 5, 6, 8, 10 |
| UGCTE5S-X                 | 0, 2, 3, 4, 5, 6, 8, 10 |