

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0879111611](#)
Status: **Active**
Overview: [cgrid_sl_products](#)
Description: 2.54mm (.100") Pitch C-Grid® Header, Right Angle, Through Hole, 16 Circuits, 0.38µm (15µ") Gold (Au) Selective Plating, Tube Packaging, Lead-free

Documents:
[3D Model](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Drawing \(PDF\)](#)

Agency Certification

UL E29179

General

Product Family PCB Headers
Series [87911](#)
Application Board-to-Board, Wire-to-Board
Overview [cgrid_sl_products](#)
Product Name C-Grid®

Physical

Breakaway Yes
Circuits (Loaded) 16
Circuits (maximum) 16
Color - Resin Black
First Mate / Last Break No
Flammability 94V-0
Glow-Wire Compliant No
Guide to Mating Part No
Keying to Mating Part None
Lock to Mating Part None
Material - Metal Copper Alloy
Material - Plating Mating Gold
Material - Plating Termination Tin
Material - Resin High Temperature Thermoplastic
Number of Rows 2
Orientation Right Angle
PC Tail Length (in) 0.125 In
PC Tail Length (mm) 3.18 mm
PCB Locator No
PCB Retention None
PCB Thickness Recommended (in) 0.062 In
PCB Thickness Recommended (mm) 1.60 mm
Packaging Type Tube
Pitch - Mating Interface (in) 0.100 In
Pitch - Mating Interface (mm) 2.54 mm
Pitch - Term. Interface (in) 0.100 In
Pitch - Term. Interface (mm) 2.54 mm
Plating min: Mating (µin) 15
Plating min: Mating (µm) 0.38
Polarized to Mating Part No
Polarized to PCB No
Shrouded No
Stackable No
Surface Mount Compatible (SMC) Yes
Temperature Range - Operating -55°C to +105°C




image - Reference only

Series

EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Halogen-Free
Status
Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.




Search Parts in this Series
[87911Series](#)

Mates With
[7859 Shunts](#). [C-Grid®](#) PCB Receptacles like [71850](#). [SL™](#) IDT Housing like [70450](#)

Termination Interface: Style	Through Hole
Electrical	
Current - Maximum per Contact	3A
Voltage - Maximum	250V
Material Info	
Reference - Drawing Numbers	
Sales Drawing	SD-87911-027

This document was generated on 05/25/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



7. RECOMMENDED PCB THICKNESS = 1.60±0.10mm
8. PRODUCT SPECIFICATION: PS-87920-019
9. PACKAGING SPECIFICATION: PK-89990-519

REVISED	EC NO: S2007-0544	2006/12/13	2006/12/19	DESCRIPTION	QUALITY SYMBOLS ▼=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
	DRWNS:SKLIM01	2006/12/13	2006/12/19										
	CHKD:CWJAM	2006/12/13	2006/12/19										
	APPR:KWLEE	2006/12/13	2006/12/19										
B				REV		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																				
F	<table><tr><th rowspan="2">PART NO.</th><th rowspan="2">CKT SIZE</th><th rowspan="2">VOID POSITION</th><th rowspan="2">PLATING TYPE</th><th colspan="5">DIMENSION</th></tr><tr><th>A</th><th>B</th><th>M</th><th>P</th><th>E</th></tr><tr><td>87911-0411</td><td>4</td><td>-----</td><td>1</td><td>5.08</td><td>2.54</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0412</td><td>4</td><td>-----</td><td>2</td><td>5.08</td><td>2.54</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0413</td><td>4</td><td>-----</td><td>3</td><td>5.08</td><td>2.54</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0611</td><td>6</td><td>-----</td><td>1</td><td>7.62</td><td>5.08</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0612</td><td>6</td><td>-----</td><td>2</td><td>7.62</td><td>5.08</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0613</td><td>6</td><td>-----</td><td>3</td><td>7.62</td><td>5.08</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0811</td><td>8</td><td>-----</td><td>1</td><td>10.16</td><td>7.62</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0812</td><td>8</td><td>-----</td><td>2</td><td>10.16</td><td>7.62</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0813</td><td>8</td><td>-----</td><td>3</td><td>10.16</td><td>7.62</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0800</td><td>8</td><td>-----</td><td>1</td><td>10.16</td><td>7.62</td><td>6.10</td><td>2.79</td><td>2.29</td></tr><tr><td>87911-1011</td><td>10</td><td>-----</td><td>1</td><td>12.70</td><td>10.16</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1012</td><td>10</td><td>-----</td><td>2</td><td>12.70</td><td>10.16</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1013</td><td>10</td><td>-----</td><td>3</td><td>12.70</td><td>10.16</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1211</td><td>12</td><td>-----</td><td>1</td><td>15.24</td><td>12.70</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1212</td><td>12</td><td>-----</td><td>2</td><td>15.24</td><td>12.70</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1213</td><td>12</td><td>-----</td><td>3</td><td>15.24</td><td>12.70</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1411</td><td>14</td><td>-----</td><td>1</td><td>17.78</td><td>15.24</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1412</td><td>14</td><td>-----</td><td>2</td><td>17.78</td><td>15.24</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1413</td><td>14</td><td>-----</td><td>3</td><td>17.78</td><td>15.24</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1611</td><td>16</td><td>-----</td><td>1</td><td>20.32</td><td>17.78</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1612</td><td>16</td><td>-----</td><td>2</td><td>20.32</td><td>17.78</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1613</td><td>16</td><td>-----</td><td>3</td><td>20.32</td><td>17.78</td><td>6.10</td><td>3.18</td><td>2.27</td></tr></table>									PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	M	P	E	87911-0411	4	-----	1	5.08	2.54	6.10	3.18	2.27	87911-0412	4	-----	2	5.08	2.54	6.10	3.18	2.27	87911-0413	4	-----	3	5.08	2.54	6.10	3.18	2.27	87911-0611	6	-----	1	7.62	5.08	6.10	3.18	2.27	87911-0612	6	-----	2	7.62	5.08	6.10	3.18	2.27	87911-0613	6	-----	3	7.62	5.08	6.10	3.18	2.27	87911-0811	8	-----	1	10.16	7.62	6.10	3.18	2.27	87911-0812	8	-----	2	10.16	7.62	6.10	3.18	2.27	87911-0813	8	-----	3	10.16	7.62	6.10	3.18	2.27	87911-0800	8	-----	1	10.16	7.62	6.10	2.79	2.29	87911-1011	10	-----	1	12.70	10.16	6.10	3.18	2.27	87911-1012	10	-----	2	12.70	10.16	6.10	3.18	2.27	87911-1013	10	-----	3	12.70	10.16	6.10	3.18	2.27	87911-1211	12	-----	1	15.24	12.70	6.10	3.18	2.27	87911-1212	12	-----	2	15.24	12.70	6.10	3.18	2.27	87911-1213	12	-----	3	15.24	12.70	6.10	3.18	2.27	87911-1411	14	-----	1	17.78	15.24	6.10	3.18	2.27	87911-1412	14	-----	2	17.78	15.24	6.10	3.18	2.27	87911-1413	14	-----	3	17.78	15.24	6.10	3.18	2.27	87911-1611	16	-----	1	20.32	17.78	6.10	3.18	2.27	87911-1612	16	-----	2	20.32	17.78	6.10	3.18	2.27	87911-1613	16	-----	3	20.32	17.78	6.10	3.18	2.27	F
PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																										
				A	B	M	P	E																																																																																																																																																																																																																						
87911-0411	4	-----	1	5.08	2.54	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0412	4	-----	2	5.08	2.54	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0413	4	-----	3	5.08	2.54	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0611	6	-----	1	7.62	5.08	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0612	6	-----	2	7.62	5.08	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0613	6	-----	3	7.62	5.08	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0811	8	-----	1	10.16	7.62	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0812	8	-----	2	10.16	7.62	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0813	8	-----	3	10.16	7.62	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0800	8	-----	1	10.16	7.62	6.10	2.79	2.29																																																																																																																																																																																																																						
87911-1011	10	-----	1	12.70	10.16	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1012	10	-----	2	12.70	10.16	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1013	10	-----	3	12.70	10.16	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1211	12	-----	1	15.24	12.70	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1212	12	-----	2	15.24	12.70	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1213	12	-----	3	15.24	12.70	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1411	14	-----	1	17.78	15.24	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1412	14	-----	2	17.78	15.24	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1413	14	-----	3	17.78	15.24	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1611	16	-----	1	20.32	17.78	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1612	16	-----	2	20.32	17.78	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1613	16	-----	3	20.32	17.78	6.10	3.18	2.27																																																																																																																																																																																																																						
E										E																																																																																																																																																																																																																				
D										D																																																																																																																																																																																																																				
C										C																																																																																																																																																																																																																				
B										B																																																																																																																																																																																																																				
A	<table><tr><td rowspan="4">REVISED EC NO: S2007-0544 DRWN:SKLIM01 CHKD:CWLAM APPR:KWLEE B</td><td rowspan="4">2006/12/13 2006/12/19 2006/12/27</td><td rowspan="4">DESCRIPTION REV</td><td>QUALITY SYMBOLS</td><td rowspan="4">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE</td><td>SCALE</td><td>DESIGN UNITS</td><td rowspan="4"> THIRD ANGLE PROJECTION</td></tr><tr><td></td><td>MM ONLY</td><td>NTS</td><td>METRIC</td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td colspan="4"></td><td></td><td>DRAWN BY</td><td>DATE</td><td colspan="2">TITLE</td><td></td></tr><tr><td colspan="4"></td><td></td><td>YLQIAO</td><td>2005/01/17</td><td colspan="2">CUSTOM HEADER</td><td></td></tr><tr><td colspan="4"></td><td></td><td>CHECKED BY</td><td>DATE</td><td colspan="2">C-GRID DUAL ROW HEADER</td><td></td></tr><tr><td colspan="4"></td><td></td><td>PTLIM</td><td>2005/01/25</td><td colspan="2">RIGHT ANGLE THROUGH HOLE</td><td></td></tr><tr><td colspan="4"></td><td></td><td>APPROVED BY</td><td>DATE</td><td colspan="2">MOLEX INCORPORATED</td><td></td></tr><tr><td colspan="4"></td><td></td><td>SCLOW</td><td>2005/01/25</td><td colspan="2">SD-87911-027</td><td></td></tr><tr><td colspan="4"></td><td></td><td>MATERIAL NO.</td><td></td><td>DOCUMENT NO.</td><td></td><td>SHEET NO.</td></tr><tr><td colspan="4"></td><td></td><td>SEE TABLE</td><td></td><td></td><td></td><td>2 OF 4</td></tr><tr><td colspan="4"></td><td></td><td colspan="5">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td></td></tr></table>									REVISED EC NO: S2007-0544 DRWN:SKLIM01 CHKD:CWLAM APPR:KWLEE B	2006/12/13 2006/12/19 2006/12/27	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		MM ONLY	NTS	METRIC														DRAWN BY	DATE	TITLE								YLQIAO	2005/01/17	CUSTOM HEADER								CHECKED BY	DATE	C-GRID DUAL ROW HEADER								PTLIM	2005/01/25	RIGHT ANGLE THROUGH HOLE								APPROVED BY	DATE	MOLEX INCORPORATED								SCLOW	2005/01/25	SD-87911-027								MATERIAL NO.		DOCUMENT NO.		SHEET NO.						SEE TABLE				2 OF 4						THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						A																																																																																																			
REVISED EC NO: S2007-0544 DRWN:SKLIM01 CHKD:CWLAM APPR:KWLEE B	2006/12/13 2006/12/19 2006/12/27	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION																																																																																																																																																																																																																					
					MM ONLY	NTS	METRIC																																																																																																																																																																																																																							
					DRAWN BY	DATE	TITLE																																																																																																																																																																																																																							
					YLQIAO	2005/01/17	CUSTOM HEADER																																																																																																																																																																																																																							
					CHECKED BY	DATE	C-GRID DUAL ROW HEADER																																																																																																																																																																																																																							
					PTLIM	2005/01/25	RIGHT ANGLE THROUGH HOLE																																																																																																																																																																																																																							
					APPROVED BY	DATE	MOLEX INCORPORATED																																																																																																																																																																																																																							
					SCLOW	2005/01/25	SD-87911-027																																																																																																																																																																																																																							
					MATERIAL NO.		DOCUMENT NO.		SHEET NO.																																																																																																																																																																																																																					
					SEE TABLE				2 OF 4																																																																																																																																																																																																																					
					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																									
ib_frame_A3_P_AM_T Rev. E 2006/04/15																																																																																																																																																																																																																														
	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																				

	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																											
F											F																																																																																																																																																																																																																																																																										
E											E																																																																																																																																																																																																																																																																										
D											D																																																																																																																																																																																																																																																																										
C											C																																																																																																																																																																																																																																																																										
B											B																																																																																																																																																																																																																																																																										
A											A																																																																																																																																																																																																																																																																										
<table><tr><th rowspan="2">PART NO.</th><th rowspan="2">CKT SIZE</th><th rowspan="2">VOID POSITION</th><th rowspan="2">PLATING TYPE</th><th colspan="5">DIMENSION</th></tr><tr><th>A</th><th>B</th><th>M</th><th>P</th><th>E</th></tr><tr><td>87911-3211</td><td>32</td><td>-----</td><td>1</td><td>40.64</td><td>38.10</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3212</td><td>32</td><td>-----</td><td>2</td><td>40.64</td><td>38.10</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3213</td><td>32</td><td>-----</td><td>3</td><td>40.64</td><td>38.10</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3411</td><td>34</td><td>-----</td><td>1</td><td>43.18</td><td>40.64</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3412</td><td>34</td><td>-----</td><td>2</td><td>43.18</td><td>40.64</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3413</td><td>34</td><td>-----</td><td>3</td><td>43.18</td><td>40.64</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3611</td><td>36</td><td>-----</td><td>1</td><td>45.72</td><td>43.18</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3612</td><td>36</td><td>-----</td><td>2</td><td>45.72</td><td>43.18</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3613</td><td>36</td><td>-----</td><td>3</td><td>45.72</td><td>43.18</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3811</td><td>38</td><td>-----</td><td>1</td><td>48.26</td><td>45.72</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3812</td><td>38</td><td>-----</td><td>2</td><td>48.26</td><td>45.72</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3813</td><td>38</td><td>-----</td><td>3</td><td>48.26</td><td>45.72</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4011</td><td>40</td><td>-----</td><td>1</td><td>50.80</td><td>48.26</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4012</td><td>40</td><td>-----</td><td>2</td><td>50.80</td><td>48.26</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4013</td><td>40</td><td>-----</td><td>3</td><td>50.80</td><td>48.26</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4211</td><td>42</td><td>-----</td><td>1</td><td>53.34</td><td>50.80</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4212</td><td>42</td><td>-----</td><td>2</td><td>53.34</td><td>50.80</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4213</td><td>42</td><td>-----</td><td>3</td><td>53.34</td><td>50.80</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4411</td><td>44</td><td>-----</td><td>1</td><td>55.88</td><td>53.34</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4412</td><td>44</td><td>-----</td><td>2</td><td>55.88</td><td>53.34</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4413</td><td>44</td><td>-----</td><td>3</td><td>55.88</td><td>53.34</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr></table>												PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	M	P	E	87911-3211	32	-----	1	40.64	38.10	6.10	3.18	2.27				87911-3212	32	-----	2	40.64	38.10	6.10	3.18	2.27				87911-3213	32	-----	3	40.64	38.10	6.10	3.18	2.27				87911-3411	34	-----	1	43.18	40.64	6.10	3.18	2.27				87911-3412	34	-----	2	43.18	40.64	6.10	3.18	2.27				87911-3413	34	-----	3	43.18	40.64	6.10	3.18	2.27				87911-3611	36	-----	1	45.72	43.18	6.10	3.18	2.27				87911-3612	36	-----	2	45.72	43.18	6.10	3.18	2.27				87911-3613	36	-----	3	45.72	43.18	6.10	3.18	2.27				87911-3811	38	-----	1	48.26	45.72	6.10	3.18	2.27				87911-3812	38	-----	2	48.26	45.72	6.10	3.18	2.27				87911-3813	38	-----	3	48.26	45.72	6.10	3.18	2.27				87911-4011	40	-----	1	50.80	48.26	6.10	3.18	2.27				87911-4012	40	-----	2	50.80	48.26	6.10	3.18	2.27				87911-4013	40	-----	3	50.80	48.26	6.10	3.18	2.27				87911-4211	42	-----	1	53.34	50.80	6.10	3.18	2.27				87911-4212	42	-----	2	53.34	50.80	6.10	3.18	2.27				87911-4213	42	-----	3	53.34	50.80	6.10	3.18	2.27				87911-4411	44	-----	1	55.88	53.34	6.10	3.18	2.27				87911-4412	44	-----	2	55.88	53.34	6.10	3.18	2.27				87911-4413	44	-----	3	55.88	53.34	6.10	3.18	2.27			
PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																																																																																	
				A	B	M	P	E																																																																																																																																																																																																																																																																													
87911-3211	32	-----	1	40.64	38.10	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3212	32	-----	2	40.64	38.10	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3213	32	-----	3	40.64	38.10	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3411	34	-----	1	43.18	40.64	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3412	34	-----	2	43.18	40.64	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3413	34	-----	3	43.18	40.64	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3611	36	-----	1	45.72	43.18	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3612	36	-----	2	45.72	43.18	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3613	36	-----	3	45.72	43.18	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3811	38	-----	1	48.26	45.72	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3812	38	-----	2	48.26	45.72	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3813	38	-----	3	48.26	45.72	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4011	40	-----	1	50.80	48.26	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4012	40	-----	2	50.80	48.26	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4013	40	-----	3	50.80	48.26	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4211	42	-----	1	53.34	50.80	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4212	42	-----	2	53.34	50.80	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4213	42	-----	3	53.34	50.80	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4411	44	-----	1	55.88	53.34	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4412	44	-----	2	55.88	53.34	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4413	44	-----	3	55.88	53.34	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
<table><tr><th rowspan="2">PART NO.</th><th rowspan="2">CKT SIZE</th><th rowspan="2">VOID POSITION</th><th rowspan="2">PLATING TYPE</th><th colspan="5">DIMENSION</th></tr><tr><th>A</th><th>B</th><th>M</th><th>P</th><th>E</th></tr><tr><td>87911-4611</td><td>46</td><td>-----</td><td>1</td><td>58.42</td><td>55.88</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4612</td><td>46</td><td>-----</td><td>2</td><td>58.42</td><td>55.88</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4613</td><td>46</td><td>-----</td><td>3</td><td>58.42</td><td>55.88</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4811</td><td>48</td><td>-----</td><td>1</td><td>60.96</td><td>58.42</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4812</td><td>48</td><td>-----</td><td>2</td><td>60.96</td><td>58.42</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4813</td><td>48</td><td>-----</td><td>3</td><td>60.96</td><td>58.42</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5011</td><td>50</td><td>-----</td><td>1</td><td>63.50</td><td>60.96</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5012</td><td>50</td><td>-----</td><td>2</td><td>63.50</td><td>60.96</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5013</td><td>50</td><td>-----</td><td>3</td><td>63.50</td><td>60.96</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5211</td><td>52</td><td>-----</td><td>1</td><td>66.04</td><td>63.50</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5212</td><td>52</td><td>-----</td><td>2</td><td>66.04</td><td>63.50</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5213</td><td>52</td><td>-----</td><td>3</td><td>66.04</td><td>63.50</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5411</td><td>54</td><td>-----</td><td>1</td><td>68.58</td><td>66.04</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5412</td><td>54</td><td>-----</td><td>2</td><td>68.58</td><td>66.04</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5413</td><td>54</td><td>-----</td><td>3</td><td>68.58</td><td>66.04</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5611</td><td>56</td><td>-----</td><td>1</td><td>71.12</td><td>68.58</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5612</td><td>56</td><td>-----</td><td>2</td><td>71.12</td><td>68.58</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5613</td><td>56</td><td>-----</td><td>3</td><td>71.12</td><td>68.58</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5811</td><td>58</td><td>-----</td><td>1</td><td>73.66</td><td>71.12</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5812</td><td>58</td><td>-----</td><td>2</td><td>73.66</td><td>71.12</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5813</td><td>58</td><td>-----</td><td>3</td><td>73.66</td><td>71.12</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr></table>												PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	M	P	E	87911-4611	46	-----	1	58.42	55.88	6.10	3.18	2.27				87911-4612	46	-----	2	58.42	55.88	6.10	3.18	2.27				87911-4613	46	-----	3	58.42	55.88	6.10	3.18	2.27				87911-4811	48	-----	1	60.96	58.42	6.10	3.18	2.27				87911-4812	48	-----	2	60.96	58.42	6.10	3.18	2.27				87911-4813	48	-----	3	60.96	58.42	6.10	3.18	2.27				87911-5011	50	-----	1	63.50	60.96	6.10	3.18	2.27				87911-5012	50	-----	2	63.50	60.96	6.10	3.18	2.27				87911-5013	50	-----	3	63.50	60.96	6.10	3.18	2.27				87911-5211	52	-----	1	66.04	63.50	6.10	3.18	2.27				87911-5212	52	-----	2	66.04	63.50	6.10	3.18	2.27				87911-5213	52	-----	3	66.04	63.50	6.10	3.18	2.27				87911-5411	54	-----	1	68.58	66.04	6.10	3.18	2.27				87911-5412	54	-----	2	68.58	66.04	6.10	3.18	2.27				87911-5413	54	-----	3	68.58	66.04	6.10	3.18	2.27				87911-5611	56	-----	1	71.12	68.58	6.10	3.18	2.27				87911-5612	56	-----	2	71.12	68.58	6.10	3.18	2.27				87911-5613	56	-----	3	71.12	68.58	6.10	3.18	2.27				87911-5811	58	-----	1	73.66	71.12	6.10	3.18	2.27				87911-5812	58	-----	2	73.66	71.12	6.10	3.18	2.27				87911-5813	58	-----	3	73.66	71.12	6.10	3.18	2.27			
PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																																																																																	
				A	B	M	P	E																																																																																																																																																																																																																																																																													
87911-4611	46	-----	1	58.42	55.88	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4612	46	-----	2	58.42	55.88	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4613	46	-----	3	58.42	55.88	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4811	48	-----	1	60.96	58.42	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4812	48	-----	2	60.96	58.42	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4813	48	-----	3	60.96	58.42	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5011	50	-----	1	63.50	60.96	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5012	50	-----	2	63.50	60.96	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5013	50	-----	3	63.50	60.96	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5211	52	-----	1	66.04	63.50	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5212	52	-----	2	66.04	63.50	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5213	52	-----	3	66.04	63.50	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5411	54	-----	1	68.58	66.04	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5412	54	-----	2	68.58	66.04	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5413	54	-----	3	68.58	66.04	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5611	56	-----	1	71.12	68.58	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5612	56	-----	2	71.12	68.58	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5613	56	-----	3	71.12	68.58	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5811	58	-----	1	73.66	71.12	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5812	58	-----	2	73.66	71.12	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5813	58	-----	3	73.66	71.12	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
<table><tr><td rowspan="5">REVISED EC NO: S2007-0544 DRW:SKL IM01 CHKD: CWL AM APPR: KWLEE</td><td rowspan="5">2006/12/13 2006/12/19 2006/12/27</td><td rowspan="5">DESCRIPTION</td><td>QUALITY SYMBOLS</td><td>GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td>DIMENSION STYLE</td><td>SCALE</td><td>DESIGN UNITS</td><td>THIRD ANGLE PROJECTION</td></tr><tr><td>▽=0</td><td>mm INCH</td><td>MM ONLY</td><td>NTS</td><td>METRIC</td><td></td></tr><tr><td>▽=0</td><td>4 PLACES ± --- ± ---</td><td>DRAWN BY DATE</td><td>TITLE</td><td rowspan="3">CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED</td><td rowspan="3">SHEET NO. 3 OF 4</td></tr><tr><td></td><td>3 PLACES ± --- ± ---</td><td>CHECKED BY DATE</td><td></td></tr><tr><td></td><td>2 PLACES ± 0.2 ± ---</td><td>PTL IM 2005/01/25</td><td></td></tr><tr><td colspan="2"></td><td></td><td>1 PLACE ± --- ± ---</td><td>APPROVED BY DATE</td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td></td><td>ANGULAR ± 3 °</td><td>SCLW 2005/01/25</td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td></td><td>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>MATERIAL NO.</td><td>SIZE</td><td>DOCUMENT NO.</td><td colspan="2"></td></tr><tr><td colspan="2"></td><td></td><td></td><td></td><td>A3</td><td></td><td colspan="2">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>												REVISED EC NO: S2007-0544 DRW:SKL IM01 CHKD: CWL AM APPR: KWLEE	2006/12/13 2006/12/19 2006/12/27	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	▽=0	mm INCH	MM ONLY	NTS	METRIC		▽=0	4 PLACES ± --- ± ---	DRAWN BY DATE	TITLE	CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED	SHEET NO. 3 OF 4		3 PLACES ± --- ± ---	CHECKED BY DATE			2 PLACES ± 0.2 ± ---	PTL IM 2005/01/25					1 PLACE ± --- ± ---	APPROVED BY DATE								ANGULAR ± 3 °	SCLW 2005/01/25								DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO.	SIZE	DOCUMENT NO.								A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																										
REVISED EC NO: S2007-0544 DRW:SKL IM01 CHKD: CWL AM APPR: KWLEE	2006/12/13 2006/12/19 2006/12/27	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION																																																																																																																																																																																																																																																																													
			▽=0	mm INCH	MM ONLY	NTS	METRIC																																																																																																																																																																																																																																																																														
			▽=0	4 PLACES ± --- ± ---	DRAWN BY DATE	TITLE	CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED	SHEET NO. 3 OF 4																																																																																																																																																																																																																																																																													
				3 PLACES ± --- ± ---	CHECKED BY DATE																																																																																																																																																																																																																																																																																
				2 PLACES ± 0.2 ± ---	PTL IM 2005/01/25																																																																																																																																																																																																																																																																																
			1 PLACE ± --- ± ---	APPROVED BY DATE																																																																																																																																																																																																																																																																																	
			ANGULAR ± 3 °	SCLW 2005/01/25																																																																																																																																																																																																																																																																																	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO.	SIZE	DOCUMENT NO.																																																																																																																																																																																																																																																																															
					A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																														
	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																											

	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																												
F	<table><tr><th rowspan="2">PART NO.</th><th rowspan="2">CKT SIZE</th><th rowspan="2">VOID POSITION</th><th rowspan="2">PLATING TYPE</th><th colspan="5">DIMENSION</th></tr><tr><th>A</th><th>B</th><th>M</th><th>P</th><th>E</th></tr><tr><td>87911-6011</td><td>60</td><td>-----</td><td>1</td><td>76.20</td><td>73.66</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-6012</td><td>60</td><td>-----</td><td>2</td><td>76.20</td><td>73.66</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-6013</td><td>60</td><td>-----</td><td>3</td><td>76.20</td><td>73.66</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-6211</td><td>62</td><td>-----</td><td>1</td><td>78.74</td><td>76.20</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-6212</td><td>62</td><td>-----</td><td>2</td><td>78.74</td><td>76.20</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-6213</td><td>62</td><td>-----</td><td>3</td><td>78.74</td><td>76.20</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-6411</td><td>64</td><td>-----</td><td>1</td><td>81.28</td><td>78.74</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-6412</td><td>64</td><td>-----</td><td>2</td><td>81.28</td><td>78.74</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-6413</td><td>64</td><td>-----</td><td>3</td><td>81.28</td><td>78.74</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-6611</td><td>66</td><td>-----</td><td>1</td><td>83.82</td><td>81.28</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-6612</td><td>66</td><td>-----</td><td>2</td><td>83.82</td><td>81.28</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-6613</td><td>66</td><td>-----</td><td>3</td><td>83.82</td><td>81.28</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-6811</td><td>68</td><td>-----</td><td>1</td><td>86.36</td><td>83.82</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-6812</td><td>68</td><td>-----</td><td>2</td><td>86.36</td><td>83.82</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-6813</td><td>68</td><td>-----</td><td>3</td><td>86.36</td><td>83.82</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-7011</td><td>70</td><td>-----</td><td>1</td><td>88.90</td><td>86.36</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-7012</td><td>70</td><td>-----</td><td>2</td><td>88.90</td><td>86.36</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-7013</td><td>70</td><td>-----</td><td>3</td><td>88.90</td><td>86.36</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-7211</td><td>72</td><td>-----</td><td>1</td><td>91.44</td><td>88.90</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-7212</td><td>72</td><td>-----</td><td>2</td><td>91.44</td><td>88.90</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-7213</td><td>72</td><td>-----</td><td>3</td><td>91.44</td><td>88.90</td><td>6.10</td><td>3.18</td><td>2.27</td></tr></table>										PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	M	P	E	87911-6011	60	-----	1	76.20	73.66	6.10	3.18	2.27	87911-6012	60	-----	2	76.20	73.66	6.10	3.18	2.27	87911-6013	60	-----	3	76.20	73.66	6.10	3.18	2.27	87911-6211	62	-----	1	78.74	76.20	6.10	3.18	2.27	87911-6212	62	-----	2	78.74	76.20	6.10	3.18	2.27	87911-6213	62	-----	3	78.74	76.20	6.10	3.18	2.27	87911-6411	64	-----	1	81.28	78.74	6.10	3.18	2.27	87911-6412	64	-----	2	81.28	78.74	6.10	3.18	2.27	87911-6413	64	-----	3	81.28	78.74	6.10	3.18	2.27	87911-6611	66	-----	1	83.82	81.28	6.10	3.18	2.27	87911-6612	66	-----	2	83.82	81.28	6.10	3.18	2.27	87911-6613	66	-----	3	83.82	81.28	6.10	3.18	2.27	87911-6811	68	-----	1	86.36	83.82	6.10	3.18	2.27	87911-6812	68	-----	2	86.36	83.82	6.10	3.18	2.27	87911-6813	68	-----	3	86.36	83.82	6.10	3.18	2.27	87911-7011	70	-----	1	88.90	86.36	6.10	3.18	2.27	87911-7012	70	-----	2	88.90	86.36	6.10	3.18	2.27	87911-7013	70	-----	3	88.90	86.36	6.10	3.18	2.27	87911-7211	72	-----	1	91.44	88.90	6.10	3.18	2.27	87911-7212	72	-----	2	91.44	88.90	6.10	3.18	2.27	87911-7213	72	-----	3	91.44	88.90	6.10	3.18	2.27	F
PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																		
				A	B	M	P	E																																																																																																																																																																																																														
87911-6011	60	-----	1	76.20	73.66	6.10	3.18	2.27																																																																																																																																																																																																														
87911-6012	60	-----	2	76.20	73.66	6.10	3.18	2.27																																																																																																																																																																																																														
87911-6013	60	-----	3	76.20	73.66	6.10	3.18	2.27																																																																																																																																																																																																														
87911-6211	62	-----	1	78.74	76.20	6.10	3.18	2.27																																																																																																																																																																																																														
87911-6212	62	-----	2	78.74	76.20	6.10	3.18	2.27																																																																																																																																																																																																														
87911-6213	62	-----	3	78.74	76.20	6.10	3.18	2.27																																																																																																																																																																																																														
87911-6411	64	-----	1	81.28	78.74	6.10	3.18	2.27																																																																																																																																																																																																														
87911-6412	64	-----	2	81.28	78.74	6.10	3.18	2.27																																																																																																																																																																																																														
87911-6413	64	-----	3	81.28	78.74	6.10	3.18	2.27																																																																																																																																																																																																														
87911-6611	66	-----	1	83.82	81.28	6.10	3.18	2.27																																																																																																																																																																																																														
87911-6612	66	-----	2	83.82	81.28	6.10	3.18	2.27																																																																																																																																																																																																														
87911-6613	66	-----	3	83.82	81.28	6.10	3.18	2.27																																																																																																																																																																																																														
87911-6811	68	-----	1	86.36	83.82	6.10	3.18	2.27																																																																																																																																																																																																														
87911-6812	68	-----	2	86.36	83.82	6.10	3.18	2.27																																																																																																																																																																																																														
87911-6813	68	-----	3	86.36	83.82	6.10	3.18	2.27																																																																																																																																																																																																														
87911-7011	70	-----	1	88.90	86.36	6.10	3.18	2.27																																																																																																																																																																																																														
87911-7012	70	-----	2	88.90	86.36	6.10	3.18	2.27																																																																																																																																																																																																														
87911-7013	70	-----	3	88.90	86.36	6.10	3.18	2.27																																																																																																																																																																																																														
87911-7211	72	-----	1	91.44	88.90	6.10	3.18	2.27																																																																																																																																																																																																														
87911-7212	72	-----	2	91.44	88.90	6.10	3.18	2.27																																																																																																																																																																																																														
87911-7213	72	-----	3	91.44	88.90	6.10	3.18	2.27																																																																																																																																																																																																														
E	<table><tr><th rowspan="2">PART NO.</th><th rowspan="2">CKT SIZE</th><th rowspan="2">VOID POSITION</th><th rowspan="2">PLATING TYPE</th><th colspan="5">DIMENSION</th></tr><tr><th>A</th><th>B</th><th>M</th><th>P</th><th>E</th></tr><tr><td>87911-7411</td><td>74</td><td>-----</td><td>1</td><td>93.98</td><td>91.44</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-7412</td><td>74</td><td>-----</td><td>2</td><td>93.98</td><td>91.44</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-7413</td><td>74</td><td>-----</td><td>3</td><td>93.98</td><td>91.44</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-7611</td><td>76</td><td>-----</td><td>1</td><td>96.52</td><td>93.98</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-7612</td><td>76</td><td>-----</td><td>2</td><td>96.52</td><td>93.98</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-7613</td><td>76</td><td>-----</td><td>3</td><td>96.52</td><td>93.98</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-7811</td><td>78</td><td>-----</td><td>1</td><td>99.06</td><td>96.52</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-7812</td><td>78</td><td>-----</td><td>2</td><td>99.06</td><td>96.52</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-7813</td><td>78</td><td>-----</td><td>3</td><td>99.06</td><td>96.52</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-8011</td><td>80</td><td>-----</td><td>1</td><td>101.60</td><td>99.06</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-8012</td><td>80</td><td>-----</td><td>2</td><td>101.60</td><td>99.06</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-8013</td><td>80</td><td>-----</td><td>3</td><td>101.60</td><td>99.06</td><td>6.10</td><td>3.18</td><td>2.27</td></tr></table>										PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	M	P	E	87911-7411	74	-----	1	93.98	91.44	6.10	3.18	2.27	87911-7412	74	-----	2	93.98	91.44	6.10	3.18	2.27	87911-7413	74	-----	3	93.98	91.44	6.10	3.18	2.27	87911-7611	76	-----	1	96.52	93.98	6.10	3.18	2.27	87911-7612	76	-----	2	96.52	93.98	6.10	3.18	2.27	87911-7613	76	-----	3	96.52	93.98	6.10	3.18	2.27	87911-7811	78	-----	1	99.06	96.52	6.10	3.18	2.27	87911-7812	78	-----	2	99.06	96.52	6.10	3.18	2.27	87911-7813	78	-----	3	99.06	96.52	6.10	3.18	2.27	87911-8011	80	-----	1	101.60	99.06	6.10	3.18	2.27	87911-8012	80	-----	2	101.60	99.06	6.10	3.18	2.27	87911-8013	80	-----	3	101.60	99.06	6.10	3.18	2.27	E																																																																																	
PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																		
				A	B	M	P	E																																																																																																																																																																																																														
87911-7411	74	-----	1	93.98	91.44	6.10	3.18	2.27																																																																																																																																																																																																														
87911-7412	74	-----	2	93.98	91.44	6.10	3.18	2.27																																																																																																																																																																																																														
87911-7413	74	-----	3	93.98	91.44	6.10	3.18	2.27																																																																																																																																																																																																														
87911-7611	76	-----	1	96.52	93.98	6.10	3.18	2.27																																																																																																																																																																																																														
87911-7612	76	-----	2	96.52	93.98	6.10	3.18	2.27																																																																																																																																																																																																														
87911-7613	76	-----	3	96.52	93.98	6.10	3.18	2.27																																																																																																																																																																																																														
87911-7811	78	-----	1	99.06	96.52	6.10	3.18	2.27																																																																																																																																																																																																														
87911-7812	78	-----	2	99.06	96.52	6.10	3.18	2.27																																																																																																																																																																																																														
87911-7813	78	-----	3	99.06	96.52	6.10	3.18	2.27																																																																																																																																																																																																														
87911-8011	80	-----	1	101.60	99.06	6.10	3.18	2.27																																																																																																																																																																																																														
87911-8012	80	-----	2	101.60	99.06	6.10	3.18	2.27																																																																																																																																																																																																														
87911-8013	80	-----	3	101.60	99.06	6.10	3.18	2.27																																																																																																																																																																																																														
D											D																																																																																																																																																																																																											
C											C																																																																																																																																																																																																											
B											B																																																																																																																																																																																																											
A	<table><tr><td rowspan="10">REVISED EC NO: S2007-0544 DRWNS:SKLIM01 CHKD:CWLAM APPR:KWLEE B</td><td rowspan="10">2006/12/13 2006/12/19 2006/12/27</td><td rowspan="10">DESCRIPTION REV</td><td rowspan="10">QUALITY SYMBOLS ▽=0 ▽=0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td rowspan="10"> THIRD ANGLE PROJECTION</td></tr><tr><td colspan="2"></td><td colspan="2">DRAWN BY YLQIAO</td><td>DATE 2005/01/17</td><td colspan="2" rowspan="4">TITLE CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED</td></tr><tr><td colspan="2">4 PLACES ± --- ± ---</td><td colspan="2">CHECKED BY PTLIM</td><td>DATE 2005/01/25</td></tr><tr><td colspan="2">3 PLACES ± --- ± ---</td><td colspan="2">APPROVED BY SCLOW</td><td>DATE 2005/01/25</td></tr><tr><td colspan="2">2 PLACES ± 0.2 ± ---</td><td colspan="2"></td></tr><tr><td colspan="2">1 PLACE ± --- ± ---</td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">ANGULAR ± 3 °</td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="4">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">MATERIAL NO. SEE TABLE</td><td colspan="2">DOCUMENT NO. SD-87911-027</td><td>SHEET NO. 4 OF 4</td></tr><tr><td colspan="4"></td><td colspan="2">SIZE A3</td><td colspan="2">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td></td></tr></table>										REVISED EC NO: S2007-0544 DRWNS:SKLIM01 CHKD:CWLAM APPR:KWLEE B	2006/12/13 2006/12/19 2006/12/27	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			DRAWN BY YLQIAO		DATE 2005/01/17	TITLE CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED		4 PLACES ± --- ± ---		CHECKED BY PTLIM		DATE 2005/01/25	3 PLACES ± --- ± ---		APPROVED BY SCLOW		DATE 2005/01/25	2 PLACES ± 0.2 ± ---				1 PLACE ± --- ± ---						ANGULAR ± 3 °						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-87911-027		SHEET NO. 4 OF 4					SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			A																																																																																																																																													
REVISED EC NO: S2007-0544 DRWNS:SKLIM01 CHKD:CWLAM APPR:KWLEE B	2006/12/13 2006/12/19 2006/12/27	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																																																																																																																																												
						DRAWN BY YLQIAO		DATE 2005/01/17	TITLE CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED																																																																																																																																																																																																													
				4 PLACES ± --- ± ---		CHECKED BY PTLIM		DATE 2005/01/25																																																																																																																																																																																																														
				3 PLACES ± --- ± ---		APPROVED BY SCLOW		DATE 2005/01/25																																																																																																																																																																																																														
				2 PLACES ± 0.2 ± ---																																																																																																																																																																																																																		
				1 PLACE ± --- ± ---																																																																																																																																																																																																																		
				ANGULAR ± 3 °																																																																																																																																																																																																																		
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				MATERIAL NO. SEE TABLE							DOCUMENT NO. SD-87911-027		SHEET NO. 4 OF 4																																																																																																																																																																																																					
								SIZE A3							THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																							
					10	9	8	7	6		5	4	3	2	1																																																																																																																																																																																																							