


SAW Bandpass Filter 252051B



1. Features

- IF bandpass filter
- High attenuation
- Single-ended operation
- DIP Package
- Maximum Storage Temperature Range : -40℃ ~ 85℃
- Electrostatics Sensitive Device (ESD)

2. Package Dimension



Package : D3512

Dimensions shown are nominal in millimeters

Base : Fe(SPCC), Au plating over Ni plated

Cap : Cu & Cr Alloy, Ni Plated

Termination : Kovar, Au Plated

Pin Configuration

1	Input
5	Output
2, 4	Ground
3, 6	Case ground

 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	252051B	
		Rev. Date	2004-06-23	
		Rev.	NM4015-CS01	1/5

SAW Bandpass Filter 252051B



3. Specifications

Fo = 120.0 MHz

Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	119.9	120.0	120.1
Insertion Loss	dB	-	24.5	26.0
1dB Bandwidth	MHz	-	20.35	-
3dB Bandwidth	MHz	20.5	20.65	-
40dB Bandwidth	MHz	-	21.88	22.0
Amplitude Ripple (Fo +/- 9.75 MHz)	dB	-	0.7	1.0
Group Delay Variation (Fo +/- 9.75 MHz)	nsec	-	50	150
Absolute Delay	usec	-	2.36	-
Ultimate Rejection	dB	50	55	-
Temperature Coefficient of Frequency	ppm/°C	-	-72	-

Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	252051B	
		Rev. Date	2004-06-23	
		Rev.	NM4015-CS01	2/5

SAW Bandpass Filter 252051B



4. Matching Schematic

(Actual matching values may vary due to PCB layout and parasitics)



$$L1 = 47 \text{ nH}, \quad L2 = 39 \text{ nH}$$

$$C1 = C2 = 27 \text{ pF}$$

5. Marking Configuration

ITF¹⁾ 04A001²⁾

252051B³⁾

1) Manufacturer name

2) Lot Number



3) Part Number

 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	252051B	
		Rev. Date	2004-06-23	
		Rev.	NM4015-CS01	3/5

SAW Bandpass Filter 252051B



6. Typical Performance (at +25°C)



ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No.

252051B

Rev. Date





2004-06-23

Rev.

NM4015-CS01

4/5

SAW Bandpass Filter 252051B



ITF Co., Ltd.
102-901, Bucheon Technopark 364,
Samjeong-Dong, Ojeong-Gu, Bucheon-City,
Gyeonggi-Do, Korea 421-809

Part No.

252051B

Rev. Date

2004-06-23

Rev.

NM4015-CS01

5/5