





| LOC |     | DIST        |  | REVISIONS |     |      |   |
|-----|-----|-------------|--|-----------|-----|------|---|
| P   | LTR | DESCRIPTION |  | DATE      | DWN | APVD |   |
|     |     |             |  |           |     |      |   |
| -   | -   | SEE SHEET 1 |  | -         | -   | -    | - |
|     |     |             |  |           |     |      |   |
|     |     |             |  |           |     |      |   |


FEED TYPE  
MECHANICAL









PNEUMATIC



SERVO  
LATCH PLATE



CAM POSITIONS



ATLANTIC VERSION  
Shown on sheets 1 of 4 & 2 of 4  
(Pacific version shown on sheets 3 of 4 & 4 of 4)

|             |  |                                        |  |                                        |  |                           |  |
|-------------|--|----------------------------------------|--|----------------------------------------|--|---------------------------|--|
| DIMENSIONS: |  | TOLERANCES UNLESS OTHERWISE SPECIFIED: |  | DWN                                    |  | TE Connectivity           |  |
| mm          |  | 0 PLC ±.1                              |  | L. ZHANG                               |  | Harrisburg, PA 17105-3608 |  |
|             |  | 1 PLC ±0.1                             |  | L. ZHANG                               |  |                           |  |
|             |  | 2 PLC ±0.02                            |  | S. XI                                  |  |                           |  |
|             |  | 3 PLC ±0.005                           |  | APVD                                   |  |                           |  |
|             |  | 4 PLC ±0.0005                          |  | S. XI                                  |  |                           |  |
|             |  | ANGLES ±.0005                          |  | PRODUCT SPEC                           |  |                           |  |
|             |  | FINISH                                 |  | APPLICATION SPEC                       |  |                           |  |
|             |  |                                        |  | WEIGHT                                 |  |                           |  |
|             |  |                                        |  | Customer Accessible Production Drawing |  |                           |  |
|             |  |                                        |  | SCALE                                  |  |                           |  |
|             |  |                                        |  | 1:1                                    |  |                           |  |
|             |  |                                        |  | SHEET                                  |  |                           |  |
|             |  |                                        |  | 2 of 4                                 |  |                           |  |
|             |  |                                        |  | REV                                    |  |                           |  |
|             |  |                                        |  | A                                      |  |                           |  |




DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2003

C


B

A


# FEED TYPE MECHANICAL









# PNEUMATIC



# SERVO LATCH PLATE



# CAM POSITIONS



PACIFIC VERSION  
Shown on sheets 3 of 4 & 4 of 4  
(Atlantic version shown on sheets 1 of 4 & 2 of 4)

|                                                                                                                                                       |  |                                        |                                              |                    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------|----------------------------------------------|--------------------|
| THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE USER SHALL BE RESPONSIBLE FOR THE LATEST REVISION. |  | OWN<br>L. ZHANG<br>16JAN2013           | TE Connectivity<br>Harrisburg, PA 17105-3608 |                    |
| DIMENSIONS:<br>mm                                                                                                                                     |  | CHK<br>L. ZHANG<br>16JAN2013           | NAME<br>Ocean Side Feed<br>Applicator        |                    |
| TOLERANCES UNLESS<br>OTHERWISE SPECIFIED:<br>0 PLC ±.1<br>1 PLC ±.02<br>2 PLC ±.02<br>3 PLC ±.005<br>4 PLC ±.0005<br>ANGLES ±.1                       |  | APVD<br>S. XI<br>16JAN2013             | PRODUCT SPEC<br>APPLICATION SPEC             |                    |
| MATERIAL                                                                                                                                              |  | WEIGHT                                 | SIZE<br>A1                                   | CAGE CODE<br>00779 |
|                                                                                                                                                       |  |                                        | DRAWING NO<br>C=2151855                      | RESTRICTED TO      |
|                                                                                                                                                       |  | Customer Accessible Production Drawing | SCALE<br>1:1                                 | SHEET<br>4         |
|                                                                                                                                                       |  |                                        | OF<br>4                                      | REV<br>A           |