



MOUNTING HOLE

SD

SD

372-7-9

REVISIONS

ISSUE	CHANGES
0	ER 37906 HVN 09/23/99

372-7-9

SCALE 4:1

APPROX SURFACE AREA

WAS: 372-6-9

USED ON

REF: INTERMEC 058905-002 REV. C

JK, BKHD, POL, TNC

DRAWN HVN DATE 07/09/99

DESIGN HVN DATE 07/09/99

APPR. DATE

**KINGS**  
ELECTRONICS CO., INC.  
ROCK HILL, SOUTH CAROLINA 29730

372-7-9

NOTES:

- CONNECTOR USES WITH CABLE TERMINATION KIT 3208-1-9 SUPPLIED SEPARATELY.
- FOR CABLING INSTRUCTIONS SEE 3-673.
- INTERFACE PER MIL-STD-348, FIG. 313-1 (AS APPLICABLE).
- MATERIALS:  
INSULATORS: TEFLON, ASTM-D-4894  
GASKET: SILICONE RUBBER, ZZ-R-765  
CENTER CONTACT: BER. COPPER, ASTM-B-196  
LOCKWASHER: PHOSPHOR BRONZE, ASTM-B-103  
ALL OTHER METAL PARTS: BRASS, ASTM-B16
- FINISHES:  
CENTER CONTACTS: HARD GOLD PLATE PER MIL-G-45204  
ALL OTHER METAL PARTS: KINGS NICKEL FINISH PER QQ-N-290
- ELECTRICAL CHARACTERISTICS:  
NOMINAL IMPEDANCE: 50 OHM  
WORKING VOLTAGE: 500 VOLTS RMS  
VSWR: 1.60 MAX. DC TO 2.4GHZ.
- MARK PACKAGE: KINGS 372-7-9  
YRWK (DATE CODE)