

1.85mm Male to 1.85mm Male Cable18 Inch Length Using RG405 Coax



RF Cable Assemblies Technical Data Sheet

PE36523-18

Configuration

Connector 1: 1.85mm MaleConnector 2: 1.85mm MaleCable Type: RG405

• •

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Frequency Range	DC		40	GHz
VSWR			1.4:1	

Specifications by Frequency

Description	F1	F2	F3	F4	F5	Units
Frequency	2.5	5	20	30	40	GHz
VSWR (Max.)	1.4:1	1.4:1	1.4:1	1.4:1	1.4:1	
Return Loss (Max.)	15.56	15.563	15.563	15.563	15.563	dB

Mechanical Specifications

Cable Assembly

 Length
 18 in [457.2 mm]

 Diameter
 0.312 in [7.92 mm]

 Weight
 0.031 lbs [14.06 g]

Cable

Cable TypeRG405Impedance50 OhmsInner Conductor TypeSolid

Inner Conductor Material and Plating Copper Clad Steel, Silver

Dielectric Type PTFE
Number of Shields 1
Shield Layer 1 Copper

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 1.85mm Male to 1.85mm Male Cable 18 Inch Length Using RG405 Coax PE36523-18



© 2015 Pasternack Enterprises All Rights Reserved



1.85mm Male to 1.85mm Male Cable 18 Inch Length Using RG405 Coax



RF Cable Assemblies Technical Data Sheet

PE36523-18

Connectors

Description	Connector 1	Connector 2	
Туре	1.85mm Male	1.85mm Male	
Impedance	50 Ohms	50 Ohms	
Contact Material and Plating	Beryllium Copper, Gold	Beryllium Copper, Gold	
Contact Plating Specification	MIL-G-45204, Type II, Class 1	MIL-G-45204, Type II, Class 1	
Coupling Nut Material and Plating	Passivated Stainless Steel	Passivated Stainless Steel	
Hex Size	5/16 in.	5/16 in.	
Torque	8 in-lbs [0.9 Nm]	8 in-lbs [0.9 Nm]	
Body Material and Plating	Stainless Steel, Gold	Stainless Steel, Gold	
Body Plating Specification	MIL-G-45204, Type II, Class 1	MIL-G-45204, Type II, Class 1	

Compliance Certifications (visit www.Pasternack.com for current document)

For RoHS Compliant version, use PE36523LF-18. Contact Pasternack if product cannot be found. REACH Compliant 12/19/2011

Plotted and Other Data

Notes:

Values at 25°C, sea level.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 1.85mm Male to 1.85mm Male Cable 18 Inch Length Using RG405 Coax PE36523-18





1.85mm Male to 1.85mm Male Cable18 Inch Length Using RG405 Coax



RF Cable Assemblies Technical Data Sheet

PE36523-18

How to Order

Part Number Configuration:

PE36523 - xx uu

Unit of Measure:
cm = Centimeters

Length
Base Number

Example: PE36523-12 = 12 inches long cable PE36523-100cm = 100 cm long cable

1.85mm Male to 1.85mm Male Cable 18 Inch Length Using RG405 Coax from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 1.85mm Male to 1.85mm Male Cable 18 Inch Length Using RG405 Coax PE36523-18

URL: http://www.pasternack.com/1.85mm-male-1.85mm-male-rg405u-cable-assembly-pe36523-18-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.



PE36523-18 CAD Drawing
1.85mm Male to 1.85mm Male Cable 18 Inch Length Using RG405 Coax

