GHDSW4K4

4K 4-Port HDMI Switch with Remote



4-Port HDMI Switch

Connect up to four HDMI source devices to one HDMI display with IOGEAR's 4K 4-Port HDMI Switch. For easy access and convenience, this switch has one HDMI port on the front panel that can be used to connect your portable devices, such as laptops, tablets or digital cameras. The three additional HDMI ports on the back provide permanent connections for your Blu-ray players, set-top boxes, video game consoles and more. Switching between HDMI source devices can be done via the front panel pushbuttons or IR remote control. Easy identification of source inputs using the front panel LED indicators for each source device.

4K Ultra High Definition (UHD) Video Support

IOGEAR's 4-Port HDMI Switch supports UHD 4K, the latest digital format for high definition displays. This switch is capable of HD resolutions up to 4K @ 60Hz (2160p) and also supports 12-bit Deep Color and 3D video.

IR Remote Control

Switch between different devices from the comfort of your couch using the included IR remote. With the built in IR extension port, connect an IR extension cable (not included) to place the 4-port switch out of sight to keep your entertainment center neat and tidy.


- Connect and switch between 4 HDMI inputs on 1 HDMI enabled HDTV or display
- Supported Resolutions: 480p, 720p, 1080i, 1080p and 2160p
- No power adapter required - powered by the connected HDMI devices
- HDMI 2.0 and HDCP 2.2 Compliant
- Supports full 3D pass-through
- Consumer Electronics Control (CEC) support
- Compatible with Dolby® TrueHD and DTS-HD for uncompressed 7.1 digital surround sound
- Switch between devices via front-panel pushbutton or IR remote
- Supports IR extension using a receiver extension cable*
- Front-panel LEDs for port and power status
- Backwards compatible with DVI devices with HD to DVI adapter**

*The IR extension cable is not included in the packaging
**To connect to a DVI device please use the GHDFDVIMW6 adapter, visit the GHDFDVIMW6 product page for more information.









Requirements

- Source Devices
- Digital media devices with HDMI connections
-
- Display
- HDTV or display with an HDMI Input
-
- Cables/Adapters
- 5 HDMI Cables*
- IR Extension Cable (optional) *
- 5V/1A Micro USB Power Adapter (optional) *

*Not included

Package Contents

- 1 x GHDSW4K4 4K 4-Port HDMI Switch
- 1 x IR Remote Control
- 1 x Quick Start Guide
- 1 x Warranty Card

Specifications

Function	GHDSW4K4
Video connections	
Input	4 x Female HDMI Type A 19 Pin
Output	1 x Female HDMI Type A 19 Pin
Connectors	
Video Input	Female HDMI Type A 19 Pin
Video Output	Female HDMI Type A 19 Pin
USB	1 (Power - Optional)
Input Connector	1 x IR Extension
LEDs	
Input	4
Output	1
Video Resolution	480i, 480p, 720p, 1080i, 1080p @60Hz, 2160p @60Hz, VGA~UXGA
Color Depth	8-bit/10-bit/12-bit
Data Rate	18Gbps
Environment	
Operation Temperature	5~131ºF (-15~55ºC)
Storage Temperature	-4~140ºF (-20~60ºC)
Humidity	0-80% RH (Non Condensing)
Power	
Voltage	5V
Amps	1A
Power Adapter	Micro USB (Optional - Not Included)
Housing	
Case	Metal

Dimensions	GHDSW4K4
Unit Dimensions	
Height	0.75" (1.9 cm)
Depth	2.4" (6 cm)
Length	4.75" (12.1 cm)
Inner Pack	
Width	6.4" (16.3 cm)
Height	6.9" (17.5 cm)
Length	6.6" (16.8 cm)
Inner Pack Qty.	6
Unit Package Dimensions	
Width	6.4" (16.2 cm)
Height	6.1" (15.5 cm)
Depth	1" (2.5 cm)
Master Carton	
Width	7.1" (18.1 cm)
Height	7.6" (19.4 cm)
Depth	14" (35.6 cm)
Master Carton Qty.	12
Weight	
Master Carton Wt.	8.65 lb (3.9 kg)
Inner Pack Wt.	3.95 lb (1.79 kg)
Unit Pack Wt.	0.65 lb (0.29 kg)
Unit Wt.	0.45 lb (0.2 kg)