
DESCRIPTION: ABOVE PCB, DECK AND PUSH ROD LOCATION ARE AS VIEW BY USER.

PRODUCT NO. 71299-XXXXX	PUSH-ROD LOCATION	STAND-OFF HEIGHT	(A) HEADER ASSY 71249-XXXX OR 61519-XXXX	(B) MECHANISM ASSY 72336-XXXXX	(C) MATING RECEPTACLE	MOUNTING STYLE TO PCB AND PUSH-ROD SIDE
000CA	RIGHT	0.0	0000	72336-000CA	100 POSITION (2X50) 0.8mm RECEPTACLE PART NO. 73277-101000 PURCHASE SEPARATELY	
020CA	RIGHT	2.2	0022	72336-022CA		
040CA	RIGHT	4.3	0043	72336-043CA		
050CA	RIGHT	5.0	0050	72336-050CA		
050FA (2)	RIGHT	5.0	0050	72336-050FA		
100CA	LEFT	0.0	0000	72336-100CA		
120CA	LEFT	2.2	0022	72336-122CA		
140CA	LEFT	4.3	0043	72336-143CA		
150CA	LEFT	5.0	0050	72336-150CA		
005CA	RIGHT	0.0	0500	72336-000CA		
025CA	RIGHT	0.0	0522	72336-000CA		
045CA	RIGHT	0.0	0543	72336-000CA		
055CA	RIGHT	0.0	0550	72336-000CA		
105CA	LEFT	0.0	0500	72336-100CA		
125CA	LEFT	0.0	0522	72336-100CA		
145CA	LEFT	0.0	0543	72336-100CA		
155CA	LEFT	0.0	0550	72336-100CA		

ORDERING INFORMATION

ORDER:

1. EJECT HEADER ASSY (71299-XXXXX/XXXXLF)
2. MATING RECEPTACLE (73277-101000/101402LF)

NOTE:

1. SEE 71240 FOR DOUBLE-DECK APPLICATIONS.
2. PUSH BUTTON LENGTH IS 21mm FOR 71299-050FA & 71299-050FALF(LEAD-FREE TYPE)

ltr	ecn no	dr	date
L	V20120	RGD	1/18/02
M	V03-0552	WL	05/29/03
N	T04-0316	WL	07/12/04
P	N05-0034	WB	02/16/05
R	N08-0060	MZ	06/20/08

mat'l. code

surface ISO 1302

tolerance ISO 406 ISO 1101

tolerances unless otherwise specified

angles ±2°

linear .X±.3, .XX±.13, .XXX±.051

projection

MM

scale1:1

dr	R.GRAPE	7/3/96
engr	D.BRANN	7/3/96
chr	D.BRANN	7/3/96
appd	D.BRANN	7/3/96

product family

title: CARDBUS SINGLE DECK ASSY SMT TYPE 123

dwg no 71299 | sheet 1 of 1 | size A4

type CUSTOMER | Drawing



sheet index	revision	R	R	R	R	R	R	R	R	R	R	R	R
	sheet	1	2	3	4	5	6	7	8	9	10	11	

PDM: Rev:R STATUS: Released Printed: Oct 12, 2010

FCI CONFIDENTIAL
FCIconnect.com
This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

form: A3

DESCRIPTION: ABOVE PCB, DECK AND PUSH ROD LOCATION ARE AS VIEW BY USER.

PRODUCT NO. 71299-XXXXX	PUSH-ROD LOCATION	STAND-OFF HEIGHT	Ⓐ HEADER ASSY 71249-XXXX OR 61519-XXXX	Ⓑ MECHANISM ASSY 72336-XXXXX	Ⓒ MATING RECEPTACLE	MOUNTING STYLE TO PCB AND PUSH-ROD SIDE
000CALF	RIGHT	0.0	0000MLF	72336-000CA	100 POSITION (2X50) 0.8mm RECEPTACLE PART NO. 73277-101000 OR 73277-101402LF PURCHASE SEPARATELY	
020CALF	RIGHT	2.2	0022MLF	72336-022CA		
040CALF	RIGHT	4.3	0043MLF	72336-043CA		
050CALF	RIGHT	5.0	0050MLF	72336-050CA		
050FALF (2)	RIGHT	5.0	0050MLF	72336-050FA		
100CALF	LEFT	0.0	0000MLF	72336-100CA		
120CALF	LEFT	2.2	0022MLF	72336-122CA		
140CALF	LEFT	4.3	0043MLF	72336-143CA		
150CALF	LEFT	5.0	0050MLF	72336-150CA		
151CALF	LEFT	5.0	0050MLF	52219-150HAM		
005CALF	RIGHT	0.0	0500MLF	72336-000CA		
025CALF	RIGHT	0.0	0522MLF	72336-000CA		
045CALF	RIGHT	0.0	0543MLF	72336-000CA		
055CALF	RIGHT	0.0	0550MLF	72336-000CA		
105CALF	LEFT	0.0	0500MLF	72336-100CA		
125CALF	LEFT	0.0	0522MLF	72336-100CA		
145CALF	LEFT	0.0	0543MLF	72336-100CA		
155CALF	LEFT	0.0	0550MLF	72336-100CA		
156CALF	LEFT	0.0	0550MLF	52219-100HAM		

ORDERING INFORMATION

ORDER:

1. EJECT HEADER ASSY (71299-XXXXX/XXXXLF)
2. MATING RECEPTACLE (73277-101000/101402LF)

NOTE:

1. SEE 71240 FOR DOUBLE-DECK APPLICATIONS.
2. PUSH BUTTON LENGTH IS 21mm FOR 71299-050FA & 71299-050FALF(LEAD-FREE TYPE)

ltr	ecn no	dr	date
R			

mat'l. code | surface ISO 1302 | tolerance ISO 406 ISO 1101 | projection | product family

tolerances unless otherwise specified

angles ±2° | linear .X±.3, .XX±.13, .XXX±.051

MM | scale1:1

dr	R.GRAPE	7/3/96
engr	D.BRANN	7/3/96
chr	D.BRANN	7/3/96
appd	D.BRANN	7/3/96

title: CARDBUS SINGLE DECK ASSY SMT TYPE 123

dwg no 71299 | sheet 2 of 11 | size A4

type CUSTOMER | Drawing

sheet index | revision sheet

PDM: Rev:R STATUS: Released Printed: Oct 12, 2010





form: A3

FCI CONFIDENTIAL

FCIconnect.com

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

DESCRIPTION: BELOW PCB, DECK AND PUSH ROD LOCATION ARE AS VIEWED BY USER

PRODUCT NO. 71299–XXXXX	PUSH–ROD LOCATION	STAND–OFF HEIGHT	Ⓐ HEADER ASSY 71249–XXXX	Ⓑ MECHANISM ASSY 72337–XXXX	Ⓒ MATING RECEPTACLE	MOUNTING STYLE TO PCB AND PUSH–ROD SIDE
520CA	RIGHT	2.2	5022	72337–122CA	100 POSITION (2X50) 0.8mm RECEPTACLE PART NO. 73277–101000 73277–101402LF	
540CA	RIGHT	4.3	5043	72337–143CA		
550CA	RIGHT	5.0	5050	72337–150CA		
520CALF	RIGHT	2.2	5022LF	72337–122CA		
540CALF	RIGHT	4.3	5043LF	72337–143CA		
550CALF	RIGHT	5.0	5050LF	72337–150CA		
620CA	LEFT	2.2	5022	72337–022CA		
640CA	LEFT	4.3	5043	72337–043CA		
650CA	LEFT	5.0	5050	72337–050CA		
620CALF	LEFT	2.2	5022LF	72337–022CA		
640CALF	LEFT	4.3	5043LF	72337–043CA		
650CALF	LEFT	5.0	5050LF	72337–050CA		
525CA	RIGHT	0.0	5522	72337–100CA		
545CA	RIGHT	0.0	5543	72337–100CA		
555CA	RIGHT	0.0	5550	72337–100CA		
① 555DA	RIGHT	0.0	5550	72337–100DA		
525CALF	RIGHT	0.0	5522LF	72337–100CA		
545CALF	RIGHT	0.0	5543LF	72337–100CA		
555CALF	RIGHT	0.0	5550LF	72337–100CA		
① 555DALF	RIGHT	0.0	5550LF	72337–100DA		
625CA	LEFT	0.0	5522	72337–000CA		
645CA	LEFT	0.0	5543	72337–000CA		
655CA	LEFT	0.0	5550	72337–000CA		
625CALF	LEFT	0.0	5522LF	72337–000CA		
645CALF	LEFT	0.0	5543LF	72337–000CA		
655CALF	LEFT	0.0	5550LF	72337–000CA		

ORDERING INFORMATION

ORDER:

1. EJECT HEADER ASSY (71299–XXXXX/XXXXLF)
2. MATING RECEPTACLE (73277–101000/101402LF)

NOTES:

① 555DA HAS 15.6mm PUSH BUTTON RETURN LENGTH INSTEAD OF 13.0mm.

2. BELOW P.C.B., 0.0mm STAND–OFF IS NOT AVAILABLE.


mat'l. code				surface ISO 1302		tolerance ISO 406 ISO 1101		projection		product family	
ltr	ecn no	dr	date	tolerances unless otherwise specified						title	
R				angles ±2°	linear	.X±.3		MM		CARDBUS SINGLE DECK ASSY SMT TYPE 123	
						.XX±.13					
						.XXX±.051		scale1:1			
				dr	R.GRAPE	7/3/96				dwg no 71299	sheet 3 of 11 size A4
				engr	D.BRANN	7/3/96					
				chr	D.BRANN	7/3/96					
				appd	D.BRANN	7/3/96				type CUSTOMER	Drawing
sheet index	revision sheet										

PDM: Rev:R STATUS: Released Printed: Oct 12, 2010


FCI CONFIDENTIAL
FCIconnect.com
This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.


form: A3


PRODUCT NUMBER
71299–*****/*****LF




MATING RECEPTACLE SHOWN FOR APPLICATION CLARITY ONLY MUST BE PURCHASED SEPARATELY







BELOW P.C.B.
LEFT PUSH–ROD
PCB LAYOUT 2 (SH.8)



ABOVE P.C.B.
RIGHT PUSH–ROD
PCB LAYOUT 1 (SH.8)


mat'l. code				surface ISO 1302		tolerance ISO 406 ISO 1101		projection		product family	
ltr	ecn no	dr	date	tolerances unless otherwise specified						title	
R				angles ±2°	linear	.X±.3		MM		CARDBUS SINGLE DECK ASSY SMT TYPE 123	
						.XX±.13					
						.XXX±.051		scale1:1			
				dr	R.GRAPE	7/3/96				dwg no 71299	sheet 4 of 11 size A4
				engr	D.BRANN	7/3/96					
				chr	D.BRANN	7/3/96					
				appd	D.BRANN	7/3/96				type CUSTOMER	Drawing
sheet index	revision sheet										

FCI CONFIDENTIAL
FCIconnect.com
This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.


form: A3


PDM: Rev:R STATUS: Released Printed: Oct 12, 2010


PRODUCT NUMBER
71299–*****/*****LF




MATING RECEPTACLE SHOWN FOR APPLICATION CLARITY ONLY MUST BE PURCHASED SEPARATELY







P/N: 71299–640CA/640CALF
BELOW P.C.B.
LEFT PUSH–ROD
PCB LAYOUT 4 (SH.9)



P/N: 71299–040CA/040CALF
ABOVE P.C.B.
RIGHT PUSH–ROD
PCB LAYOUT 3 (SH.9)

mat'l. code				surface ISO 1302		tolerance ISO 406 ISO		projection 1101	product family	
ltr	ecn no	dr	date	tolerances unless otherwise specified					title	
R				angles ±2°	linear	.X±.3		MM	CARDBUS SINGLE DECK ASSY SMT TYPE 123	
						.XX±.13				
						.XXX±.051		scale1:1		
				dr	R.GRAPE	7/3/96			dwg no 71299	sheet 5of11 size A4
				engr	D.BRANN	7/3/96				
				chr	D.BRANN	7/3/96				
				appd	D.BRANN	7/3/96			type CUSTOMER	Drawing
sheet index	revision sheet									

FCI CONFIDENTIAL
FCIconnect.com
This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.


form: A3


PDM: Rev:R STATUS: Released Printed: Oct 12, 2010


PRODUCT NUMBER
71299–*****/*****LF

FOR LEAD–FREE TYPE ONLY(REF.)


MATING RECEPTACLE SHOWN FOR APPLICATION CLARITY ONLY MUST BE PURCHASED SEPARATELY







P/N: 71299–650CA
BELOW P.C.B.
LEFT PUSH–ROD
PCB LAYOUT 4 (SH.9)



P/N: 71299–050FA/–050FALF
(NOTE ②)


P/N: 71299–050CA/–050CALF
ABOVE P.C.B.
RIGHT PUSH–ROD
PCB LAYOUT 3 (SH.9)


mat'l. code				surface ISO 1302		tolerance ISO 406 ISO 1101		projection		product family	
ltr	ecn no	dr	date	tolerances unless otherwise specified						title	
R				angles ±2°	linear	.X±.3		MM		CARDBUS SINGLE DECK ASSY SMT TYPE 123	
						.XX±.13					
						.XXX±.051		scale1:1			
				dr	R.GRAPE	7/3/96				dwg no 71299	sheet 6of11 size A4
				engr	D.BRANN	7/3/96					
				chr	D.BRANN	7/3/96					
				appd	D.BRANN	7/3/96				type CUSTOMER	Drawing
sheet index	revision sheet										

FCI CONFIDENTIAL
FCIconnect.com
This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

PRODUCT NUMBER
71299–*****/*****LF


MATING RECEPTACLE SHOWN FOR APPLICATION CLARITY ONLY MUST BE PURCHASED SEPARATELY






P/N: 71299–100CA/100CALF
ABOVE P.C.B.
LEFT PUSH–ROD
PCB LAYOUT 5 (SH.10)

MATING RECEPTACLE SHOWN FOR APPLICATION CLARITY ONLY MUST BE PURCHASED SEPARATELY






P/N: 71299–150CA/150CALF
ABOVE P.C.B.
LEFT PUSH–ROD
PCB LAYOUT 3 (SH.9)

mat'l. code				surface ISO 1302		tolerance ISO 406 ISO 1101		projection	product family	
ltr	ecn no	dr	date	tolerances unless otherwise specified					title	
R				angles ±2°	linear	.X±.3		MM	CARDBUS SINGLE DECK ASSY SMT TYPE 123	
						.XX±.13				
						.XXX±.051		scale1:1		
				dr	R.GRAPE	7/3/96			dwg no 71299	sheet 7of11 size A4
				engr	D.BRANN	7/3/96				
				chr	D.BRANN	7/3/96				
				appd	D.BRANN	7/3/96			type CUSTOMER	Drawing
sheet index	revision sheet									

FCI CONFIDENTIAL
FCIconnect.com
This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

P.C.B. LAYOUT FOR 2.2mm STANDOFF



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

FCI CONFIDENTIAL


FCIconnect.com

mat'l. code				surface ISO 1302		tolerance ISO 406 ISO 1101		projection		product family	
ltr	ecn no	dr	date	tolerances unless otherwise specified						title	
R				angles ±2°	linear	.X±.3		MM		CARDBUS SINGLE DECK ASSY SMT TYPE 123	
						.XX±.13					
						.XXX±.051		scale1:1			
				dr	R.GRAPE	7/3/96				dwg no 71299	sheet 8of11 size A4
				engr	D.BRANN	7/3/96					
				chr	D.BRANN	7/3/96					
				appd	D.BRANN	7/3/96				type CUSTOMER	Drawing
sheet index	revision sheet										


form: A3


PDM: Rev:R STATUS: Released Printed: Oct 12, 2010

P.C.B. LAYOUT FOR 4.3 AND 5.0mm STANDOFFS




SCALE 2:1





64.5

P.C.B.
LAYOUT 3
ABOVE PCB
AS ASSEMBLED



P.C.B.
LAYOUT 4
BELOW PCB
AS ASSEMBLED




mat'l. code				surface ISO 1302		tolerance ISO 406 ISO 1101		projection	product family	
ltr	ecn no	dr	date	tolerances unless otherwise specified					title	
R				angles ±2°	linear	.X±.3		MM	CARDBUS SINGLE DECK ASSY SMT TYPE 123	
						.XX±.13				
						.XXX±.051		scale1:1		
				dr	R.GRAPE	7/3/96			dwg no 71299	sheet 9 of 11 size A4
				engr	D.BRANN	7/3/96				
				chr	D.BRANN	7/3/96				
				appd	D.BRANN	7/3/96			type CUSTOMER	Drawing
sheet index	revision sheet									

FCI CONFIDENTIAL
FCIconnect.com
This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

form: A3

PDM: Rev:R STATUS: Released Printed: Oct 12, 2010

P.C.B. LAYOUT FOR 0mm STANDOFF



mat'l. code				surface ISO 1302		tolerance ISO 406 ISO		projection 1101		product family	
ltr	ecn no	dr	date	tolerances unless otherwise specified						title	
R				angles	linear	.X±.3		MM		CARDBUS SINGLE DECK ASSY SMT TYPE 123	
				±2°		.XX±.13					
						.XXX±.051		scale1:1			
				dr	R.GRAPE	7/3/96				dwg no 71299	sheet 10of11 size A4
				engr	D.BRANN	7/3/96					
				chr	D.BRANN	7/3/96					
				appd	D.BRANN	7/3/96				type CUSTOMER	Drawing
sheet index	revision sheet										

FCI CONFIDENTIAL

FCIconnect.com

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

form: A3

PDM: Rev:R STATUS: Released Printed: Oct 12, 2010

HEADER PINOUT	TYPE	BTB 100 POS RECEPTACLE
1	GND	1
2	SIG	2
3	SIG	3
4	SIG	5
5	SIG	6
6	SIG	8
7	SIG	9
8	SIG	11
9	SIG	12
10	SIG	14
11	SIG	15
12	SIG	17
13	SIG	18
14	SIG	20
15	SIG	21
16	SIG	23
17	PWR	24
18	SIG	27
19	SIG	28
20	SIG	30
21	SIG	31
22	SIG	33
23	SIG	34
24	SIG	36
25	SIG	37
26	SIG	39
27	SIG	40
28	SIG	42
29	SIG	43
30	SIG	45
31	SIG	46
32	SIG	48
33	SIG	49
34	GND	50

HEADER PINOUT	TYPE	BTB 100 POS RECEPTACLE
35	GND	51
36	DET	52
37	SIG	53
38	SIG	55
39	SIG	56
40	SIG	58
41	SIG	59
42	SIG	61
43	SIG	62
44	SIG	64
45	SIG	65
46	SIG	67
47	SIG	68
48	SIG	70
49	SIG	71
50	SIG	73
51	PWR	74
52	SIG	77
53	SIG	78
54	SIG	80
55	SIG	81
56	SIG	83
57	SIG	84
58	SIG	86
59	SIG	87
60	SIG	89
61	SIG	90
62	SIG	92
63	SIG	93
64	SIG	95
65	SIG	96
66	SIG	98
67	DET	99
68	GND	100

SHIELD PINOUT	TYPE	BTB 100 POS RECEPTACLE
1	GND	4 & 54
2	GND	7 & 57
3	GND	10 & 60
4	GND	13 & 63
5	GND	16 & 66
6	GND	19 & 69
7	GND	22 & 72
8	GND	25 & 75
9	GND	26 & 76
10	GND	29 & 79
11	GND	32 & 82
12	GND	35 & 85
13	GND	38 & 88
14	GND	41 & 91
15	GND	44 & 94
16	GND	47 & 97

NOTES:

1 8mm MIN CARD EJECT.

2 EJECT TRAVEL: 9.5mm

3 MATERIAL:

3.1 HEADER ASSY:
PLASTIC HOUSING: LCP UL94V-0 BLACK - ABOVE PCB
LCP UL94V-0 BLACK - BELOW PCB
PIN: PHOSPHOR BRONZE
PCB: FR4

3.2 EJECT MECHANISM ASSY:
PLASTIC GUIDE: POLYPHTHARAMID UL94V-0 BLACK
PLASTIC PUSH-ROD BUTTON: POLYPHTHARAMID UL94V-0 BLACK
COVER PLATE, LINK ARM,
PUSH ROD: STAINLESS STEEL
EMI CONTACT: PHOSPHOR BRONZE

3.3 .8 BTB RECEPTACLE: 73277-101000
PLASTIC: LCP 94V-0 BLACK
CONTACT: BeCu

4 FINISH (PIN)
UNDER PLATING: 0.5um MIN Ni
CONTACT AREA: 0.1um MIN GOLD OVER
0.5um MIN Pd-Ni
SOLDER TAIL(TIN LEAD OPTION): 2.5umMIN Sn-Pb
SOLDER TAIL(LEAD FREE OPTION): 2.5umMIN PURE TIN

5 DIM "X"

4.25±0.1	3.5±0.1	5.0±0.1
OTHERS	36,67	1,17,34,35,51,68

6 RECOMMENDED SCREW TORQUE: 1.0 TO 1.5 MAX in-lbs. (1.2-1.7 cm-kgs).
RECOMMENDED HOLD-DOWN 2mm SCREWS (95121) AND HEX NUTS (92869-001).

7 GS-14-920 SPEC. SHOULD BE APPLIED LEAD FREE P/N.

8 IF LEAD FREE P/N.THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.00MM MINIMUM THICK CIRCUIT BOARD.

9 IF LEAD FREE P/N.THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DISCRIBLED IN GS-22-008

FCI CONFIDENTIAL

FCIconnect.com

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

mat'l. code | surface ISO 1302 | tolerance ISO 406 ISO 1101 | projection | product family

ltr	ecn no	dr	date
R			

tolerances unless otherwise specified
angles ±2° | linear .X±.3, .XX±.13, .XXX±.051
MM
scale1:1

dr	R.GRAPE	7/3/96
engr	D.BRANN	7/3/96
chr	D.BRANN	7/3/96
appd	D.BRANN	7/3/96

sheet index | revision sheet

title: CARDBUS SINGLE DECK ASSY SMT TYPE 123

dwg no 71299 | sheet 11of11 | size A4

type CUSTOMER Drawing

form: A3

PDM: Rev:R STATUS: Released Printed: Oct 12, 2010