# Female insert - STG-MTN 0,5-1,0 BA - 3190629

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://download.phoenixcontact.com)

Module socket contact, inserted in the PCC or HCC plug housing after crimping the conductor, for 0.5 mm² ... 1.0 mm² conductors, ribbon contact



## Key commercial data

| | |
|---|---|
| Packing unit | 1 PCE |
| Minimum order quantity | 4000 PCE |
| Weight per Piece (excluding packing) | 0.76 GRM |
| Custom tariff number | 85389099 |
| Country of origin | Czech Republic |

## Technical data

### General

| | |
|---|---|
| Color | silver |

## Classifications

### eCl@ss

| | |
|---|---|
| eCl@ss 4.0 | 27141199 |
| eCl@ss 4.1 | 27141199 |
| eCl@ss 5.0 | 27141145 |
| eCl@ss 5.1 | 27141145 |
| eCl@ss 6.0 | 27141120 |
| eCl@ss 7.0 | 27141120 |
| eCl@ss 8.0 | 27141120 |

### ETIM

| | |
|---|---|
| ETIM 2.0 | EC000897 |

# Female insert - STG-MTN 0,5-1,0 BA - 3190629

## Classifications

### ETIM

| | |
|---|---|
| ETIM 3.0 | EC000897 |
| ETIM 4.0 | EC000796 |
| ETIM 5.0 | EC000796 |

### UNSPSC

| | |
|---|---|
| UNSPSC 6.01 | 30211802 |
| UNSPSC 7.0901 | 39121402 |
| UNSPSC 11 | 39121402 |
| UNSPSC 12.01 | 39121402 |
| UNSPSC 13.2 | 39121402 |

## Accessories

### Accessories

### Documentation


Mounting material - ST-IL - 3039900

Operating decal for the ST terminal block



## Drawings

Dimensioned drawing



© Phoenix Contact 2013 - all rights reserved
http://www.phoenixcontact.com