

3M™ Tamper-Evident Label Materials



Deter Alert
Prevent



Security against tampering,
fraud, counterfeiting, theft



Peace of mind you can readily see and demonstrate



3M™ Tamper-Evident Label FMV01202 leaves a silver telltale pattern when removed.



3M™ Tamper-Evident Label 7613T fractures bit by bit to deter attempts at removal.

Get the message by removing each sample



7613T
Destructible Vinyl

FMV02
Silver VOID Polyester

FMV01402
White Triangle
Polyester

76901 Permanent
Purple STOP
Polyethylene

76903 Removable
Purple STOP
Polyethylene

Protect what you sell and what you own

3M™ Tamper-Evident Labels stay on guard letting you or your customers know about unwanted access, opening, or tampering, and telling others to keep hands off.

- Discourage theft with ownership labels that tell they've been removed or altered.
- Enforce non-transferable warranties with security-seal warranty labels.

- Help prevent fraud and counterfeiting with irreplaceable labels and hard-to-duplicate patterns that reveal when labels have been removed.
- Seal corners, flaps, seams, and lids of packages and products whenever it's better to know if they've been previously opened.

Typical Application Areas

- Automotive • Appliances
- Consumer • Electronics/Electrical
- Medical devices • Pharmaceuticals
- Warehousing • Software
- Wherever you want labels to stay on guard

Talk to a label expert

1-800-422-8116 • www.3M.com/converter

3M™ Tamper-Evident Label Materials

| Product | Description | Adhesive | Caliper | Liner | Top Coat | Comments |
|---------------------|---------------------|----------|---------|---|----------|---|
| Destructible | | | | | | |
| 7613T | White vinyl | 350 | 2.0 | 55# densified Kraft | Yes | Smooth, white, topcoated film for immediate destructibility on many surfaces; adhesive permanently bonds to high and low surface energy plastics, textured and contoured surfaces, powder coatings, and slightly oily metals; good UV resistance; UL/CSA recognized |
| FA102 | White acetate | P1212 | 2.0 | 50# super calendared Kraft | No | Film fractures upon removal; good for security seals; high speed die cutting liner; FDA compliant for indirect food contact |
| 7110 | White paper | 320 | 2.0 | 43# densified Kraft | No | Press printable and writable; adheres well to most high and low surface energy substrates; survives autoclaving while adhered to most surfaces; excellent resistance to flagging on small diameter vials and containers |
| FA112 | Clear acetate | P1212 | 2.0 | 50# super calendared Kraft | No | Film fractures upon removal; good for security seals; high speed die cutting liner; FDA compliant for indirect food contact |
| Void | | | | | | |
| 7381 | White PET | 300 | 2.3 | 55# densified Kraft | No | White "VOID" message when removed; compact image for small labels; adhesive bonds well to a wide variety of high and low surface energy plastics, UL/CSA recognized |
| FMV22 | White PET | P1410 | 2.0 | 50# super calendared Kraft | Yes | White "VOID" message when removed; general purpose adhesive bonds to a variety of substrates including polyolefins; high speed die cutting liner and matrix stripping; topcoat printable by a variety of film inks and thermal transfer ribbons; FDA compliant for indirect food contact |
| FMV02 | Silver PET | P1410 | 2.0 | 50# super calendared Kraft | Yes | Silver "VOID" message when removed; general purpose adhesive bonds to a variety of substrates including polyolefins; high speed die cutting liner and matrix stripping; topcoat printable by a variety of film inks and thermal transfer ribbons; FDA compliant for indirect food contact |
| Triangle | | | | | | |
| FMV01402 | White PET | P1410 | 2.0 | 50# super calendared Kraft-Remoist | Yes | White triangle pattern when removed; general purpose adhesive bonds to a variety of substrates including polyolefins; liner remoisturized to reduce curl; high speed die cutting liner and matrix stripping; topcoat printable by a variety of film inks and thermal transfer ribbons; FDA compliant for indirect food contact |
| FMV01202 | Silver PET | P1410 | 2.0 | 50# super calendared Kraft-Remoist | Yes | Silver triangle pattern when removed; general purpose adhesive bonds to a variety of substrates including polyolefins; liner remoisturized to reduce curl; high speed die cutting liner and matrix stripping; topcoat printable by a variety of film inks and thermal transfer ribbons; FDA compliant for indirect food contact |
| Stop | | | | | | |
| 76901 | Purple Polyethylene | Acrylic | 1.0 | 65g/m ² White densified Glassine | Yes | Designed for high security; high density printable polyethylene film; permanent adhesive fractures a "STOP" message onto the substrate when removed making it impossible to replace the label undetected; bonds to many substrates |
| 76903 | Purple Polyethylene | Acrylic | 1.0 | 65g/m ² White densified Glassine | Yes | Designed for high security; high density printable polyethylene film; non-permanent adhesive fractures a "STOP" message on the face of the label; leaves no adhesive residue and makes it impossible to replace the label undetected; adhesive bonds to many substrates |

Note: Technical information and data above should be considered representative only and should not be used for specification purposes.



8



9

3M™ Tamper-Evident Label Materials

| Color and Material Availability | | | | | | | |
|--|------------------|-----------------|---------------|---------------|-------------|-------------|---------------------|
|  | Silver Polyester | White Polyester | White Acetate | Clear Acetate | White Paper | White Vinyl | Purple Polyethylene |
| “VOID” tamper evident | ✓ | ✓ | | | | | |
| “Triangle” tamper evident | ✓ | ✓ | | | | | |
| “Destructible” tamper evident | | | ✓ | ✓ | ✓ | ✓ | |
| “STOP” tamper evident | | | | | | | ✓ |

Talk to a label expert

1-800-422-8116 • www.3M.com/converter

PRODUCT USE: All statements, technical information and recommendations contained in this document are based upon tests or experience that 3M believes are reliable. However, many factors beyond 3M's control can affect the use and performance of a 3M product in a particular application, including the conditions under which the product is used and the time and environmental conditions in which the product is expected to perform. Since these factors are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for the user's method of application.

WARRANTY AND LIMITED REMEDY: Unless stated otherwise in 3M's product literature, packaging inserts or product packaging for individual products, 3M warrants that each 3M product meets the applicable specifications at the time 3M ships the product. Individual products may have additional or different warranties as stated on product literature, package inserts or product packages. 3M MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's application. If the 3M product is defective within the warranty period, your exclusive remedy and 3M's and seller's sole obligation will be, at 3M's option, to replace the product or refund the purchase price.

LIMITATION OF LIABILITY: Except where prohibited by law, 3M and seller will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.



**Converter Markets
Performance Label Materials**

1030 Lake Road
Medina, OH 44256
Tel: 1-800-422-8116
Fax: 1-877-722-5072
www.3M.com/converter

3M is a trademark of 3M company.
Printed in U.S.A.
Copyright © 2008, 3M. All rights reserved.
70-0713-4524-6