Automotive Test Lead Kit

Fastures

 Heat Resistant Silicone Leads can Withstand High Temperatures and Heat from such things as Hot Manifolds and Soldering Iron Tips

Description

This high quality Test Lead Set has been designed with the automotive engineer in mind.

NTE Type No.	Kit Contains
72-073	1 Pair (Red & Black) of Double Insulated Silicone Leads. Each lead is terminated on one end in a Straight Fixed Shrouded Plug, the other end is ter- minated in a Right Angle Plug, both compatible with all standard 4mm instrument sockets.
	1 Pair (Red & Black) of Large, Fully Insulated Crocodile Clips with wide jaw opening, ideal for battery terminals or Anderson clip connections. 1 Pair (Red & Black) of Cable Piercers for intrusive measurement taking, ideal for when back probing is not an option.
	1 Pair (Red & Black) of Slim Back Probing Probes. These incorporate a "Spring Steel" prod which allows greater flexibility and less damage when attempting to override the rubber seal on some connections 1 Tool Roll



Deluxe Automotive Test Lead Set

Features

• Packed in a Hard Case using a Closed-Cell Foam

NTE Type No.	Kit Contains
72-079	2 Pairs (Red & Black) of Silicone Insulated Test Leads
	1 Pair (Red & Black) of Couplers, used in connecting a pair of test leads so as to extend the reach 1 Pair (Red & Black) of Fully Insulated Crocodile
	Clips 1 Pair (Red & Black) of Cable Piercers 1 Pair (Red & Black) of Bed of Nails Clips 1 Pair (Red & Black) Thin Back Probing Probes 1 In Line Fuse Link



Easy Access Scope Series Back Probe Kit


Features

• Compatible with All Standard 4mm Instrument Sockets

NTE Type No.	Kit Contains
72-091	4 Color Coded (Yellow, Red, Blue, & Green) 76" (2m) High Quality Double Insulated Silicone Test Leads 4 Color Coded (Yellow, Red, Blue, & Green) Extra Thin Back Probing Pins .028" (0.7mm) OD 1 Tool Roll

Specifications

IEC 1010 Rating: 1000V CAT3 © 20 Amps (Except Back Probe Pins)



Easy Access Back Probe Kit


Features

• Compatible with All Standard 4mm Instrument Sockets

NTE Type No.	Kit Contains
72-092	2 High Visibility (Yellow & Green) 76" (2m) High Quality Double Insulated Silicone Test Leads 4 Color Coded (2 Yellow & 2 Green) Extra Thin Back Probing Pins .028" (0.7mm) OD 1 Tool Roll

Specifications

IEC 1010 Rating: 1000V CAT3 © 20 Amps (Except Back Probe Pins)



Bed Of Nails Cable Assembly Kit

Features

- Ideal for Telecom Applications
- Accepts All Standard 4mm Plugs, Shrouded or Un-Shrouded


Description

One end of the lead is terminated in a "Bed of Nails" crocodile clip which also has a single cable piercing spike within the jaw configuration. The other end is made up of 4mm cable socket which is capable of accepting all standard 4mm plugs whether shrouded or un–shrouded.



NTE Type No.	Kit Contains
72-080	1 Red and 1 Black Cable Assembly utilizing double insulated silicone cable, the inner skin being of a bright contrasting color other than that of the outer, acting as a wear indicator.

TL-027



Specifications

Maximum Jaw Opening: 1.181" (30mm)

Back Probing Probes

Features

• Spring Steel Probe Allows Greater Probing Flexibility


Description

These probes incorporate a "spring steel" probe which allows greater flexibility and less damage when attempting to override the rubber seat on some connectors.



NTE Type No.	Contains
72–100	1 Pair (Red & Black) of Slim Back Probing Probes

TL-028



Specifications

IEC 1010 Rating: 1000V CAT3