



## Break-Over Torque Wrench With 5/8 Bit For TNC Connectors Preset to 12 in-lbs

### TECHNICAL DATA SHEET

PE5019-10

#### Break-Over Torque Wrench With 5/8 Bit For TNC Connectors Preset to 12 in-lbs

Pasternack's PE5019-XX break-over torque wrenches allow accurate mating force when assembling and disassembling a variety of RF coaxial connectors. The unique feature of break-over torque wrenches is that they will "break" at the pivot point once the preset torque value force is achieved, effectively preventing the user from over tightening the coupling nut on the connector. Our break-over torque wrenches are lab-quality tools made with a durable nickel-plated steel alloy wrench head connected to a light weight, blue anodized aluminum handle. These RF torque wrenches are secured inside a latched and labeled wooden box for proper storage. Each calibrated torque wrench is rated to MIL-STE-45662 standards and comes with a Certificate of Calibration.

- Lab-quality torque wrenches are designed to last even after continual use
- Each break-over torque wrench is rated to MIL-STE-45662 standards
- Torque wrench will "break" at the pivot point once torque value force is achieved
- Break-over design ensures that connectors are not over-torqued, which is possible with a click style torque wrench.
- Designed with a clearly labeled, blue anodized aluminum handle
- Each break-over torque wrench comes secured inside a labeled wooden box

#### Configuration

Design Type	Break-Over
Hex Size, inch	5/8
Torque Setting, in-lbs [Nm]	12 [1.36]
Torque Accuracy, in-lbs [Nm]	0.7 [0.08]
Weight, lbs [g]	0.4 [181.44]
Handle Color	Blue

#### Compliance Certifications (visit [www.Pasternack.com](http://www.Pasternack.com) for current document)

RoHS Compliant	Yes
----------------	-----

#### Plotted and Other Data

Notes:	Values at 25 °C, sea level For Stainless Steel Type Connectors.
--------	--------------------------------------------------------------------

Break-Over Torque Wrench With 5/8 Bit For TNC Connectors Preset to 12 in-lbs from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Break-Over Torque Wrench With 5/8 Bit For TNC Connectors Preset to 12 in-lbs PE5019-10](http://www.pasternack.com/break-over-torque-wrench-5-8-bit-tnc-12in-lbs-pe5019-10)


URL: <http://www.pasternack.com/break-over-torque-wrench-5-8-bit-tnc-12in-lbs-pe5019-10.p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



# PE5019-10 CAD Drawing

Break-Over Torque Wrench With 5/8 Bit For TNC Connectors Preset to 12 in-lbs



NOTES:  
 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.  
 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.  
 3. DIMENSIONS ARE IN INCHES [mm].

DWG TITLE  
**PE5019-10**  
 FSCM NO. 53919  
 CAD FILE 082113  
 SCALE N/A  
 SIZE A  
 2233

**PE PASTERNAK**  
 Pasternack Enterprises, Inc.  
 P.O. Box 16759 | Irvine | CA | 92623  
 Phone: (949) 261-1920 | Fax: (949) 261-7451  
 Website: www.pasternack.com | E-Mail: sales@pasternack.com