

**Data sheet | Item number: 762-3000**

Web Panel; 10.9 cm (4.3"); 480 x 272 pixels; 2 x USB, 2 x ETHERNET


[www.wago.com/762-3000](http://www.wago.com/762-3000)



Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Successor model



Item no.762-4101

Touch Panel 600; 10.9 cm (4.3"); 480 x 272 pixels; 2 x USB, 2 x ETHERNET; Web Panel

[www.wago.com/762-4101](http://www.wago.com/762-4101)

## Item description

Specifically configured as a Web browser, the Web Panel directly connects to controllers with their own Webservers.

The *e!COCKPIT* (CODESYS 3) or CODESYS 2.3 Web visualization has been specifically optimized for the Web Panel.

## Data

### Technical data

Display diagonal	10.9 cm (4.3 Inches)
Display	Resistive touchscreen
Display colors	16 million colors
Graphics resolution	(480 x 272) px
Contrast ratio	600:1
Viewing angle (horizontal/vertical)	80° / 80°
Brightness	500 cd/m <sup>2</sup>
HBT (Half Brightness Time)	50,000 h

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Visualization	Web Visu
ETHERNET protocols	DHCP DNS FTP FTPS HTTP HTTPS SSH
Communication	Web browser (CODESYS2)
Operating system	Linux <sup>®</sup>
Processor	ARM <sup>®</sup> Cortex™ A8 600 MHz
Main memory (RAM)	512 MB
Internal memory (flash)	1024 MB
Memory card type	microSD (max. 2 GB); microSDHC (max. 32 GB)
Baud rate	ETHERNET: 10/100 Mbit/s
Indicators	Three-color LED (red, green, blue)
Controls	Resistive touch panel; 2 capacitive keys; proximity sensor
Supply voltage	24 VDC, SELV (18 ... 31.2 V); with reverse voltage protection
Max. input current (24 V)	170 mA
Operating power	4.0 W (max.)

### Connection data

Connection technology: communication/fieldbus	Modbus TCP: 2 x RJ-45; USB: 2 x USB 2.0 host (type A)
---	---

### Physical data

Width	155 mm / 6.102 inch
Height	135 mm / 5.315 inch
Depth	58 mm / 2.283 inch
Panel cutout (W x H)	(140 x 120) mm

### Mechanical data

Weight	728 g
Front panel	Plastic, polyester film
Housing material	Anodized aluminum
Conformity marking	CE

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

## Environmental requirements


Surrounding air temperature (operation)	0 ... 55 °C
Surrounding air temperature (storage)	-20 ... 80 °C
Protection type	IP65
Note on protection type	IP65 (front side); IP20 (rear side), per EN 60529
Relative humidity (without condensation)	90 %
Mounting type	Clamping elements (included) or VESA mount (4 x M4x8)
Fire load	0.003 MJ

## Commercial data


PU (SPU)	1 Stück
Packaging type	box
Country of origin	DE
GTIN	4055143356510
Customs tariff number	84714100000

## Approvals / Certificates

### Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	<b>KC</b> National Radio Research Agency	Article 58-2, Clause 3	MSIP- REM-W43- WBP762

### Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	<b>DNV</b> DNV Germany GmbH	DNVGL-CG-339,Nov.2016	TAA00001FS
	<b>PRS</b> Polski Rejestr Statków	-	TE/2190 /880590/18

### UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name

Subject to changes. Please also observe the further product documentation!



UL  
Underwriters Laboratories Inc. (ORDINARY  
LOCATIONS)

UL 61010-2-201

E175199

## Optional accessories

### Mounting

Mounting accessories



Item no.: 762-9001  
e!DISPLAY7300T ; Clamping elements (4 pieces)

[www.wago.com/762-9001](http://www.wago.com/762-9001)

### Memory card

Memory card



Item no.: 758-879/000-3102  
Memory Card SD Micro; 2 GByte

[www.wago.com/758-879/000-3102](http://www.wago.com/758-879/000-3102)



Item no.: 758-879/000-3108  
Memory Card SD Micro; pSLC-NAND; 8 GB; Temperature range: -40 to 90°C

[www.wago.com/758-879/000-3108](http://www.wago.com/758-879/000-3108)

## Downloads

### Documentation

#### Manual

e!DISPLAY 7300T, Web Panel WP 4.3 480x272 PIO 1	V 1.1.0	pdf 2.2 MB	Download
--	---------	---------------	----------

#### Bid Text

762-3000 doc - Datei	2016. 1. 8.	doc 29.2 kB	Download
-------------------------	-------------	----------------	----------

762-3000 X81 - Datei	2019. 2. 19.	xml 5.2 kB	Download
-------------------------	--------------	---------------	----------

#### System Description

Operation and Monitoring – General Product Information		pdf 795.2 kB	Download
--	--	-----------------	----------

Overview on WAGO-I/O-SYSTEM 750 approvals		pdf 780.2 kB	Download
---	--	-----------------	----------

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



### Additional Information

Disposal; Electrical and electronic equipment, Packaging	V 1.0.0	pdf 265.8 kB	Download
--	---------	-----------------	----------

### Runtime Software

#### Firmware

Firmware: 762-3000 Web Panel; 10.9 cm (4.3"); 480 x 272 pixels; 2 x USB, 2 x ETHERNET	04 2019. 10. 31.	zip 99.5 MB	Download
---	---------------------	----------------	----------

### CAD/CAE-Data

#### CAD data

2D/3D Models 762-3000	URL	Download
-----------------------	-----	----------

#### CAE data

EPLAN Data Portal 762-3000	URL	Download
----------------------------	-----	----------

WSCAD Universe 762-3000	URL	Download
-------------------------	-----	----------

ZUKEN Portal 762-3000	URL	Download
-----------------------	-----	----------

### Environmental Product Compliance

#### Compliance Search

Environmental Product Compliance 762-3000 Web Panel; 10.9 cm (4.3"); 480 x 272 pixels; 2 x USB, 2 x ETHERNET	URL	Download
---	-----	----------

### Installation Notes

### Product family

[<b><i><b>e!</b></i></b><i>DISPLAY 7300T</i></b></a>  
\[Show all products from the family\]\(#\)](#)

Subject to changes. Please also observe the further product documentation!