

HVE-9100 ????? ??: 1



HDMI over Cat.5 Extender Kit, 300m

The LevelOne 300 Metre HDMI Extender offers a ground-breaking solution for long range HDMI deployments, extending the range of Ultra HD signal broadcasts up to 300 metres from the source. Featuring both a transmitter and a receiver, signals are distributed over Ethernet cables, providing a crystal-clear, high-definition signal without the expense of using optical fiber. The LevelOne 300 Metre HDMI Extender features an in-built 4K Ultra HD video scaler, revolutionary technology which enables the user to find the optimal signal, regardless of the input specifications.

Key Features

- Transmission distance of up to 300m for 4k2k resoltuion
- HDMI outputs with EDID management
- Screw-in power socket for added safety

????

System Specifications

Connectors and Cabling:

TX Unit:

1 x HDMI input

1 x HDMI local output

1 x RJ45 output

RX Unit:

1 x RJ45 input

1 x HDMI output

Button/Knob:

RX Unit:

1 x Focus knob

1 x Gain Knob

Resolution:

1920 x 1200@60Hz/1080P (Local HDMI output of TX unit) 4k x 2k @30 Hz (HDMI output of RX unit)

Power Input:

DC 5V/2A

Power Consumption:

700mA (TX unit)

1200mA (RX unit)

www.level1.com Page 1 of 2

Bandwidth:

25-340MHz

Performance

Operating Distance:

Up to 300m

Environment

Temperature (°C):

Operating: $0^{\circ}\text{C} \sim 48^{\circ}\text{C}$ Storage: $-20^{\circ}\text{C} \sim 60^{\circ}\text{C}$

Humidity (Non-condensing):

10~80% RH

Physical Specifications

Dimensions (W x D x H mm):

130 x 97 x 35 (TX unit) 130 x 92 x 35 (RX unit)

Weight (g):

360g (TX unit) 365g (RX unit)

Order Information

HVE-9100

Package Contents

HVE-9100

Power Adapter (x2)

Power Cord (x2)

Quick Installation Guide

No liability or responsibility for any errors or omissions in the content. Specifications are subject to change without notice.

All mentioned brand names are registered trademarks and property of their owners. Copyright © Digital Data Communications GmbH, Germany. All Rights Reserved.

www.level1.com Page 2 of 2