




1. ALL MATERIALS, COMPONENTS AND PROCESS SHALL COMPLY WITH TEC-138-702.
(CONTAINS NO BANNED OR RESTICTED SUBSTANCES).
2. NO REACH SvHC SHALL BE CONTAINED ABOVE THE THRESHOLD AS DEFINED IN
REACH SvHC COMPLIANCE DEFINITION IN ANNEX A OF TEC-138-702.
3. ASSEMBLY TESTED FOR CONTINUITY, OPENS, SHORTS, AND SIGNAL INTEGRITY.
4. CABLE BEND RADIUS 5X BUNDLE CABLE OD.
5. SEE SHEET 2 AND 3 FOR WIRING SCHEMATIC.
6. CONNECTORS ARE GEN-Z COMPLIANT.

7 LABEL INFORMATION SHOWN BELOW:

TE LOGO

DATE CODE & SERIAL #

COUNTRY OF ORIGIN

TE

2361348-X

YYWWSSSS

MADE IN

TE P/N

BARCODE

(DATECODE/SERIAL#)

TE P/N

BARCODE

(DATECODE/SERIAL#)

8. CABLE CONNECTOR MATES WITH TE SLIVER RECEPTACLE P/N 2331813-X, OR 2331814-X.

500	1000 +10/-0	2361348-2
250	500 +10/-0	2361348-1
("M")	"L"	TE P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

B. MATTHEWS

29AUG2019

CHK

R. HENRY

29AUG2019

APVD

-

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±0.5

2 PLC ±0.13

3 PLC ±0.013

4 PLC ±0.0001

ANGLES ±

FINISH

-

-

MATERIAL

-

-

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

NAME

SLIVER 2.0 2C 33AWG 100 OHM STRAIGHT TO STRAIGHT

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A2

00779

©-2361348

-

SCALE

1:1

SHEET

1

OF


3

REV

B

4		3		2		1	
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION				REVISIONS	
© COPYRIGHT 20		BY -		20		ALL RIGHTS RESERVED.	
D	COMMONED	P1		WIRE TYPE	P2		COMMONED
		PIN NO.	PAIR NO.		DESIGNATION	PAIR NO.	
		A1		DISCRETE	GROUND		
		A2		DISCRETE	GROUND		
		A3		DISCRETE	GROUND		
C		A4		DISCRETE	GROUND		
		A5		DISCRETE	GROUND		
		A6		DISCRETE	GROUND		
		A7		DISCRETE	SIDE BAND		
		A8		DISCRETE	SIDE BAND		
B		A9		DISCRETE	SIDE BAND		
		A10		DISCRETE	SIDE BAND		
		A11		DISCRETE	SIDE BAND		
		A12		DISCRETE	SIDE BAND		
		A13			GND		
A		A14		DIFF PAIR	CLK		
		A15		DIFF PAIR	CLK		
		A16			GND		
		A17	0	DIFF PAIR	PCIeTX	0	
		A18	0	DIFF PAIR	PCIe TX	0	
		A19			GND		
		A20	1	DIFF PAIR	PCIeTX	1	
		A21	1	DIFF PAIR	PCIe TX	1	
		A22			GND		
		A23	2	DIFF PAIR	PCIeTX	2	
		A24	2	DIFF PAIR	PCIe TX	2	
		A25			GND		
		A26	3	DIFF PAIR	PCIeTX	3	
		A27	3	DIFF PAIR	PCIe TX	3	
		A28			GND		
					KEY		
		A29			GND		
		A30	4	DIFF PAIR	PCIeTX	4	
		A31	4	DIFF PAIR	PCIe TX	4	
		A32			GND		
		A33	5	DIFF PAIR	PCIeTX	5	
		A34	5	DIFF PAIR	PCIe TX	5	
		A35			GND		
		A36	6	DIFF PAIR	PCIeTX	6	
		A37	6	DIFF PAIR	PCIe TX	6	
		A38			GND		
		A39	7	DIFF PAIR	PCIeTX	7	
		A40	7	DIFF PAIR	PCIe TX	7	
		A41			GND		
		A42		DISCRETE	SIDE BAND		

1471-9 (3/13)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. MATTHEWS 29AUG2019	 TE Connectivity	
DIMENSIONS:		CHK R. HENRY 29AUG2019		
mm		APVD -	NAME SLIVER 2.0 2C 33AWG 100 OHM STRAIGHT TO STRAIGHT	
		PRODUCT SPEC -	SIZE A200779	
		APPLICATION SPEC -		
MATERIAL -		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001 ANGLES ±- FINISH	DRAWING NO C-2361348	
-		-	RESTRICTED TO -	
-		-	SCALE 1:1 SHEET 2 OF 3 REV B	
		CUSTOMER DRAWING		

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

COMMONED.

COMMONED

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 29AUG2019 B. MATTHEWS CHK 29AUG2019 R. HENRY		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED: 0 PLC $\pm$ - 1 PLC ± 0.5 2 PLC ± 0.13 3 PLC ± 0.013 4 PLC ± 0.0001 ANGLES $\pm$ - FINISH		NAME SLIVER 2.0 2C 33AWG 100 OHM STRAIGHT TO STRAIGHT -	
		APVD - PRODUCT SPEC - APPLICATION SPEC - WEIGHT -		SIZE A2	
MATERIAL - -		CAGE CODE 00779		DRAWING NO C=2361348	
		CUSTOMER DRAWING		RESTRICTED TO -	
		SCALE 1:1		SHEET 3 OF 3	
		REV B			