




4

3


2

1

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	FEB ,2006.
© COPYRIGHT 2006 By - ALL RIGHTS RESERVED.		


LOC J	DIST —	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
		—		SEE SHEET 1	—	—	—


AVAILABLE	ENBOSS (SEE SHEET 6)	WITH BOSS	BLACK	NOTE 2-3	1.5V	204	2-2013022-3
AVAILABLE	ENBOSS (SEE SHEET 6)	WITH BOSS	BLACK	NOTE 2-2	1.5V	204	2-2013022-2
AVAILABLE	ENBOSS (SEE SHEET 6)	WITH BOSS	BLACK	NOTE 2-1	1.5V	204	2-2013022-1
AVAILABLE	SEMI-HARD TRAY (SEE SHEET 5)	WITH BOSS	BLACK	NOTE 2-3	1.5V	204	2013022-3
AVAILABLE	SEMI-HARD TRAY (SEE SHEET 5)	WITH BOSS	BLACK	NOTE 2-2	1.5V	204	2013022-2
AVAILABLE	SEMI-HARD TRAY (SEE SHEET 5)	WITH BOSS	BLACK	NOTE 2-1	1.5V	204	2013022-1
TOOLING STATUS	PACKING TYPE	BOSS TYPE	HOUSING COLOR	FINISH	POWER SUPPLY	POS	PART NO.

GENERAL TOLERANCE 10≥:±0.2 30≥ >10:±0.25 100≥ >30:±0.3 ANGLES:±3°	THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	 TE Connectivity						
	DIMENSIONS: MM		CHK							
			APVD					NAME DDR3 SODIMM SOCKET 0.6mm PITCH 204POS 4mm HEIGHT STANDARD TYPE		
			PRODUCT SPEC							
	MATERIAL		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH ±	APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
			WEIGHT	A300779C-2013022			—			
CUSTOMER DRAWING				SCALE		FREE	SHEET	2 OF 6	REV	C

LOC J	DIST —	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—

REFERENCE P.C.BOARD PATTERN LAYOUT
(CONNECTOR MOUNTING SIDE)



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		 TE Connectivity		
DIMENSIONS: MM		CHK		NAME		
		APVD		DDR3 SODIMM SOCKET 0.6mm PITCH 204POS 4mm HEIGHT STANDARD TYPE		
		PRODUCT SPEC		SIZE		
MATERIAL		APPLICATION SPEC		CAGE CODE		
		WEIGHT		DRAWING NO		
		CUSTOMER DRAWING		RESTRICTED TO		
				SCALE		
				SHEET		
				REV		

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

FEB ,2006.

© COPYRIGHT 2006 By -

ALL RIGHTS RESERVED.

LOC
JDIST
/

REVISIONS

P

LTR

DESCRIPTION







DATE

DWN

APVD

SEE SHEET 1

REFERENCE MATING P.C.B CONFIGURATION


DETAIL D
SCALE 8:1DETAIL F
SCALE 8:1DETAIL E
SCALE 8:1 (FRONT SIDE)DETAIL G
SCALE 8:1 (BACK SIDE)

30	CA
31.75	BA
25.4	AA
H	SDRAM VARIATIONS

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

MM

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±
FINISH ±

MATERIAL

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

NAME

DDR3 SODIMM SOCKET
0.6mm PITCH 204POS
4mm HEIGHT STANDARD TYPE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C-2013022



SCALE 2:1

SHEET 4 OF 6




REV C

LOC		DIST		REVISIONS					
P	LTR	DESCRIPTION			DATE	DWN	APVD		
	-	SEE SHEET 1			-	-	-		

- (APPLIED TO SHEET 5)
1. THE DIRECTION OF EACH CONNECTOR ON A TRAY IS REFERRED TO THIS DRAWING.
 2. GENERAL TOLERANCE: ± 0.5 , $\pm 3^\circ$



B-B
SCALE 1:1



A-A
SCALE 1:1
(180DEG. ROTATE)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ± 0.5
	1 PLC ± 0.5
	2 PLC ± 0.5
	3 PLC ± 0.5
	4 PLC ± 0.5
MATERIAL	ANGLES $\pm 3^\circ$
	FINISH

DWN
CHK
APVD
PRODUCT SPEC
APPLICATION SPEC
WEIGHT

CUSTOMER DRAWING

240EA		20EA		*—2013022—*	
QTY/BOX		QTY/TRAY		PART NO.	
		TE Connectivity			
		NAME DDR3 SODIMM SOCKET 0.6mm PITCH 204POS 4mm HEIGHT STANDARD TYPE			
		SIZE	CAGE CODE	DRAWING NO	
A3		00779	C—2013022		—
CUSTOMER DRAWING			SCALE	SHEET	REV
			1:2	5 OF 6	C

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

FEB ,2006.

© COPYRIGHT 2006 By -

ALL RIGHTS RESERVED.




LOC
JDIST
/

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

(APPLIED TO SHEET 6)

1. THE DIRECTION OF EACH CONNECTOR ON A EMBOSS IS REFERRED TO THIS DRAWING.
2. GENERAL TOLERANCE: ± 0.5 , $\pm 3^\circ$




FREE SCALE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

MM

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ± 0.5
1 PLC ± 0.5
2 PLC ± 0.5
3 PLC ± 0.5
4 PLC ± 0.5
ANGLES $\pm 3^\circ$

MATERIAL

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

200EA

QTY/REEL

-2013022-

PART NO.



TE Connectivity

NAME

DDR3 SODIMM SOCKET

0.6mm PITCH 204POS

4mm HEIGHT STANDARD TYPE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C-2013022

SCALE 1:1

SHEET 6 OF 6

REV C