This document was generated on 06/08/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0885278802
Status: Active
Overview: fiber_optic_product_families
Description: ST/UPC-to-ST/UPC, Singlemode, 9/125µm/G655, Simplex, 3.00mm (.118"), Standard Fiber Optic Cable Assembly, 3.0m (9.84')

Documents:
Drawing (PDF)
RoHS Certificate of Compliance (PDF)

General

Product Family	Fiber Optic Assemblies
Series	88527
Connector to Connector	ST/UPC-to-ST/UPC
Mode	Singlemode
Overview	fiber_optic_product_families
Product Name	ST

Physical

Cable Length	3.0m (9.84')
Cable Size	3.00mm (.118")
Fiber (Core/Cladding)	9/125µm/G655
Single Ended	No
Wire/Cable Type	Simplex

Material Info

Reference - Drawing Numbers

Sales Drawing	SD-88527-083

EU RoHS
ELV and RoHS Compliant
REACH SVHC
Not Reviewed
Halogen-Free Status
Not Reviewed

China RoHS

Need more information on product environmental compliance?


Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, click here

Please visit the Contact Us section for any non-product compliance questions.

Search Parts in this Series
88527Series

This document was generated on 06/08/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



MX P/N	DESCRIPTION	LENGTH
885278804	ST-ST SIM SM G655 3MM 10M	10000(+200/-0)
885278803	ST-ST SIM SM G655 3MM 5M	5000(+200/-0)
885278802	ST-ST SIM SM G655 3MM 3M	3000(+200/-0)
885278801	ST-ST SIM SM G655 3MM 2M	2000(+200/-0)
885278800	ST-ST SIM SM G655 3MM 1M	1000(+100/-0)

NOTES:

1. DUST CAPS ARE NOT SHOWN
2. PER CHANNEL @ 1550nm
   IL<=0.30dB
   RL>50dB

ENTER DESCRIPTION
EC NO: DG2009-0079 2008/11/10
DRWN:XPCHEN 2008/11/10
CH'KD: 2008/11/12
APPR: JOWANG
DESCRIPTION
B
REV

QUALITY SYMBOLS
▼=0
Ⓒ=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---
ANGULAR ±---°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM ONLY
SCALE: ---
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION


DRAWN BY: XP DATE: 2008/11/03
CHECKED BY: LISA DATE: 2008/11/03
APPROVED BY: JOHNNY DATE: 2008/11/03

TITLE: ST-ST SIM SM G655 3MM

MOLEX INCORPORATED

MATERIAL NO.: ENTER PART
DOCUMENT NO.: SD-88527-083
SHEET NO.: 1 OF 00
SIZE: A4

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION



MX P/N	DESCRIPTION	LENGTH
885278804	ST-ST SIM SM G655 3MM 10M	10000(+200/-0)
885278803	ST-ST SIM SM G655 3MM 5M	5000(+200/-0)
885278802	ST-ST SIM SM G655 3MM 3M	3000(+200/-0)
885278801	ST-ST SIM SM G655 3MM 2M	2000(+200/-0)
885278800	ST-ST SIM SM G655 3MM 1M	1000(+100/-0)

NOTES:

1. DUST CAPS ARE NOT SHOWN
2. PER CHANNEL @ 1550nm
   IL<=0.30dB
   RL>50dB

ENTER DESCRIPTION
EC NO: DG2009-0079 2008/11/10
DRWN:XPCHEN 2008/11/10
CH'KD: 2008/11/12
APPR: JOWANG
DESCRIPTION
B
REV

QUALITY SYMBOLS
▼=0
Ⓒ=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---
ANGULAR ±---°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM ONLY
SCALE: ---
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: XP DATE: 2008/11/03
CHECKED BY: LISA DATE: 2008/11/03
APPROVED BY: JOHNNY DATE: 2008/11/03

TITLE: ST-ST SIM SM G655 3MM

MOLEX INCORPORATED

MATERIAL NO.: ENTER PART
DOCUMENT NO.: SD-88527-083
SHEET NO.: 1 OF 00
SIZE: A4

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION