Extract from the online catalog

HC-B 32-AMQ

Order No.: 1775693



http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1775693

HEAVYCON panel mounting base B32, with double locking latch, height 30 mm

Commercial data	
EAN	4017918038267
Pack	10 pcs.
Customs tariff	85389099
Weight/Piece	0.2349 KG
Catalog page information	Page 505 (PC-2009)

Product notes

WEEE/RoHS-compliant since: 02/17/2006

http://www.download.phoenixcontact.com
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General data

Note	For contact inserts HC-B32, DD144, M
Design	B32
Height	30 mm
Width	79 mm
Length	124 mm


Housing type	Panel mounting base, straight
Locking type	With double locking latch
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 125 °C
Housing material	Aluminum, die-cast
Housing surface material	Powder-coated, gray
Seal material	NBR
Locking latch material	Steel, galvanized
Material grip body interlock	PA-GF
Length of the assembly cutout	84 mm
Width of the assembly cutout	70 mm

Certificates / Approvals


Certification	GOST

Diagrams/Drawings

Dimensioned drawing



Dimensional drawing



Panel cutout

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057,USA
Phone (800) 888-7388
Fax (717) 944-1625
http://www.phoenixcon.com

© 2010 Phoenix Contact
Technical modifications reserved;