# Output module - EU5E-SWD-X8D PXC - 2903103

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



SmartWire DT™ digital module for connecting digital output signals, 8 outputs (24 V DC/0.5 A).

## Key Commercial Data

| | |
|---|---|
| Packing unit | 1 pc |
| Country of origin | Germany |

## Technical data

### Dimensions

| | |
|---|---|
| Width | 35 mm |
| Height | 90 mm |
| Depth | 101 mm |

### Ambient conditions

| | |
|---|---|
| Ambient temperature (operation) | -25 °C ... 55 °C |
| Ambient temperature (storage/transport) | -40 °C ... 70 °C |

### Output data

| | |
|---|---|
| Output name | Digital outputs |
| Rated operating voltage $U_e$ | 24 V DC -15 % ... +20 % |
| Load current | typ. 500 mA |

### Data interface

| | |
|---|---|
| Designation | SmartWire™-DT |
| Data rate | 125 kBd / 250 kBd |
| Connection method | Pin strip, 8-pos. |

### Connection data

| | |
|---|---|
| Connection method | Push-in connection |
| Conductor cross section solid | 0.2 mm² ... 1.5 mm² |
| Conductor cross section flexible | 0.2 mm² ... 1.5 mm² |

# Output module - EU5E-SWD-X8D PXC - 2903103

## Technical data

### Connection data

| | |
|---|---|
| Conductor cross section AWG | 24 ... 16 |

### Connection data bus connection

| | |
|---|---|
| Connection name | SmartWire™-DT |
| Connection method | Pin strip |
| Number of connections | 1 |
| Number of positions | 8 |
| Note | For SmartWire-DT device plug SWD4-8SF2-5 PXC |

### General

| | |
|---|---|
| Degree of protection | IP20 |
| Color | green |
| Mounting position | any |

### Standards and Regulations

| | |
|---|---|
| Standards/regulations | EN 50178 |

## Classifications

### eCl@ss

| | |
|---|---|
| eCl@ss 4.0 | 27142001 |
| eCl@ss 4.1 | 27142001 |
| eCl@ss 5.0 | 27142001 |
| eCl@ss 5.1 | 27371601 |
| eCl@ss 6.0 | 27371601 |
| eCl@ss 7.0 | 27371601 |
| eCl@ss 8.0 | 27242604 |
| eCl@ss 9.0 | 27242604 |

### ETIM

| | |
|---|---|
| ETIM 3.0 | EC000035 |
| ETIM 4.0 | EC001437 |
| ETIM 5.0 | EC001599 |

### UNSPSC

| | |
|---|---|
| UNSPSC 6.01 | 30211915 |
| UNSPSC 7.0901 | 39121514 |
| UNSPSC 11 | 39121514 |
| UNSPSC 12.01 | 39121514 |

# Output module - EU5E-SWD-X8D PXC - 2903103

## Classifications

### UNSPSC

| | |
|---|---|
| UNSPSC 13.2 | 39121514 |

Phoenix Contact 2016 © - all rights reserved
http://www.phoenixcontact.com