# 31 mm Cool White

LEDriving STANDARD | – Suitable replacement for Festoon



## Areas of application

- Interior lighting

## Product benefits

- 3 year guarantee
- Two different light colors for a variety of customization options
- Maintenance-free thanks to long lifetime
- Easy plug and play replacement
- Compatible with conventional festoon lamp base

## Product features

- LED retrofit lamps for various applications in vehicle interiors
- Available with color temperature: 6,000 K, 6,700 K
- Available with light color: Cool White, Sky White
- Available with length: 31 mm, 36 mm, 41 mm
- Shockproof and vibration-proof


© 2016, OSRAM GmbH. All rights reserved.

Technical data


## Electrical data

| | |
|---|---|
| **Nominal voltage** | 12.0 V |
| **Nominal wattage** | 0.50 W |

## Photometrical data

| | |
|---|---|
| **Luminous flux** | 25 lm |

## Dimensions & weight




| | |
|---|---|
| **Length** | 31.0 mm |
| **Diameter** | 10.5 mm |
| **Product weight** | 2.10 g |

## Additional product data

| | |
|---|---|
| **Base (standard designation)** | SV8.5-8 |

## Certificates & standards

| | |
|---|---|
| **ECE category** | ≙ C5W |

## Country specific categorizations

| | |
|---|---|
| **Order reference** | 6431CW 0,5W 12V |


© 2016, OSRAM GmbH. All rights reserved.

# Product datasheet

## Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---|---|---|---|---|---|
| 4052899192010 | 31 mm Cool White | Blister<br>1 | 101 mm x 74 mm x 13 mm | 0.10 $dm^3$ | 12.00 g |
| 4052899192027 | 31 mm Cool White | Shipping carton box<br>5 | 71 mm x 104 mm x 146 mm | 1.08 $dm^3$ | 106.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## References / Links

Guarantee terms are available at

- www.osram.com/am-guarantee

## Legal advice

Not ECE conform
Only approved for off-road use. Any use on public road traffic leads to cancellation of vehicle operating licence and loss of insurance cover.

## Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.


© 2016, OSRAM GmbH. All rights reserved.