


Sales Region	Worldwide (except Japan)
Series	NV
Model	NV175
Status	 Production
Feature	2MOOP Designed to meet MIL-STD-810 Medical certification
Options	End fan Open frame With cover U channel Product is fully configurable
Option Lineup	
Recommended EMC Filter	
Accessories	
Brand	TDK-Lambda



Electrical Characteristics

Input	Single-phase
Input Voltage Range[AC]	90 to 264Vac
Input Voltage Range[DC]	
Efficiency	90% Typ.
Rated Output Voltage[DC]	15Vdc
Output Voltage Range[DC]	12 to 15Vdc
Maximum Output Current	12A
Maximum Average Current	
Maximum Peak Current	
Maximum Output Power	180W
Maximum Average Power	
Maximum Peak Power	200W

Package Type & Size

Package / Mounting	Enclosed / Unit type Open frame
Industry Standard Size	
Width(W)	127mm Nom. (5.00in Nom.)
Height(H)	32mm Nom. (1.26in Nom.)
Depth(D)	76.2mm Nom. (3.00in Nom.)
Weight	250g Typ. (0.6lbs Typ.)

! Images are for reference only and show exemplary products.
! This PDF document was created based on the data listed on the TDK Corporation website.
! All specifications are subject to change without notice.

Other	
Operating Temp. Range	0 to 70°C
Cooling	Forced air
Safety Standard(Certified)	IEC60601-1 CSA60601-1 EN60601-1 ES60601-1 UL60601-1 IEC60950-1 CSA60950-1 EN60950-1 UL60950-1 IEC61010-1 EN61010-1
Safety Standard(Conformed)	
Remarks	This page only shows representative characteristics. Please refer to the technical data for detailed specifications and conditions.

! Images are for reference only and show exemplary products.
 ! This PDF document was created based on the data listed on the TDK Corporation website.
 ! All specifications are subject to change without notice.