



Main

| | |
|---------------------------------------|--------------------------------------|
| Range of product | OsiSense XG |
| Accessory / separate part category | Connection accessories |
| Accessory / separate part type | Connecting cable |
| Accessory / separate part designation | Pre-wired M12 female connector |
| Accessory / separate part destination | For 24 V DC supply of connection box |
| Cable length | 2 m |

Complementary

| | |
|-----------------------|--|
| Product compatibility | TCSAMT31FP XGSZ33ETH |
| Electrical connection | 1 female connector M12 4 pins A coding |
| Colour | Black |
| Net weight | 0.115 kg |

Environment

| | |
|-------------------------|------|
| IP degree of protection | IP67 |
|-------------------------|------|

Packing Units

| | |
|------------------------------|----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Weight | 85.9 g |
| Package 1 Height | 2 cm |
| Package 1 width | 15.5 cm |
| Package 1 Length | 17.5 cm |
| Unit Type of Package 2 | BAG |
| Number of Units in Package 2 | 1 |
| Package 2 Weight | 86 g |
| Package 2 Height | 2 cm |
| Package 2 width | 15.5 cm |
| Package 2 Length | 17.5 cm |
| Unit Type of Package 3 | S02 |
| Number of Units in Package 3 | 40 |
| Package 3 Weight | 3.792 kg |
| Package 3 Height | 15 cm |
| Package 3 width | 30 cm |
| Package 3 Length | 40 cm |

Offer Sustainability


| | |
|----------------------------|--|
| REACH Regulation | REACH Declaration |
| REACH free of SVHC | Yes |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| Toxic heavy metal free | Yes |
| Mercury free | Yes |
| RoHS exemption information | Yes |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Wiring Diagram

Modbus Connections



| Pin no. | | Signal |
|---------|-------|----------|
| 1 | Red | + 24 VDC |
| 2 | NC | - |
| 3 | Black | 0 VDC |
| 4 | NC | - |