


PVZ3K222E01R00



Appearance & Shape



Features

1. Excellent solderability characteristics are achieved via special plating techniques on each termination.
2. Specially designed substrate prevents wicking of flux onto the top of the part body.

Packaging Information

Packaging	Specifications	Minimum Order Quantity
R00	180mm Embossed Tape	1500

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, its specifications are subject to change or our products may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
2. This datasheet has only typical specifications because there is no space for detailed specifications.
Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

PVZ3K222E01R00



Specifications

Power Rating	0.1W	Torque	2.0 to 19.6mN m
Shape	SMD	Measure Condition of RatedPower	50°C
Maximum Working Voltage	50Vdc	Operating Temperature Range	-25°C to 85°C
Adjustment Direction	Rear	Mass	0.04g
Size	3mm		
Auto Adjustment	Yes		
Number of Turns (Effective Rotation Angle)	1(230°±10°)		
Mechanical Rotation Angle	Endless		
Total Resistance Value	2.2kΩ		
Total Resistance Value Tolerance	±30%		
Temperature Coefficient of Resistance	±500ppm/°C		
Resistance Taper	B (Linear)		
Contact Resistance Variation	5% max. of nominal total resistance value		
Residual Resistance	2% max. of nominal total resistance value		
Soldering Method	Reflow Soldering Iron		


Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
2.This datasheet has only typical specifications because there is no space for detailed specifications.
Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

PVZ3K222E01R00



Product Data



Constructions

Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
2.This datasheet has only typical specifications because there is no space for detailed specifications.
Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.